



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

Below is a list of all ENERGY STAR qualified Residential Light Fixtures as of January 30, 2002. Use this list to help you find products that will save you energy and money. Take this list with you to your local retailer or distributor or look for products bearing the ENERGY STAR label.

#### ARCHITECTURAL LIGHTING FIXTURES

Company	Brand	Model	Total Input	Suggested Use	Date
			Watts		Added
INCON Industries	Incon	21564-1/13	13.7	Livingroom bath bedroom hallway kitchen outdoor utilityroom	12/20/01
Nutech Lighting Corporation	Nutech	1800		Dining Room	10/25/00

#### CEILING-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input	Suggested Use	Date
			Watts		Added
American Fluorescent Corporation	American Fluorescent	BB-240E8	38	Kitchen	03/02/01
American Fluorescent Corporation	American Fluorescent	BB-2U4E8	38	Kitchen	03/02/01
American Fluorescent Corporation	American Fluorescent	BB-440E8	48	Kitchen	03/02/01
American Fluorescent Corporation	American Fluorescent	BCM-240E8	38	Kitchen	03/02/01
American Fluorescent Corporation	American Fluorescent	BCM-2U4E8	38	Kitchen	03/02/01
American Fluorescent Corporation	American Fluorescent	BCM-440E8	48	Kitchen	03/02/01
American Fluorescent Corporation	American Fluorescent	CB-240E8	38	Kitchen	03/02/01
American Fluorescent Corporation	American Fluorescent	CB-2U4E8	35	Kitchen	03/02/01
American Fluorescent Corporation	American Fluorescent	CB-440E8	48	Kitchen	03/02/01
American Fluorescent Corporation	American Fluorescent	CN-240E8	38	Kitchen	03/02/01
American Fluorescent Corporation	American Fluorescent	CN-2U4E8	38	Kitchen	03/02/01
American Fluorescent Corporation	American Fluorescent	CN-440E8	48	Kitchen	03/02/01
American Fluorescent Corporation	American Fluorescent	CTC-240E8	38	Kitchen	03/02/01
American Fluorescent Corporation	American Fluorescent	CTC-2U4E8	38	Kitchen	03/02/01
American Fluorescent Corporation	American Fluorescent	CTC-440E8	48	Kitchen	03/09/01
American Fluorescent Corporation	American Fluorescent	CTK-240E8	38	Kitchen	03/02/01
American Fluorescent Corporation	American Fluorescent	CTK-2U4E8	38	Kitchen	03/02/01
American Fluorescent Corporation	American Fluorescent	CTK-440E8	48	Kitchen	03/09/01
American Fluorescent Corporation	American Fluorescent	CTM-240E8	38	Kitchen	03/02/01
American Fluorescent Corporation	American Fluorescent	CTM-2U4E8	38	Kitchen	03/02/01
American Fluorescent Corporation	American Fluorescent	CTM-440E8	48	Kitchen	03/09/01
American Fluorescent Corporation	American Fluorescent	CTW-240E8	38	Kitchen	03/02/01
American Fluorescent Corporation	American Fluorescent	CTW-2U4E8	38	Kitchen	03/02/01
American Fluorescent Corporation	American Fluorescent	CTW-440E8	48	Kitchen	03/09/01
American Fluorescent Corporation	American Fluorescent	CW-240E8	38	Kitchen	03/09/01
American Fluorescent Corporation	American Fluorescent	CW-2U4E8	38	Kitchen	03/09/01
American Fluorescent Corporation	American Fluorescent	CW-440E8	48	Kitchen	03/09/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### CEILING-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
American Fluorescent Corporation	American Fluorescent	DPN-340E8	40	Home Office	03/09/01
American Fluorescent Corporation	American Fluorescent	ESI-240-8E8	48	Garage	03/09/01
American Fluorescent Corporation	American Fluorescent	ESI-240E8	38	Garage	03/09/01
American Fluorescent Corporation	American Fluorescent	ESI-296E8	67	Garage	03/09/01
American Fluorescent Corporation	American Fluorescent	KA-240E8	38	Kitchen	03/09/01
American Fluorescent Corporation	American Fluorescent	KA-2U4E8	38	Kitchen	03/09/01
American Fluorescent Corporation	American Fluorescent	KA-440E8	48	Kitchen	03/09/01
American Fluorescent Corporation	American Fluorescent	KCM-240E8	38	Kitchen	03/02/01
American Fluorescent Corporation	American Fluorescent	KCM-2U4E8	38	Kitchen	03/02/01
American Fluorescent Corporation	American Fluorescent	KCM-440E8	48	Kitchen	03/02/01
American Fluorescent Corporation	American Fluorescent	KP-240E8	38	Kitchen	03/09/01
American Fluorescent Corporation	American Fluorescent	KP-2U4E8	38	Kitchen	03/09/01
American Fluorescent Corporation	American Fluorescent	KP-440E8	48	Kitchen	03/09/01
American Fluorescent Corporation	American Fluorescent	KW-220E8	17	Kitchen	03/09/01
American Fluorescent Corporation	American Fluorescent	KW-240E8	38	Kitchen	03/09/01
American Fluorescent Corporation	American Fluorescent	KW-2U4E8	38	Kitchen	03/09/01
American Fluorescent Corporation	American Fluorescent	KW-420E8	23	Kitchen	03/09/01
American Fluorescent Corporation	American Fluorescent	KW-440E8	48	Kitchen	03/09/01
American Fluorescent Corporation	American Fluorescent	KWD-220E8	17	Kitchen	03/09/01
American Fluorescent Corporation	American Fluorescent	KWD-240E8	38	Kitchen	03/09/01
American Fluorescent Corporation	American Fluorescent	KWD-2U4E8	38	Kitchen	03/09/01
American Fluorescent Corporation	American Fluorescent	KWD-420E8	23	Kitchen	03/09/01
American Fluorescent Corporation	American Fluorescent	KWD-440E8	48	Kitchen	03/09/01
American Fluorescent Corporation	American Fluorescent	KWL-220E8	17	Kitchen	03/09/01
American Fluorescent Corporation	American Fluorescent	KWL-240E8	38	Kitchen	03/09/01
American Fluorescent Corporation	American Fluorescent	KWL-2U4F8	38	Kitchen	03/09/01
American Fluorescent Corporation	American Fluorescent	KWL-420E8	23	Kitchen	03/09/01
American Fluorescent Corporation	American Fluorescent	KWL-440E8	48	Kitchen	03/09/01
American Fluorescent Corporation	American Fluorescent	KWT-240E8	38	Kitchen	03/09/01
American Fluorescent Corporation	American Fluorescent	KWT-2U4E8	38	Kitchen	03/09/01
American Fluorescent Corporation	American Fluorescent	KWT-440E8	48	Kitchen	03/09/01
American Fluorescent Corporation	American Fluorescent	KWW-240E8	38	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	KWW-2U4E8	38	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	KWW-440E8	48	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	KWWL-240E8	38	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	KWWL-2U4E8	38	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	KWWL-440E8	48	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	LW-220E8	17	Laundry	03/12/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

# ENERGY STAR® Qualified Residential Light Fixtures

## List of Qualified Products

### CEILING-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
American Fluorescent Corporation	American Fluorescent	LW-240E8	38	Laundry	03/12/01
American Fluorescent Corporation	American Fluorescent	LW-440E8	48	Laundry	03/12/01
American Fluorescent Corporation	American Fluorescent	LWK-220E8	17	Laundry	03/12/01
American Fluorescent Corporation	American Fluorescent	LWK-240E8	38	Laundry	03/12/01
American Fluorescent Corporation	American Fluorescent	LWK-440E8	48	Laundry	03/12/01
American Fluorescent Corporation	American Fluorescent	LWKR-240E8	38	Laundry	03/12/01
American Fluorescent Corporation	American Fluorescent	LWKR-440E8	48	Laundry	03/12/01
American Fluorescent Corporation	American Fluorescent	LWWR-240E8	38	Laundry	03/12/01
American Fluorescent Corporation	American Fluorescent	LWWR-440E8	48	Laundry	03/12/01
American Fluorescent Corporation	American Fluorescent	MAR-240E8	38	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	MAR-440E8	48	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	MCM-240E8	38	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	MCM-2U4E8	38	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	MCM-440E8	48	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	MFK-220E8	17	Laundry	03/12/01
American Fluorescent Corporation	American Fluorescent	MFK-240E8	38	Laundry	03/12/01
American Fluorescent Corporation	American Fluorescent	MFK-2U4E8	38	Laundry	03/12/01
American Fluorescent Corporation	American Fluorescent	MFK-420E8	23	Laundry	03/12/01
American Fluorescent Corporation	American Fluorescent	MFK-440E8	48	Laundry	03/12/01
American Fluorescent Corporation	American Fluorescent	MFW-220E8	17	Laundry	03/12/01
American Fluorescent Corporation	American Fluorescent	MFW-240E8	38	Laundry	03/12/01
American Fluorescent Corporation	American Fluorescent	MFW-2U4E8	38	Laundry	03/12/01
American Fluorescent Corporation	American Fluorescent	MFW-420E8	23	Laundry	03/12/01
American Fluorescent Corporation	American Fluorescent	MFW-440E8	48	Laundry	03/12/01
American Fluorescent Corporation	American Fluorescent	NW-220E8	17	Laundry	03/12/01
American Fluorescent Corporation	American Fluorescent	NW-240E8	38	Laundry	03/12/01
American Fluorescent Corporation	American Fluorescent	NWK-220E8	17	Laundry	03/12/01
American Fluorescent Corporation	American Fluorescent	NWK-240E8	38	Laundry	03/12/01
American Fluorescent Corporation	American Fluorescent	RBAM-240E8	38	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	RBAM-440E8	48	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	RBIM-240E8	38	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	RBIM-440E8	48	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	RBW-240E8	38	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	RBW-440E8	48	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	RBWM-240E8	17	Kitchen	03/12/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### CEILING-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
American Fluorescent Corporation	American Fluorescent	RBWM-440E8	48	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	RC-240E8	38	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	RC-2U4E8	38	Laundry	03/12/01
American Fluorescent Corporation	American Fluorescent	RC-420E8	23	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	RC-440E8	48	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	RCS-240E8	38	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	RCS-2U4E8	38	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	RCS-420E8	23	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	RCS-440E8	48	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	RKP-240E8	38	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	RKP-2U4E8	38	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	RKP-440E8	48	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	RPK-340E8	40	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	RPW-340E8	40	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	SM-120E8	22	Garage	03/12/01
American Fluorescent Corporation	American Fluorescent	SM-130E8	26	Garage	03/12/01
American Fluorescent Corporation	American Fluorescent	SM-140E8	32	Garage	03/12/01
American Fluorescent Corporation	American Fluorescent	SM-220E8	17	Garage	03/12/01
American Fluorescent Corporation	American Fluorescent	SM-230E8	28	Garage	03/12/01
American Fluorescent Corporation	American Fluorescent	SM-240E8	38	Garage	03/12/01
American Fluorescent Corporation	American Fluorescent	ST-120E8	22	Garage	03/12/01
American Fluorescent Corporation	American Fluorescent	ST-130E8	26	Garage	03/12/01
American Fluorescent Corporation	American Fluorescent	ST-140-8E8	38	Garage	03/12/01
American Fluorescent Corporation	American Fluorescent	ST-140E8	32	Garage	03/12/01
American Fluorescent Corporation	American Fluorescent	ST-220E8	17	Garage	03/12/01
American Fluorescent Corporation	American Fluorescent	ST-230E8	28	Garage	03/12/01
American Fluorescent Corporation	American Fluorescent	ST-240-8E8	48	Garage	03/12/01
American Fluorescent Corporation	American Fluorescent	ST-240E8	38	Garage	03/12/01
American Fluorescent Corporation	American Fluorescent	STG-120E8	22	Garage	03/12/01
American Fluorescent Corporation	American Fluorescent	STG-130E8	26	Garage	03/12/01
American Fluorescent Corporation	American Fluorescent	STG-140E8	32	Garage	03/12/01
American Fluorescent Corporation	American Fluorescent	STG-220E8		Garage	03/12/01
American Fluorescent Corporation	American Fluorescent	STG-220E8	17	Garage	03/12/01
American Fluorescent Corporation	American Fluorescent	STG-230E8	28	Garage	03/12/01
American Fluorescent Corporation	American Fluorescent	STG-240E8	38	Garage	03/12/01
American Fluorescent Corporation	American Fluorescent	TP-6022E8	17	Garage	03/12/01
American Fluorescent Corporation	American Fluorescent	TP-6042E8	38	Garage	03/12/01
American Fluorescent Corporation	American Fluorescent	VT-240E8	38	Garage	03/15/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

# ENERGY STAR® Qualified Residential Light Fixtures

## List of Qualified Products

### CEILING-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
American Fluorescent Corporation	American Fluorescent	VT-296E8	67	Garage	03/15/01
American Fluorescent Corporation	American Fluorescent	VT-440E8	48	Garage	03/15/01
American Fluorescent Corporation	American Fluorescent	VTP-140E8	32	Garage	03/15/01
American Fluorescent Corporation	American Fluorescent	VTP-240E8	38	Garage	03/15/01
American Fluorescent Corporation	American Fluorescent	VTP-296E8	67	Garage	03/15/01
American Fluorescent Corporation	American Fluorescent	WCM-240E8	38	Kitchen	03/02/01
American Fluorescent Corporation	American Fluorescent	WCM-2U4E8	38	Kitchen	03/02/01
American Fluorescent Corporation	American Fluorescent	WCM-440E8	48	Kitchen	03/02/01
American Fluorescent Corporation	American Fluorescent	WTA-220E8	17	Laundry	03/16/01
American Fluorescent Corporation	American Fluorescent	WTA-240-8E8	48	Laundry	03/16/01
American Fluorescent Corporation	American Fluorescent	WTA-240E8	38	Laundry	03/16/01
American Fluorescent Corporation	American Fluorescent	WTA-420E8	23	Laundry	03/16/01
American Fluorescent Corporation	American Fluorescent	WTA-440E8	48	Laundry	03/16/01
American Fluorescent Corporation	American Fluorescent	WTK-220E8	17	Laundry	03/16/01
American Fluorescent Corporation	American Fluorescent	WTK-240-8E8	48	Laundry	03/16/01
American Fluorescent Corporation	American Fluorescent	WTK-240E8	38	Laundry	03/16/01
American Fluorescent Corporation	American Fluorescent	WTK-420E8	23	Laundry	03/16/01
American Fluorescent Corporation	American Fluorescent	WTK-440E8	48	Laundry	03/16/01
BAVCO Manufacturing/LiteSmart	LiteSmart	LS120-22		Room/Indoor	11/30/99
BAVCO Manufacturing/LiteSmart	LiteSmart	LS120-22M		Room/Indoor	11/30/99
BAVCO Manufacturing/LiteSmart	LiteSmart	LS120-32		Room/Indoor	12/22/99
BAVCO Manufacturing/LiteSmart	LiteSmart	LS120-32M		Room/Indoor	12/22/99
BAVCO Manufacturing/LiteSmart	LiteSmart	LS1302		Room/Indoor	11/30/99
BAVCO Manufacturing/LiteSmart	LiteSmart	LS1302M		Room/Indoor	11/30/99
BAVCO Manufacturing/LiteSmart	LiteSmart	LSDC120-22EM		Room/Indoor	11/30/99
BAVCO Manufacturing/LiteSmart	LiteSmart	LSDP1302EM		Room/Indoor	11/30/99
BAVCO Manufacturing/LiteSmart	LiteSmart	LSS1302EM		Room/Indoor	11/30/99
Brownlee Lighting	Brownlee Lighting	1x13 2 PIN		Any indoor application. Also wall-mounted and suspended.	12/23/99
Brownlee Lighting	Brownlee Lighting	1x13 4PIN		Any indoor application. Also wall-mounted and suspended.	12/23/99
Brownlee Lighting	Brownlee Lighting	1x25		Bath, vanity, hallways, stairwells. Also wall-mounted.	12/23/99
Brownlee Lighting	Brownlee Lighting	1x32		Bath, vanity, hallways, stairwells. Also wall-mounted.	12/23/99
Brownlee Lighting	Brownlee Lighting	21 2D 4PIN		Any indoor application. Also wall-mounted.	12/23/99
Brownlee Lighting	Brownlee Lighting	28 2D 4PIN		Any indoor application. Also wall-mounted.	12/23/99

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### CEILING-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
Brownlee Lighting	Brownlee Lighting	2x13 2PIN		Any indoor application. Also wall-mounted and suspended.	12/23/99
Brownlee Lighting	Brownlee Lighting	2x13 4 PIN		Any indoor application. Also wall-mounted and suspended.	12/23/99
Brownlee Lighting	Brownlee Lighting	2x17		Bath, vanity, hallways, stairwells. Also wall- mounted.	12/23/99
Brownlee Lighting	Brownlee Lighting	2x25		Bath, vanity, hallways, stairwells. Also wall- mounted.	12/23/99
Brownlee Lighting	Brownlee Lighting	2x26 4PIN		Any indoor application. Also wall-mounted and suspended.	12/23/99
Brownlee Lighting	Brownlee Lighting	2x32		Bath, vanity, hallways, stairwells. Also wall- mounted.	12/23/99
Brownlee Lighting	Brownlee Lighting	38 2D 4PIN		Any indoor application. Also wall-mounted.	12/23/99
Brownlee Lighting	Brownlee Lighting	50 BIAx		Bath, vanity, hall. Also wall-mounted.	12/23/99
CLI Fixtures, Inc.	CLI FIXTURES	CDL-13		Canopies, Halls, Stairs	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	CDL-26		Canopies, Halls, Stairs	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	CDL-39		Canopies, Halls, Stairs	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	CLT-13		Bath, Kitchen, Closets, Corridors	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	CLT-18		Bath, Kitchen, Closets, Corridors	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	CLT-26		Bath, Kitchen, Closets, Corridors	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	CS-26		Canopies, Garages, Hotels	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	CV-13		Halls, Carports, Walkways	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	CV-7		Halls, Carports, Walkways	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	CV-9		Halls, Carports, Walkways	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	CV-Q13		Halls, Carports, Walkways	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	LCS-39		Canopies, Garages, Hotels	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	LPC-13		Bath, Kitchen, Closets, Corridors	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	LPC-26		Bath, Kitchen, Closets, Corridors	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	LPC-39		Bath, Kitchen, Closets, Corridors	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	LPD-13		Bath, Halls, Entries	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	LPD-26		Baths, Halls, Entries	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	LPD-39		Baths, Halls, Entries	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	LSL-39		Canopies, Garages, Hotels	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	MDL-13		Bath, Kitchen, Closets, Corridors	04/21/99

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### CEILING-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
CLI Fixtures, Inc.	CLI FIXTURES	MDL-18		Bath, Kitchen, Closets, Corridors	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	MDL-26		Bath, Kitchen, Closets, Corridors	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	PCU-13		Halls, Carports, Walkways	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	PCU-7		Halls, Carports, Walkways	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	PCU-9		Halls, Carports, Walkways	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	PCU-Q13		Halls, Carports, Walkways	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	PM-13		Bath, Kitchen, Closets, Corridors	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	PM-26		Bath, Kitchen, Closets, Corridors	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	PM-39		Bath, Kitchen, Closets, Corridors	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	REL-13		Bath, Halls, Stairs	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	REL-18		Bath, Halls, Stairs	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	REL-26		Bath, Halls, Stairs	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	RL-13		Canopies, Stairwells, Halls	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	RL-26		Canopies, Stairwells, Halls	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	SDL-13		Canopies, Halls, Stairs	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	SDL-26		Canopies, Halls, Stairs	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	SL-26		Canopies, Garages, Hotels	04/21/99
Catalina Lighting	Westinghouse	09-123047		Foyer, Hall, Laundry, Stairwell	11/12/98
Cooper Lighting	Fail-Safe	FWS-217- 120REL2P32S C	17.68		07/16/01
Cooper Lighting	Fail-Safe	FWS-232- 120REL2P32S C	33.16		07/16/01
Delray Lighting	Delray Lighting	Aspect		All residential uses. Also suspended or wall- mounted.	06/30/99
Eastern Fixture Company Inc.	Eastern	11213	32	Living room, hallway, kitchen	07/25/01
Eastern Fixture Company Inc.	Eastern	13113	32	Living room, hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	24MS220AEB O	40	Basement	08/29/01
Eastern Fixture Company Inc.	Eastern	24MS320AEB O	57	Basement	08/27/01
Eastern Fixture Company Inc.	Eastern	24MS420EBO	74	Kitchen, office, basement	08/27/01
Eastern Fixture Company Inc.	Eastern	AP240TEBO	134		08/28/01
Eastern Fixture Company Inc.	Eastern	AP340EBO	102		08/28/01
Eastern Fixture Company Inc.	Eastern	BP120EBO	23	Bath, kitchen, hallway	08/27/01
Eastern Fixture Company Inc.	Eastern	C6-22-220EBO	40	Kitchen	08/29/01
Eastern Fixture Company Inc.	Eastern	C6-22-420EBO	74	Kitchen	08/27/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.





ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### CEILING-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
Eastern Fixture Company Inc.	Eastem	C7-22-220EBO	40	Kitchen	08/29/01
Eastern Fixture Company Inc.	Eastem	C7-22-420EBO	74	Kitchen	08/27/01
Eastern Fixture Company Inc.	Eastem	COR120EBO	23	Basement	08/27/01
Eastern Fixture Company Inc.	Eastem	COR130EBO	31	Hallway	08/27/01
Eastern Fixture Company Inc.	Eastem	EW220AEBO	40	Closets, kitchen	08/27/01
Eastern Fixture Company Inc.	Eastem	G66-2-220AEBO	40	Basement	08/27/01
Eastern Fixture Company Inc.	Eastem	HOS220EBO	40	Bedrooms	08/27/01
Eastern Fixture Company Inc.	Eastem	MBS-22-420EBO	74	Kitchen, office	08/27/01
Eastern Fixture Company Inc.	Eastem	MBS22-220EBO	40	Basement	08/29/01
Eastern Fixture Company Inc.	Eastem	MRS-22-320EBO	57	Basement	08/27/01
Eastern Fixture Company Inc.	Eastem	PLM22320EBO	57	Basement	08/27/01
Eastern Fixture Company Inc.	Eastem	PR220EBO	40	Garage	08/27/01
Eastern Fixture Company Inc.	Eastem	PR230EBO	56	Workroom, garage	08/27/01
Eastern Fixture Company Inc.	Eastem	S220EBO	40	Kitchen	08/27/01
Eastern Fixture Company Inc.	Eastem	S230TEBO	106	Kitchen, playroom, bedroom	08/27/01
Eastern Fixture Company Inc.	Eastem	S230TPVTEBO	106	kitchen, playground, bedroom	08/27/01
Eastern Fixture Company Inc.	Eastem	S66-2-120EBO	23	Office, hallway	08/27/01
Eastern Fixture Company Inc.	Eastem	S66-2-220EBO	40	Office, hallways	08/29/01
Eastern Fixture Company Inc.	Eastem	S66-4-420EBO	74	Hallway, office	08/28/01
Eastern Fixture Company Inc.	Eastem	S66-6-230TEBO	106	Office, hallways	08/28/01
Eastern Fixture Company Inc.	Eastem	S66-8-140TEBO	70	Hallway, office	08/28/01
Eastern Fixture Company Inc.	Eastem	SG-230AEBO	56	Office, hallways	08/28/01
Eastern Fixture Company Inc.	Eastem	SG-330AEBO	81	Hallways, kitchen	08/27/01
Eastern Fixture Company Inc.	Eastem	SG120AEBO	23	Hallway	08/27/01
Eastern Fixture Company Inc.	Eastem	SG130AEBO	31	Office, kitchen	08/27/01
Eastern Fixture Company Inc.	Eastem	SG220AEBO	40	Closets, kitchen	08/27/01
Eastern Fixture Company Inc.	Eastem	SG220AEBO-11	40	Closets, kitchen	08/27/01
Eastern Fixture Company Inc.	Eastem	SG230A-11EBO	56	Offices, hallways	08/28/01
Eastern Fixture Company Inc.	Eastem	SG230A-11EBO	56	Hallway, kitchen	08/27/01
Eastern Fixture Company Inc.	Eastem	SG230AEBO	56	Hallway, kitchen	08/27/01
Eastern Fixture Company Inc.	Eastem	SG320AEBO	57	hallway	08/27/01
Eastern Fixture Company Inc.	Eastem	SG330AEBO	81	Hallways, kitchen	08/27/01
Eastern Fixture Company Inc.	Eastem	SI66-4-420EBO	674	Hallway, office	08/27/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.





ENERGY STAR®

# ENERGY STAR® Qualified Residential Light Fixtures

## List of Qualified Products

### CEILING-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
Eastern Fixture Company Inc.	Eastern	SID66-4-420EBO	74	Hallway, office	08/27/01
Eastern Fixture Company Inc.	Eastern	SM130EBD		Kitchen, Closet	06/25/01
Eastern Fixture Company Inc.	Eastern	SM230TEBO	106	Kitchen, playground, bedroom	08/27/01
Eastern Fixture Company Inc.	Eastern	SM230TSTGEBO	106	Kitchen, playground, bedroom	08/27/01
Eastern Fixture Company Inc.	Eastern	SM330RAEBO	81	Hallways, kitchen	08/27/01
Eastern Fixture Company Inc.	Eastern	V122213	32	Living room, hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	V82213	16	Living room, hallway, kitchen	07/25/01
Eastern Fixture Company Inc.	Eastern	VP120EBO	23	Outside hallway	08/27/01
Eastern Fixture Company Inc.	Eastern	VP320EBO	57		08/27/01
Eastern Fixture Company Inc.	Eastern	VT120EBO	23	Steam room	08/27/01
Eastern Fixture Company Inc.	Eastern	WEC120EBO	23	Wall	08/27/01
Eastern Fixture Company Inc.	Eastern	WEC130EBO	31	Kitchen, hallway, office	08/27/01
Eastern Fixture Company Inc.	Eastern	WEC220EBO	40	Closets, kitchen	08/27/01
Eastern Fixture Company Inc.	Eastern	WEC230EBO	56	Hallway, kitchen	08/27/01
Eastern Fixture Company Inc.	Eastern	WEC320EBO	57	Hallway	08/27/01
Eastern Fixture Company Inc.	Eastern	WEC330EBO	81	Hallways, kitchen	08/27/01
Eastern Fixture Company Inc.	Eastern	WEL230AEBO	56	Office, hallways	08/28/01
Eastern Fixture Company Inc.	Eastern	WI66-4-240EBO	70	Hallway, office	08/28/01
Eastern Fixture Company Inc.	Eastern	WID66-4-420EBO	74	Hallway, office	08/27/01
Enertron Technologies, Inc	Enertron	1013L		Closet, hallway, bathroom, laundry room, kitchen. Also wall-mounted.	12/23/99
Enertron Technologies, Inc	Enertron	1013QL		Closet, hallway, bathroom, laundry room, kitchen. Also wall-mounted.	12/23/99
Enertron Technologies, Inc	Enertron	1026L		Closet, hallway, bathroom, laundry room, kitchen. Also wall-mounted.	12/23/99
Enertron Technologies, Inc	Enertron	1026QL		Closet, hallway, bathroom, laundry room, kitchen. Also wall-mounted.	12/23/99
Enertron Technologies, Inc	Enertron	1039L		Closet, hallway, bathroom, laundry room, kitchen. Also wall-mounted.	12/23/99
Enertron Technologies, Inc	Enertron	1039QL		Closet, hallway, bathroom, laundry room, kitchen. Also wall-mounted.	12/23/99
Enertron Technologies, Inc	Enertron	1052L		Closet/hallway, bathroom, bedroom, kitchen, laundry room. Also wall-mounted.	11/30/99
Enertron Technologies, Inc	Enertron	20013-L		Garage, warehouse.	12/23/99
Enertron Technologies, Inc	Enertron	20013-QL		Garage, warehouse.	12/23/99

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### CEILING-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
Enertron Technologies, Inc	Enertron	20026-L		Garage, warehouse.	12/23/99
Enertron Technologies, Inc	Enertron	20026-QL		Garage, warehouse.	12/23/99
Enertron Technologies, Inc	Enertron	20039-L		Garage, warehouse.	12/23/99
Enertron Technologies, Inc	Enertron	20039-QL		Garage, warehouse.	12/23/99
Enertron Technologies, Inc	Enertron	20052L		Garage	11/30/99
Enertron Technologies, Inc	Enertron	6026L		Laundry room, kitchen. Also wall-mounted.	12/23/99
Enertron Technologies, Inc	Enertron	6026QL		Closet, hallway, bathroom, laundry room, kitchen. Also wall-mounted.	12/23/99
GE Home Electric Products, Inc.	GE	FXT2D55C/AB	66.8	Living room, kitchen, utility room, bath, hallway, bedroom	09/24/01
GE Home Electric Products, Inc.	GE	FXT2D55C/PC	66.8	Living room, kitchen, utility room, bath, hallway, bedroom	09/24/01
GE Home Electric Products, Inc.	GE	FXT2D55C/SS	66.8	Living room, kitchen, utility room, bath, hallway, bedroom	09/24/01
GE Home Electric Products, Inc.	GE	FXT2D55C/T W	66.8	Living room, kitchen, utility room, bath, hallway, bedroom	09/24/01
GE Home Electric Products, Inc.	GE	FXT2D55C/W C	66.8	Living room, kitchen, utility room, bath, hallway, bedroom	09/24/01
GE Home Electric Products, Inc.	GE Home Electric Products, Inc.	45282		Kitchen, hall, dining room.	06/02/00
GE Home Electric Products, Inc.	GE Home Electric Products, Inc.	45283		Kitchen, hall, dining room.	06/02/00
GE Home Electric Products, Inc.	GE Home Electric Products, Inc.	45284		Kitchen, hall, dining room.	06/02/00
Good Earth Lighting, Inc.	Good Earth	ES2021		Kitchen, Bath, Closet	06/30/99
Good Earth Lighting, Inc.	Good Earth	ES2112		Kitchen, Bath, Closet	06/30/99
Good Earth Lighting, Inc.	Good Earth	ES4221		Kitchen, Bath	06/30/99
Good Earth Lighting, Inc.	Good Earth	ES4231		Kitchen, Bath	06/30/99
Good Earth Lighting, Inc.	Good Earth	ES4451		Kitchen, Bath, Closet	06/30/99
Good Earth Lighting, Inc.	Good Earth	ES4471		Kitchen, Bath, Closet	06/30/99
Good Earth Lighting, Inc.	Good Earth	ES4541		Kitchen, Bath	06/30/99
Good Earth Lighting, Inc.	Good Earth	ES4721		Kitchen, Bath	06/30/99
Good Earth Lighting, Inc.	Good Earth	GL2021		Kitchen, Bath, Closet	06/30/99
Good Earth Lighting, Inc.	Good Earth	GL2022		Kitchen, Bath, Closet	06/30/99
Good Earth Lighting, Inc.	Good Earth/ Tivoli White	G4912-PB-1		Home or Office Ceiling Fixture	02/10/99
Good Earth Lighting, Inc.	Good Earth/Dubois	G4922-AB-I		Dubois Brushed Brass - Home or Office Ceiling fixture	01/26/99
Good Earth Lighting, Inc.	Good Earth/Dubois	G4922-WH-I		Dubois White - Home or Office Ceiling fixture	01/26/99

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### CEILING-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
Good Earth Lighting, Inc.	Good Earth/Europa Brass	G4952-PB-1		Home or Office Ceiling Fixture	02/10/99
Good Earth Lighting, Inc.	Good Earth/Glencoe	G4830		Home or office ceiling fixture	04/07/00
Good Earth Lighting, Inc.	Good Earth/La Scala	G4932-WH-I		La Scala White- Home or Office ceiling fixture	01/27/99
Good Earth Lighting, Inc.	Good Earth/LaScala	G4932-NK-I		La Scala Brushed Nickel - Home or Office ceiling fixture	01/27/99
Good Earth Lighting, Inc.	Good Earth/Sparta Brass	G4902-PB-I		Sparta Brass - Home or Office Ceiling fixture	01/26/99
Good Earth Lighting, Inc.	Good Earth/Terrazo White	G4942-WH-1		Home or Office Ceiling Fixture	02/10/99
Good Earth Lighting, Inc.	Good Earth/Tuscany	G4130		Home or office ceiling fixture	04/07/00
Good Earth Lighting, Inc.	Good Earth/Tuscany	G4131		Home or office close to ceiling fixture	04/07/00
Good Earth Lighting, Inc.	Tavema	F 4130	33	Home or Office Ceiling Fixture.	06/29/01
Good Earth Lighting, Inc.	Tavema	G 4130	33	Home or Office Ceiling Fixture.	06/29/01
Good Earth Lighting, Inc.	Tavema	G 4150	57	Home or Office Ceiling Fixture.	06/29/01
Good Earth Lighting, Inc.	Trieste	G 4615	33	Home or Office Ceiling Fixture.	06/29/01
Good Earth Lighting, Inc.	Trieste	G 4619	57	Home or Office Ceiling Fixture.	06/29/01
Holophane Company Inc	Holophane	#PGN84UN-COM99054R3		Kitchen, dining room, loft.	11/30/99
Holophane Company Inc	Holophane	02454-COM99054R3		Kitchen, dining room, loft.	11/30/99
INCON Industries	Incon	10111-1/13	13.7	Living room, kitchen, outdoor, utility room, bath, hallway, bedroom	12/20/01
INCON Industries	Incon	10111-2/13	28.13	Livingroom bath kitchen bedroom hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	10141-1/13	13.7	Living room, kitchen, outdoor, utility room, bath, hallway, bedroom	12/17/01
INCON Industries	Incon	10141-2/13	28.13	Livingroom bedroom hallway bath kitchen outdoor utilityroom	12/20/01
INCON Industries	Incon	10141-3/13	42	Livingroom kitchen bath bedroom hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	11501-2/13	28.13	Livingroom hallway kitchen bath bedroom utilityroom outdoor	12/20/01
INCON Industries	Incon	11501-3/13	42	Livingroom kitchen bath bedroom hallway outdoor utilityroom	12/20/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### CEILING-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
INCON Industries	Incon	11503-2/13	28.13	Livingroom bath hallway bedroom outdoor utilityroom kitchen	12/20/01
INCON Industries	Incon	11503-3/13	42	Livingroom hallway bath bedroom utilityroom outdoor kitchen	12/20/01
INCON Industries	Incon	11504-2/13	28.13	Living room hallway kitchen bath outdoor utilityroom bedroom	12/20/01
INCON Industries	Incon	11504-3/13	42	Livingroom kitchen hallway bath bedroom outdoor utilityroom	12/20/01
INCON Industries	Incon	13011-1/13	13.7	Livingroom hallway bath bedroom kitchen outdoor utilityroom	12/20/01
INCON Industries	Incon	13019-1/13	13.7	Livingroom kitchen hallway bath bedroom utilityroom outdoor	12/20/01
INCON Industries	Incon	13051-1/13	13.7	Livingroom kitchen hallway bath bedroom utilityroom outdoor	12/20/01
INCON Industries	Incon	13059-1/13	13.7	Livingroom hallway bath bedroom kitchen utilityroom outdoor	12/20/01
INCON Industries	Incon	13211-1/13	13.7	Livingroom hallway bath bedroom kitchen outdoor utilityroom	12/20/01
INCON Industries	Incon	13219-1/13	13.7	Livingroom kitchen hallway bath bedroom utilityroom outdoor	12/20/01
INCON Industries	Incon	13251-1/13	13.7	Livingroom kitchen bath bedroom hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	13259-1/13	13.7	Livingroom kitchen bath bedroom hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	14001-1/13	13.7	Living room, kitchen, outdoor, utility room, bath, hallway, bedroom	12/17/01
INCON Industries	Incon	14001-2/13	28.13	Livingroom bedroom hallway bath kitchen outdoor utilityroom	12/20/01
INCON Industries	Incon	14500-2/13	28.13	Livingroom bedroom hallway bath kitchen outdoor utilityroom	12/20/01
INCON Industries	Incon	14500-3/13	42	Livingroom bedroom bath hallway kitchen utilityroom outdoor	12/20/01
INCON Industries	Incon	14501-2/13	28.13	Livingroom bedroom bath kitchen outdoor utilityroom hallway	12/20/01
INCON Industries	Incon	14501-3/13	42	Livingroom kitchen hallway bath bedroom utilityroom outdoor	12/20/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®


## ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

### CEILING-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
INCON Industries	Incon	14502-2/13	28.13	Livingroom bath bedroom hallway utility room kitchen outdoor	12/20/01
INCON Industries	Incon	14503-2/13	28.13	Livingroom kitchen outdoor utilityroom bath bedroom hallway	12/20/01
INCON Industries	Incon	14503-3/13	42	Livingroom kitchen bath bedroom hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	14504-2/13	28.13	Livingroom bedroom hallway utilityroom outdoor bath kitchen	12/20/01
INCON Industries	Incon	14504-3/13	42	Livingroom kitchen hallway bath bedroom utilityroom outdoor	12/20/01
INCON Industries	Incon	14507-2/13	28.13	Livingroom bath kitchen outdoor utilityroom hallway bedroom	12/20/01
INCON Industries	Incon	14507-3/13	42	Livingroom kitchen bath bedroom hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	16005-1/13	13.7	Living room, kitchen, outdoor, utility room, bath, hallway, bedroom	12/20/01
INCON Industries	Incon	16005-2/13	28.13	Livingroom hallway bath bedroom utilityroom outdoor kitchen	12/20/01
INCON Industries	Incon	16111-1/13	13.7	Living room, kitchen, outdoor, utility room, bath, hallway, bedroom	12/20/01
INCON Industries	Incon	16111-2/13	28.13	Livingroom bedroom hallway bath kitchen utilityroom outdoor	12/20/01
INCON Industries	Incon	16141-1/13	13.7	Living room, kitchen, outdoor, utility room, bath, hallway, bedroom	12/20/01
INCON Industries	Incon	16141-2/13	28.13	Livingroom bedroom hallway utilityroom outdoor bath kitchen	12/20/01
INCON Industries	Incon	16141-3/13	42	Livingroom hallway bath bedroom kitchen outdoor utilityroom	12/20/01
INCON Industries	Incon	16801-2/13	28.13	Livingroom hallway bedroom outdoor utilityroom bath kitchen	12/20/01
INCON Industries	Incon	16801-3/13	42	Livingroom kitchen bath bedroom hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	16803-2/13	28.13	Livingroom bedroom bath outdoor utilityroom kitchen hallway	12/20/01
INCON Industries	Incon	16805-2/13	28.13	Livingroom bedroom bath kitchen hallway outdoor utilityroom	12/20/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### CEILING-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
INCON Industries	Incon	16805-3/13	42	Livingroom hallway bath bedroom kitchen outdoor utilityroom	12/20/01
INCON Industries	Incon	17160-2/13	28.13	Livingroom bedroom bath hallway utilityroom outdoor kitchen	12/20/01
INCON Industries	Incon	17160-3/13	42	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	17161-2/13	28.13	Living room bath kitchen outdoor hallway bedroom utilityroom	12/20/01
INCON Industries	Incon	17161-3/13	42	Livingroom kitchen bedroom bath utilityroom outdoor hallway	12/20/01
INCON Industries	Incon	17162-2/13	28.13	Livingroom kitchen outdoor hallway utilityroom bath bedroom	12/20/01
INCON Industries	Incon	17162-3/13	42	Livingroom bath hallway bedroom kitchen utilityroom outdoor	12/20/01
INCON Industries	Incon	17163-2/13	28.13	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	17163-3/13	42	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	17164-2/13	28.13	livingroom bath kitchen bedroom outdoor utilityroom hallway	12/20/01
INCON Industries	Incon	17164-3/13	42	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	17167-2/13	28.13	Livingroom kitchen bedroom bath utilityroom hallway outdoor	12/20/01
INCON Industries	Incon	17167-3/13	42	Livingroom bath bedroom kitchen hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	17274-2/13	28.13	Livingroom hallway bath bedroom utilityroom outdoor kitchen	12/20/01
INCON Industries	Incon	17370-2/13	28.13	Livingroom bedroom kitchen bath hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	17370-3/13	42	Livingroom kitchen hallway bath bedroom utilityroom outdoor	12/20/01
INCON Industries	Incon	17371-2/13	28.13	Livingroom hallway bath kitchen outdoor utilityroom bedroom	12/20/01
INCON Industries	Incon	17371-3/13	42	Livingroom bath kitchen hallway bedroom outdoor utilityroom	12/20/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

### CEILING-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
INCON Industries	Incon	17372-2/13	28.13	Livingroom bedroom hallway outdoor utilityroom bath kitchen	12/20/01
INCON Industries	Incon	17372-3/13	42	Livingroom kitchen bedroom bath hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	17373-2/13	28.13	Livingroom bedroom bath hallway utilityroom kitchen outdoor	12/20/01
INCON Industries	Incon	17373-3/13	42	Livingroom kitchen bath hallway bedroom outdoor utilityroom	12/20/01
INCON Industries	Incon	17374-3/13	42	Livingroom kitchen bath bedroom hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	17377-2/13	28.13	Livingroom bedroom hallway outdoor utilityroom kitchen bath	12/20/01
INCON Industries	Incon	17377-3/13	42	Livingroom kitchen bedroom bath hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	17400-2/13	28.13	Livingroom bath bedroom hallway kitchen outdoor utilityroom	12/20/01
INCON Industries	Incon	17400-3/13	42	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	17401-2/13	28.13	Livingroom bedroom bath outdoor kitchen utilityroom hallway	12/20/01
INCON Industries	Incon	17401-3/13	42	Livingroom bath bedroom hallway kitchen outdoor utilityroom	12/20/01
INCON Industries	Incon	17402-2/13	28.13	Livingroom bedroom hallway bath kitchen outdoor utility room	12/20/01
INCON Industries	Incon	17402-3/13	42	Livingroom kitchen bedroom bath hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	17403-2/13	28.13	Kitchen bath bedroom hallway livingroom utilityroom outdoor	12/20/01
INCON Industries	Incon	17403-3/13	42	Livingroom kitchen hallway bath bedroom utilityroom outdoor	12/20/01
INCON Industries	Incon	17404-2/13	28.13	Livingroom kitchen bedroom hallway utilityroom outdoor bath	12/20/01
INCON Industries	Incon	17404-3/13	42	Livingroom bath bedroom hallway kitchen outdoor utilityroom	12/20/01
INCON Industries	Incon	17407-2/13	28.13	Livingroom hallway bedroom bath utilityroom outdoor kitchen	12/20/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.





ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### CEILING-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
INCON Industries	Incon	17407-3/13	42	Livingroom kitchen bath bedroom outdoor hallway utilityroom	12/20/01
INCON Industries	Incon	18111-1/13	13.7	Living room, kitchen, outdoor, utility room, bath, hallway, bedroom	12/20/01
INCON Industries	Incon	18111-2/13	28.13	Livingroom hallway bedroom bath kitchen outdoor utilityroom	12/20/01
INCON Industries	Incon	18119-1/13	13.7	Living room, kitchen, outdoor, utility room, bath, hallway, bedroom	12/20/01
INCON Industries	Incon	18119-2/13	28.13	Livingroom hallway bath kitchen bedroom utilityroom outdoor	12/20/01
INCON Industries	Incon	19101-1/13	13.7	Living room, kitchen, outdoor, utility room, bath, hallway, bedroom	12/20/01
INCON Industries	Incon	19101-2/13	28.13	Livingroom hallway bedroom bath kitchen outdoor utilityroom	12/20/01
INCON Industries	Incon	19105-1/13	13.7	Living room, kitchen, outdoor, utility room, bath, hallway, bedroom	12/20/01
INCON Industries	Incon	19105-2/13	28.13	Livingroom bedroom hallway outdoor bath kitchen utilityroom	12/20/01
INCON Industries	Incon	21501-1/13	13.7	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	21501-2/13	28.13	Livingroom kitchen outdoor utilityroom bath hallway bedroom	12/20/01
INCON Industries	Incon	21503-1/13	13.7	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	21503-2/13	28.13	Livingroom kitchen outdoor utilityroom bath hallway bedroom	12/20/01
INCON Industries	Incon	21504-1/13	13.7	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	21504-2/13	28.13	Livingroom kitchen outdoor utilityroom bath hallway bedroom	12/20/01
INCON Industries	Incon	21561-1/13	13.7	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	21561-2/13	28.13	Living room, kitchen, outdoor, utility room, bath, hallway and bedroom.	12/20/01
INCON Industries	Incon	21563-1/13	13.7	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

### CEILING-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
INCON Industries	Incon	21563-2/13	28.13	Living room kitchen outdoor utility room bath hallway and bedroom.	12/20/01
INCON Industries	Incon	21564-2/13	28.13	Living room kitchen outdoor utility room bath hallway bedroom	12/20/01
INCON Industries	Incon	21600-1/13	13.7	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	21600-2/13	28.13	Livingroom kitchen bath bedroom utilityroom outdoor hallway	12/20/01
INCON Industries	Incon	21651-1/13	13.7	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	21651-2/13	28.13	Livingroom hallway utilityroom bedroom outdoor bath kitchen	12/20/01
INCON Industries	Incon	21653-1/13	13.7	Livingroom kitchen hallway bath bedroom utilityroom outdoor	12/20/01
INCON Industries	Incon	21653-2/13	28.13	Livingroom kitchen outdoor utilityroom bath hallway bedroom	12/20/01
INCON Industries	Incon	21671-1/13	13.7	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	21671-2/13	28.13	Livingroom kitchen outdoor utilityroom bath bedroom	12/20/01
INCON Industries	Incon	21675-1/13	13.7	Livingroom kitchen bath bedroom outdoor utilityroom hallway	12/20/01
INCON Industries	Incon	21675-2/13	28.13	Livingroom kitchen outdoor utilityroom bath bedroom hallway	12/20/01
INCON Industries	Incon	21681-1/13	13.7	Livingroom bath bedroom kitchen hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	21681-2/13	28.13	Livingroom kitchen outdoor utilityroom hallway bath bedroom	12/20/01
INCON Industries	Incon	21685-2/13	28.13	Livingroom hallway outdoor kitchen bath bedroom utilityroom	12/20/01
INCON Industries	Incon	21691-1/13	13.7	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	21691-2/13	28.13	Livingroom kitchen outdoor bath hallway bedroom utilityroom	12/20/01
INCON Industries	Incon	21695-1/13	13.7	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

### CEILING-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
INCON Industries	Incon	21695-2/13	28.13	livingroom kitchen utilityroom bath hallway bedroom outdoor	12/20/01
INCON Industries	Incon	22221-1/13	13.7	Livingroom kitchen hallway bath bedroom utilityroom outdoor	12/20/01
INCON Industries	Incon	22221-2/13	28.13	Livingroom kitchen outdoor utilityroom bath bedroom hallway	12/20/01
INCON Industries	Incon	22225-1/13	13.7	Livingroom kitchen bath bedroom hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	22225-2/13	28.13	Livingroom kitchen outdoor utilityroom bedroom hallway bath	12/20/01
INCON Industries	Incon	22803-1/13	13.7	Livingroom kitchen bath bedroom hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	25000-1/13	13.7	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	25000-2/13	28.13	Livingroom bedroom kitchen bath outdoor hallway utilityroom	12/20/01
INCON Industries	Incon	25002-1/13	13.7	Livingroom kitchen hallway bath bedroom outdoor utilityroom	12/20/01
INCON Industries	Incon	25002-2/13	28.13	Livingroom bath bedroom utilityroom hallway kitchen outdoor	12/20/01
INCON Industries	Incon	25004-1/13	13.7	Livingroom kitchen bath bedroom hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	25004-2/13	28.13	Livingroom kitchen bath outdoor bedroom hallway utilityroom	12/20/01
INCON Industries	Incon	25126-1/13	13.7	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	25126-2/13	28.13	Livingroom Kitchen utilityroom bath hallway bedroom outdoor	12/20/01
INCON Industries	Incon	25347-1/13	13.7	Livingroom kitchen hallway bath bedroom outdoor utilityroom	12/20/01
INCON Industries	Incon	25347-2/13	28.13	Bedroom livingroom bath outdoor utilityroom hallway kitchen	12/20/01
INCON Industries	Incon	25667-1/13	13.7	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	25667-2/13	13.7	Livingroom kitchen outdoor utilityroom bath bedroom hallway	12/20/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

### CEILING-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
INCON Industries	Incon	26801-1/13	13.7	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	26801-2/13	28.13	Livingroom kitchen outdoor utilityroom bath hallway bedroom	01/17/02
INCON Industries	Incon	26803-2/13	28.13	Living room kitchen outdoor utilityroom bath hallway bedroom	12/20/01
INCON Industries	Incon	26805-1/13	13.7	Livingroom kitchen bath bedroom hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	26805-2/13	28.13	Livingroom kitchen outdoor utilityroom bath hallway bedroom	12/20/01
INCON Industries	Incon	26861-1/13	13.7	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	26861-2/13	28.13	Living room kitchen outdoor utility room bath hallway bedroom	12/20/01
INCON Industries	Incon	26863-1/13	13.7	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	26863-2/13	28.13	Living room kitchen outdoor utility room bath hallway bedroom	12/20/01
INCON Industries	Incon	26865-1/13	13.7	Livingroom kitchen bath bedroom hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	26865-2/13	28.13	Living room kitchen outroom utility room bath hallway bedroom	12/20/01
INCON Industries	Incon	27050-1/13	13.7	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	27050-2/13	28.13	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	27140-1/13	13.7	Livingroom kitchen hallway bedroom bath utilityroom outdoor	12/20/01
INCON Industries	Incon	27140-2/13	28.13	Livingroom bath bedroom hallway kitchen outdoor utilityroom	12/20/01
INCON Industries	Incon	27170-1/13	13.7	Livingroom kitchen hallway bath bedroom outdoor utilityroom	12/20/01
INCON Industries	Incon	27170-2/13	28.13	Livingroom bath bedroom hallway utilityroom outdoor kitchen	12/20/01
INCON Industries	Incon	28000-1/13	13.7	Living room bath bedroom hallway kitchen outdoor utilityroom	12/20/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

### CEILING-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input	Suggested Use	Date
			Watts		Added
INCON Industries	Incon	28000-2/13	28.13	Livingroom kitchen bath bedroom utilityroom hallway outdoor	12/20/01
INCON Industries	Incon	28001-1/13	13.7	Livingroom hallway bath bedroom kitchen utilityroom outdoor	12/20/01
INCON Industries	Incon	28001-2/13	28.13	Livingroom kitchen bath utilityroom hallway bedroom outdoor	12/20/01
INCON Industries	Incon	28801-1/13	13.7	Livingroom bath kitchen bedroom hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	28801-2/13	28.13	Livingroom kitchen outdoor utilityroom bath hallway bedroom	12/20/01
INCON Industries	Incon	28802-1/13	13.7	Livingroom kitchen bath bedroom utilityroom hallway outdoor	12/20/01
INCON Industries	Incon	28802-2/13	28.13	Livingroom kitchen outdoor utilityroom bath hallway bedroom	12/20/01
INCON Industries	Incon	28806-1/13	13.7	Livingroom kitchen bath bedroom hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	28806-2/13	28.13	Livingroom kitchen outdoor utilityroom bath hallway bedroom	12/20/01
INCON Industries	Incon	29903-1/13	13.7	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	29904-1/13	13.7	Livingroom hallway bath bedroom kitchen outdoor utilityroom	12/20/01
INCON Industries	Incon	29904-2/13	28.13	Livingroom kitchen outdoor utilityroom bath hallway bedroom	12/20/01
INCON Industries	Incon	29906-1/13	13.7	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	29906-2/13	28.13	Livingroom kitchen outdoor utilityroom bath hallway bedroom	01/17/02
INCON Industries	Incon	30411-1/13	13.7	living room, kitchen, outdoor, utility room, bath, hallway, bedroom	12/20/01
INCON Industries	Incon	30419-1/13	13.7	Living room, kitchen, outdoor, utility room, bath, hallway, bedroom	12/20/01
INCON Industries	Incon	30451-1/13	13.7	Living room, kitchen, outdoor, utility room, bath, hallway, bedroom	12/20/01
INCON Industries	Incon	30519-1/13	13.7	Living room, kitchen, outdoor, utility room, bath, hallway, bedroom	12/20/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®


## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### CEILING-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
INCON Industries	Incon	30551-1/13	13.7	Living room, kitchen, outdoor, utility room, bath, hallway, bedroom	12/20/01
INCON Industries	Incon	30559-1/13	13.7	Living room, kitchen, outdoor, utility room, bath, hallway, bedroom	12/20/01
INCON Industries	Incon	30581-1/13	13.7	Livingroom kitchen bath bedroom hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	30589-1/13	13.7	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	30751-1/13	13.7	Living room, kitchen, outdoor, utility room, bath, hallway, bedroom	12/20/01
INCON Industries	Incon	30759-1/13	13.7	Living room, kitchen, outdoor, utility room, bath, hallway, bedroom	12/20/01
INCON Industries	Incon	30771-1/13	13.7	Living room, kitchen, outdoor, utility room, bath, hallway, bedroom	12/20/01
INCON Industries	Incon	30779-1/13	13.7	Living room, kitchen, outdoor, utility room, bath, hallway, bedroom	12/20/01
INCON Industries	Incon	30851-1/13	13.7	Living room, kitchen, outdoor, utility room, bath, hallway, bedroom	12/17/01
INCON Industries	Incon	30859-1/13	13.7	Living room, kitchen, outdoor, utility room, bath, hallway, bedroom	12/20/01
INCON Industries	Incon	30871-1/13	13.7	Living room, kitchen, outdoor, utility room, bath, hallway, bedroom	12/20/01
INCON Industries	Incon	30879-1/13	13.7	Living room, kitchen, outdoor, utility room, bath, hallway, bedroom	12/20/01
INCON Industries	Incon	31005-1/13	13.7	Livingroom hallway bath bedroom kitchen outdoor utilityroom	12/20/01
INCON Industries	Incon	31125-1/13	13.7	Livingroom bath bedroom kitchen hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	31811-1/13	13.7	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	31811-2/13	28.13	Livingroon kitchen bath bedroom hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	31819-1/13	13.7	Livingroom kitchen bath bedroom hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	31819-2/13	28.13	Livingroom bedroom kitchen bath hallway outdoor utilityroom	12/20/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

# ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

## CEILING-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
INCON Industries	Incon	31851-1/13	13.7	Livingroom kitchen bath bedroom hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	31851-2/13	28.13	Livingroom kitchen bath bedroom hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	31859-1/13	13.7	Livingroom kitchen hallway bath bedroom utilityroom outdoor	12/20/01
INCON Industries	Incon	31859-2/13	28.13	Livingroom kitchen bath bedroom hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	32001-1/13	13.7	Livingroom hallway bath bedroom kitchen utilityroom outdoor	12/20/01
INCON Industries	Incon	32001-2/13	28.13	Livingroom bedroom bath outdoor hallway kitchen utilityroom	12/20/01
INCON Industries	Incon	32111-1/13	13.7	Livingroom kitchen bath bedroom hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	32111-2/13	28.13	Livingroom hallway bath bedroom outdoor utilityroom kitchen	12/20/01
INCON Industries	Incon	32511-1/13	13.7	Livingroom kitchen hallway bath bedroom utilityroom outdoor	12/20/01
INCON Industries	Incon	32511-2/13	28.13	Livingroom bath kitchen hallway bedroom outdoor utilityroom	12/20/01
INCON Industries	Incon	32519-1/13	13.7	Livingroom kitchen hallway bath bedroom outdoor utilityroom	12/20/01
INCON Industries	Incon	32519-2/13	28.13	Livingroom bath kitchen hallway bedroom outdoor utilityroom	12/20/01
INCON Industries	Incon	32551-1/13	13.7	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	32551-2/13	28.13	Livingroom kitchen bath hallway bedroom outdoor utilityroom	12/20/01
INCON Industries	Incon	32559-1/13	13.7	Livingroom kitchen hallway bath bedroom outdoor utilityroom	12/20/01
INCON Industries	Incon	32559-2/13	28.13	Livingroom kitchen bedroom bath hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	32711-1/13	13.7	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	32719-1/13	13.7	Livingroom kitchen hallway bath bedroom outdoor utilityroom	12/20/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.





ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### CEILING-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input	Suggested Use	Date
			Watts		Added
INCON Industries	Incon	32719-2/13	28.13	Livingroom bath kitchen bedroom hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	32751-1/13	13.7	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	32751-2/13	28.13	Livingroom bath bedroom kitchen hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	32759-1/13	13.7	Livingroom kitchen bath bedroom hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	32759-2/13	28.13	Livingroom kitchen bath bedroom hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	32801-1/13	13.7	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	32801-2/13	28.13	Livingroom kitchen hallway bedroom bath outdoor utilityroom	12/20/01
INCON Industries	Incon	32809-1/13	13.7	Livingroom kitchen hallway bedroom bath outdoor utilityroom	12/20/01
INCON Industries	Incon	32809-2/13	28.13	Livingroom kitchen bath bedroom hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	32811-1/13	13.7	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	32811-2/13	28.13	Livingroom kitchen bedroom bath hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	32819-1/13	13.7	Livingroom kitchen bath bedroom hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	32819-2/13	28.13	Livingroom bedroom kitchen bath hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	32911-1/13	13.7	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	32919-1/13	13.7	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	32919-2/13	28.13	Livingroom kitchen hallway bedroom bath utilityroom outdoor	12/20/01
INCON Industries	Incon	32951-1/13	13.7	Livingroom kitchen hallway bath bedroom utilityroom outdoor	12/20/01
INCON Industries	Incon	32951-2/13	28.13	Livingroom bedroom bath hallway kitchen outdoor utilityroom	12/20/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

### CEILING-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
INCON Industries	Incon	32959-1/13	13.7	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	32959-2/13	28.13	Livingroom kitchen bath bedroom hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	33001-1/13	13.7	Livingroom bath bedroom hallway kitchen utilityroom outdoor	12/20/01
INCON Industries	Incon	33011-1/13	13.7	Livingroom hallway bath bedroom kitchen utilityroom outdoor	12/20/01
INCON Industries	Incon	33111-1/13	13.7	Livingroom hallway bath bedroom kitchen utilityroom outdoor	12/20/01
INCON Industries	Incon	33155-1/13	13.7	Livingroom hallway bath bedroom kitchen outdoor utilityroom	12/20/01
INCON Industries	Incon	38005-1/13	13.7	Livingroom kitchen bath bedroom hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	39051-1/13	13.7	Livingroom hallway bath bedroom kitchen utilityroom outdoor	12/20/01
INCON Industries	Incon	39051-2/13	28.13	Livingroom bath bedroom hallway kitchen outdoor utilityroom	12/20/01
INCON Industries	Incon	39059-1/13	13.7	Livingroom hallway bath bedroom kitchen outdoor utilityroom	12/20/01
INCON Industries	Incon	39059-2/13	28.13	Livingroom kitchen bath hallway bedroom outdoor utilityroom	12/20/01
INCON Industries	Incon	44500-3/13	42	Livingroom kitchen bath utilityroom outdoor hallway bedroom	12/20/01
INCON Industries	Incon	47160-3/13	42	Livingroom bath hallway bedroom kitchen outdoor utilityroom	12/20/01
INCON Industries	Incon	47400-3/13	42	Livingroom bath bedroom kitchen hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	61685-1/13	13.7	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	72305-1/13	13.7	Living room, kitchen, outdoor, utility room, bath, hallway, bedroom	12/20/01
INCON Industries	Incon	72605-2/13	28.13	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01
INCON Industries	Incon	76073-2/13	28.13	Livingroom kitchen bath bedroom hallway utilityroom outdoor	12/20/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### CEILING-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
INCON Industries	Incon	81105-1/13	13.7	Living room, kitchen, outdoor, utility room, bath, hallway, bedroom	12/20/01
INCON Industries	Incon	81105-2/13	28.13	Livingroom kitchen bath bedroom hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	81125-1/13	13.7	Living room, kitchen, outdoor, utility room, bath, hallway, bedroom	12/20/01
INCON Industries	Incon	81152-2/13	28.13	Livingroom kitchen bath bedroom hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	82222-2/13	28.13	Livingroom kitchen bath bedroom utilityroom outdoor	12/20/01
INCON Industries	Incon	84445-1/13	13.7	Living room, kitchen, outdoor, utility room, bath, hallway, bedroom	12/20/01
INCON Industries	Incon	84445-2/13	28.13	Livingroom kitchen bath bedroom hallway outdoor utilityroom	12/20/01
INCON Industries	Incon	85555-1/13	13.7	Living room, kitchen, outdoor, utility room, bath, hallway, bedroom	12/20/01
INCON Industries	Incon	85555-2/13	28.13	Livingroom bath kitchen bedroom hallway utilityroom outdoor	12/20/01
Legion Lighting Company Incorporated		361-217-ACW-EBO/ES		Kitchen	12/23/99
Legion Lighting Company Incorporated		361-232-ACW-EBO-ES		Kitchen	12/23/99
Legion Lighting Company Incorporated		4340-217-ACW-EBO/ES		Kitchen	12/23/99
Legion Lighting Company Incorporated		4340-232-ACW-EBO-ES		Kitchen	12/23/99
Light Process Company	Light Process Co.	LP-DOME D13QSHF		Living room, dining room.	04/07/00
Lights of America	Lights of America	4000		Kitchens, Closets, Bathrooms	06/30/99
Lights of America	Lights of America	4010		Bedrooms, Dining Rooms, Living Rooms, Bathrooms	01/31/00
Lights of America	Lights of America	4014		Bedrooms, dining rooms, living rooms, bathrooms	04/07/00
Lights of America	Lights of America	4016		Bedrooms, dining rooms, living rooms, bathrooms	01/31/00
Lights of America	Lights of America	4017	30.8		03/29/01
Lights of America	Lights of America	4018		Bedrooms, dining rooms, living rooms, bathrooms	04/07/00
Lights of America	Lights of America	4021		Bedrooms, dining rooms, living rooms, and bathrooms	10/25/00
Lights of America	Lights of America	4022		Bedrooms, dining rooms, living rooms, bathrooms	10/25/00

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### CEILING-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
Lights of America	Lights of America	4026		Bedrooms, Dining Rooms, Living Rooms, Bathrooms	06/30/99
Lights of America	Lights of America	4027		Bedrooms, Dining Rooms, Living Rooms, Bathrooms	06/30/99
Lights of America	Lights of America	4029		Bedrooms, Hallways, Dining Rooms	11/12/98
Lights of America	Lights of America	4032	20.5		03/29/01
Lights of America	Lights of America	4033	20.5		03/29/01
Lights of America	Lights of America	4035		Bedrooms, Dining Rooms, Living Rooms, Bathrooms	06/30/99
Lights of America	Lights of America	4040		Bedrooms, dining rooms, living rooms, bathrooms	01/31/00
Lights of America	Lights of America	4042		Bedrooms, dining rooms, living rooms, bathrooms.	01/31/00
Lights of America	Lights of America	4044		Bedrooms, dining rooms, living rooms, bathrooms	01/31/00
Lights of America	Lights of America	4054		Bedrooms, dining rooms, living rooms, bathrooms	04/07/00
Lights of America	Lights of America	4056	30.8		03/29/01
Lights of America	Lights of America	4057	30.8		03/29/01
Lights of America	Lights of America	4058		Bedrooms, dining rooms, living rooms, bathrooms	04/07/00
Lights of America	Lights of America	4060		Also wall-mounted. Kitchens, closets, and bathrooms.	01/31/00
Lights of America	Lights of America	4065		Also wall-mounted. Kitchens, closets, and bathrooms.	01/31/00
Lights of America	Lights of America	4070		Also wall-mounted. Kitchens, closets, and bathrooms.	01/31/00
Lights of America	Lights of America	4075		Also wall-mounted. Kitchens, closets, and bathrooms.	01/31/00
Lithonia Lighting	Home Vue	3112		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Home Vue	3114		Kitchen, family room, breakfast room, office.	06/27/00
Lithonia Lighting	Home Vue	3115		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Home Vue	3116		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue	3117		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Home Vue	3118		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue	3233		Kitchen, family room, breakfast room, office.	06/02/00

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### CEILING-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
Lithonia Lighting	Home Vue	3233ES		Kitchen, family room, breakfast room, office.	06/27/00
Lithonia Lighting	Home Vue	3235		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Home Vue	3236		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Home Vue	3237		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue	3245		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue	3255		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue	3260		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Home Vue	3262		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue	3263		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Home Vue	3274		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue	3282ES		Kitchen, family, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue	3291		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Home Vue	3292		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue	3293		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Home Vue	3293-A		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Home Vue	3294		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue	3323		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Home Vue	3401		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Home Vue	3402		Kitchen, family room, breakfast room, office.	06/27/00
Lithonia Lighting	Home Vue	3445		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue	3471		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue	3490-1		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Home Vue	3641		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

### CEILING-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
Lithonia Lighting	Home Vue	3642		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue	3643		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Home Vue	3644		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue	3645		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Home Vue	3646		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue	3658		Basement, garage, family room, kitchen, closet, hallway	11/27/00
Lithonia Lighting	Home Vue	3659		Basement, garage, family room, kitchen, utility	11/27/00
Lithonia Lighting	Home Vue	3660		Kitchen, family room, breakfast room, office	11/27/00
Lithonia Lighting	Home Vue	3662		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Home Vue	3663		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Home Vue	3664-1		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Home Vue	3666		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Home Vue	3667		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue	3668		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue	3672		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Home Vue	3673		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Home Vue	3674-1		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Home Vue	3675		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue	3677		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue	3678		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Home Vue	3682		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Home Vue	3683		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

# ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

## CEILING-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
Lithonia Lighting	Home Vue	3684-1		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Home Vue	3686		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Home Vue	3688		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue	3691		Kitchen, family room, breakfast room, office.	06/27/00
Lithonia Lighting	Home Vue	3692		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Home Vue	3693		Kitchen, family room, breakfast room, office.	06/27/00
Lithonia Lighting	Home Vue	3694		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Home Vue	3695		Kitchen, family room, breakfast room, office.	06/27/00
Lithonia Lighting	Home Vue	3696		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Home Vue	3705		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Home Vue	3706		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue	3707		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Home Vue	3708		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue	3722		Kitchen, family room, breakfast room, office.	06/27/00
Lithonia Lighting	Home Vue	3732		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Home Vue	3734		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue	3770		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Home Vue	3772		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Home Vue	3773		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Home Vue	3774		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Home Vue	3775		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Home Vue	3776		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue	3777		Kitchen, family room, breakfast room, office.	06/27/00
Lithonia Lighting	Home Vue	3778		Kitchen, family room, breakfast room, office.	06/27/00

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.





ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### CEILING-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
Lithonia Lighting	Home Vue	3779		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Home Vue	3790		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Home Vue	3790		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Home Vue	3791		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Home Vue	3792		Kitchen, family room, breakfast room, office.	06/27/00
Lithonia Lighting	Home Vue	3793		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Home Vue	3794		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Home Vue	3795		Kitchen, family room, breakfast room, office.	06/27/00
Lithonia Lighting	Home Vue	3844ES		Kitchen, family, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue	3845ES		Kitchen, family room, breakfast room, office.	06/27/00
Lithonia Lighting	Home Vue	3846ES		Kitchen, family, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue	3847ES		Kitchen, family room, breakfast room, office.	06/27/00
Lithonia Lighting	Home Vue	3848ES		Kitchen, family, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue	3849ES		Kitchen, family, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue	3860ES		Kitchen, family, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue	3861ES		Kitchen, family, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue	3864ES		Kitchen, family room, breakfast room, office.	06/27/00
Lithonia Lighting	Home Vue	3865ES		Kitchen, family room, breakfast room, office.	06/27/00
Lithonia Lighting	Home Vue	3870ES		Kitchen, family, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue	3871ES		Kitchen, family room, breakfast room, office.	06/27/00
Lithonia Lighting	Home Vue	3872ES		Kitchen, family, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue	3873ES		Kitchen, family room, breakfast room, office.	06/27/00
Lithonia Lighting	Home Vue	3874ES		Kitchen, family, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue	3875ES		Kitchen, family room, breakfast room, office.	06/27/00
Lithonia Lighting	Home Vue	3900	84	Basement Garage, Family Room, Kitchen, Laundry Room Closet, Hallway.	05/25/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### CEILING-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
Lithonia Lighting	Home Vue	3901	84	Basement Garage, Family Room, Kitchen, Laundry Room Closet, Hallway.	06/07/01
Lithonia Lighting	Home Vue	3902	164	Basement Garage, Family Room, Kitchen, Laundry Room, Kitchen Closet, Closets, Hallway	06/07/01
Lithonia Lighting	Home Vue	3910	84	Basement Garage, Family Room, Kitchen, Laundry Room Closets, Hallway.	06/07/01
Lithonia Lighting	Home Vue	3911	84	Basement Garage, Family Room, Kitchen, Laundry Room Closet, Hallway.	06/07/01
Lithonia Lighting	Home Vue	3912	164	Basement Garage, Family Room, Kitchen, Laundry Room, Kitchen Closet Closets, Hallway	06/07/01
Lithonia Lighting	Home Vue	3913	84	Basement Garage, Family Room, Kitchen, Laundry Room Closet, Hallway.	06/07/01
Lithonia Lighting	Home Vue	3914	84	Basement Garage, Family Room, Kitchen, Laundry Room Closet, Hallway.	06/07/01
Lithonia Lighting	Home Vue	3915	164	Basement Garage, Family Room, Kitchen, Laundry Room, Kitchen Closet, Closets, Hallway.	06/07/01
Lithonia Lighting	Home Vue	3916	84	Basement Garage, Family Room, Kitchen, Laundry Room Closet, Hallway.	06/07/01
Lithonia Lighting	Home Vue	3917	84	Basement Garage, Family Room, Kitchen, Laundry Room Closet, Hallway.	06/07/01
Lithonia Lighting	Home Vue	3918	164	Basement Garage, Family Room, Kitchen, Laundry Room, Kitchen Closet Closet, Hallway.	06/07/01
Lithonia Lighting	Home Vue	HV2444CL		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue & Light Concepts	SCSOVCH-3CF40	124	Home office, kitchen, board room, family room, bathroom, utility room, dining room.	05/31/01
Lithonia Lighting	Home Vue & Light Concepts	SCSRDOAK-3CF40	124	Home office, kitchen, board room, family room, bathroom, utility room, dining room	05/31/01
Lithonia Lighting	Home Vue & Light Concepts	SCSRTWH-3CF40	124	Home office, kitchen, board room, family room, bathroom, utility room, dining room.	05/31/01
Lithonia Lighting	Light Concepts	10222		Basement, garage, family room, kitchen, utility.	06/02/00

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### CEILING-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
Lithonia Lighting	Light Concepts	10422		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Light Concepts	10623		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	10625		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	10631		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	10632		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	10637		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	10640		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	10642		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	10651		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Light Concepts	10652		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	10654		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	10673		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	10674		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	10675		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	10676		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11222		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	11223		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11225		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	11226		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Light Concepts	11227		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11232		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	11232		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### CEILING-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
Lithonia Lighting	Light Concepts	11233		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11235		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Light Concepts	11271		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	11272		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Light Concepts	11273		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11274		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	11275		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Light Concepts	11276		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11277		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	11278		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Light Concepts	11279		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11288		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Light Concepts	11289		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11291		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	11292		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Light Concepts	11293		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11295		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	11296		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Light Concepts	11297		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11332		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	11334		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11351		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	11352		Kitchen, family room, breakfast room, office.	06/02/00

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### CEILING-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
Lithonia Lighting	Light Concepts	11352		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11353		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	11354		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	11361		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	11362		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11362		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11363		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	11364		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11364		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11365		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	11366		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11372		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	11373		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	11375		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11378		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Light Concepts	11400ES		Kitchen, family, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11401ES		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11402ES		Kitchen, family, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11403ES		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11404ES		Kitchen, family, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11405ES		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11411		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11412		Basement, garage, family room, kitchen, utility.	06/02/00

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### CEILING-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
Lithonia Lighting	Light Concepts	11413		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11414		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Light Concepts	11415		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11416		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Light Concepts	11418		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Light Concepts	11430		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	11430WH		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	11431		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Light Concepts	11431 UNFIN		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Light Concepts	11431 WH		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Light Concepts	11432		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11432UNFIN		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11432WH		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11433		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	11433WH		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	11434		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Light Concepts	11434 WH		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Light Concepts	11435		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11435WH		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	1143911556		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	11440		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Light Concepts	11441		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11483ES		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Light Concepts	11484ES		Basement, garage, family room, kitchen, utility.	06/02/00

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### CEILING-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
Lithonia Lighting	Light Concepts	11486ES		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11490ES		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11495ES		Kitchen, family, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11496ES		Kitchen, family, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11497ES		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11498ES		Kitchen, family, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11499ES		Kitchen, family, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11500ES		Kitchen, family, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11501ES		Kitchen, family, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11504ES		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11505ES		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11557		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Light Concepts	11558		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11602		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	11604		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11650		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	11651		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11652		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	11653		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	11654	84	Basement Garage, Family Room, Kitchen, Laundry Room Closet, Hallway.	06/07/01
Lithonia Lighting	Light Concepts	11655	84	Basement Garage, Family Room, Kitchen, Laundry Room Closet, Hallway.	06/07/01
Lithonia Lighting	Light Concepts	11656	164	Basement, garage, family room, kitchen, laundry room, kitchen closet, closets, hallway.	06/07/01
Lithonia Lighting	Light Concepts	11657	84	Basement Garage, Family Room, Kitchen, Laundry Room Closet, Hallway.	06/07/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.





ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### CEILING-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
Lithonia Lighting	Light Concepts	11658	84	Basement Garage, Family Room, Kitchen, Laundry Room Closet, Hallway.	06/07/01
Lithonia Lighting	Light Concepts	11659	164	Basement Garage, Family Room, Kitchen, Laundry Room, Kitchen Closet, Closets, Hallway.	05/24/01
Lithonia Lighting	Light Concepts	11660	84	Basement Garage, Family Room, Kitchen, Laundry Room Closet, Hallway.	06/07/01
Lithonia Lighting	Light Concepts	11661	84	Basement Garage, Family Room, Kitchen, Laundry Room Closet, Hallway.	06/07/01
Lithonia Lighting	Light Concepts	11662	164	Basement Garage, Family Room, Kitchen, Laundry Room, Kitchen Closet Closets, Hallway.	06/07/01
Lithonia Lighting	Light Concepts	11663	84	Basement Garage, Family Room, Kitchen, Laundry Room Closet, Hallway.	06/07/01
Lithonia Lighting	Light Concepts	11664	84	Basement Garage, Family Room, Kitchen, Laundry Room Closet, Hallway.	06/07/01
Lithonia Lighting	Light Concepts	11665	164	Basement Garage, Family Room, Kitchen, Laundry Room, Kitchen Closet Closets, Hallway.	06/07/01
Lithonia Lighting	Light Concepts	3687		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	BWA 1424		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	BWA 2224		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Light Concepts	BWA2444		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	CL 1424		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	CL 2224		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Light Concepts	CL2444		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	FM 1211 GL 12 BN		Kitchen, hallway, foyer, bath, bedroom.	06/02/00
Lithonia Lighting	Light Concepts	FM 1211 GL 12 BZ		Kitchen, hallway, foyer, bath, bedroom.	06/02/00
Lithonia Lighting	Light Concepts	FM 1211 GL 12 PB		Kitchen, hallway, foyer, bath, bedroom.	06/02/00
Lithonia Lighting	Light Concepts	FM 1211 GL 12 SD		Kitchen, hallway, foyer, bath, bedroom.	06/02/00
Lithonia Lighting	Light Concepts	FM 1211 GL 13 BN		Kitchen, hallway, foyer, bath, bedroom.	06/02/00

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

### CEILING-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
Lithonia Lighting	Light Concepts	FM 1211 GL 13 PB		Kitchen, hallway, foyer, bath, bedroom.	06/02/00
Lithonia Lighting	Light Concepts	FM 1211 GL 14 BN		Kitchen, hallway, foyer, bath, bedroom.	06/02/00
Lithonia Lighting	Light Concepts	FM 1211 GL 14 BZ		Kitchen, hallway, foyer, bath, bedroom.	06/02/00
Lithonia Lighting	Light Concepts	FM 1211 GL 14 PB		Kitchen, hallway, foyer, bath, bedroom.	06/02/00
Lithonia Lighting	Light Concepts	FM 1211 GL 14 SD		Kitchen, hallway, foyer, bath, bedroom.	06/02/00
Lithonia Lighting	Light Concepts	FM 1211 GL 15 BZ		Kitchen, hallway, foyer, bath, bedroom.	06/02/00
Lithonia Lighting	Light Concepts	FM 1211 GL 15 SD		Kitchen, hallway, foyer, bath, bedroom.	06/02/00
Lithonia Lighting	Light Concepts	FM 1213 GL 12 BN		Kitchen, hallway, foyer, bath, bedroom.	06/02/00
Lithonia Lighting	Light Concepts	FM 1213 GL 12 BZ		Kitchen, hallway, foyer, bath, bedroom.	06/02/00
Lithonia Lighting	Light Concepts	FM 1213 GL 12 PB		Kitchen, hallway, foyer, bath, bedroom.	06/02/00
Lithonia Lighting	Light Concepts	FM 1213 GL 12 SD		Kitchen, hallway, foyer, bath, bedroom.	06/02/00
Lithonia Lighting	Light Concepts	FM 1213 GL 13 BN		Kitchen, hallway, foyer, bath, bedroom.	06/02/00
Lithonia Lighting	Light Concepts	FM 1213 GL 13 PB		Kitchen, hallway, foyer, bath, bedroom.	06/02/00
Lithonia Lighting	Light Concepts	FM 1213 GL 14 BN		Kitchen, hallway, foyer, bath, bedroom.	06/02/00
Lithonia Lighting	Light Concepts	FM 1213 GL 14 BZ		Kitchen, hallway, foyer, bath, bedroom.	06/02/00
Lithonia Lighting	Light Concepts	FM 1213 GL 14 PB		Kitchen, hallway, foyer, bath, bedroom.	06/02/00
Lithonia Lighting	Light Concepts	FM 1213 GL 14 SD		Kitchen, hallway, foyer, bath, bedroom.	06/02/00
Lithonia Lighting	Light Concepts	FM 1213 GL 15 BZ		Kitchen, hallway, foyer, bath, bedroom.	06/02/00
Lithonia Lighting	Light Concepts	FM 1213 GL 15 SD		Kitchen, hallway, foyer, bath, bedroom.	06/02/00
Lithonia Lighting	Light Concepts	FM 8511 GL 16 AB		Kitchen, hallway, foyer, bath, bedroom.	06/02/00
Lithonia Lighting	Light Concepts	FM 8511 GL 16 BN		Kitchen, hallway, foyer, bath, bedroom.	06/02/00
Lithonia Lighting	Light Concepts	FM 8511 GL 16 BZ		Kitchen, hallway, foyer, bath, bedroom.	06/02/00
Lithonia Lighting	Light Concepts	FM 8513 GL 16 AB		Kitchen, hallway, foyer, bath, bedroom.	06/02/00
Lithonia Lighting	Light Concepts	FM 8513 GL 16 BN		Kitchen, hallway, foyer, bath, bedroom.	06/02/00
Lithonia Lighting	Light Concepts	FM 8513 GL 16 BZ		Kitchen, hallway, foyer, bath, bedroom.	06/02/00
Lithonia Lighting	Light Concepts	GWO 1424		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

# ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

## CEILING-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
Lithonia Lighting	Light Concepts	GWO 2224		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Light Concepts	GWO2444		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	GWV 1424		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	GWV 2224		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Light Concepts	GWV2444		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	MP 1424		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	MP 2224		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Light Concepts	MP2444		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	SW2444		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	SWO 1424		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	SWO 2224		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Light Concepts	SWO2444		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	SWV 1424		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	SWV2224		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Light Concepts	WLOG 1424		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	WLOG 2224		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Light Concepts	WLOG2444		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	WLOS 1424		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	WLOS 2224		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Light Concepts	WLOS2444		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	WLS2444		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	WLWG 1424		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	WLWG 2224		Basement, garage, family room, kitchen, utility.	06/02/00

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### CEILING-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
Lithonia Lighting	Light Concepts	WLWG2444		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	WLWS 1424		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	WLWS 2224		Basement, garage, family room, kitchen, utility.	06/02/00
Luen Yick Electrical Manufacturing Co., Ltd.	KENGO	LTF10WRSD	11.28	Undershelf, Pelmet, Cabinets, Book Cases, Indoor. Other Fixture Types: FC, PT, WM.	07/16/01
Luen Yick Electrical Manufacturing Co., Ltd.	KENGO	LTF16WRSD	18	Undershelf, Pelmet, Cabinets, Book Cases, Indoor. Other Fixture Type: FC, PT, WM.	07/16/01
Luen Yick Electrical Manufacturing Co., Ltd.	KENGO	LTF20WRSD	22.13	Undershelf, Pelmet, Cabinets, Book Cases, Indoor- other Fixture Types: FC, PT, WM.	07/16/01
Luen Yick Electrical Manufacturing Co., Ltd.	KENGO	LTF6WRSD	6.75	Undershelf, Pelmet, cabinets, book Cases, Indoor- Other Fixture Type: FC, PT, WM.	07/16/01
Lusa Lighting	11.5" Hampton Bay/11.5" Redondo	92270/05		Indoor-Kitchen, Utility Room, Hallway, Bathroom	10/25/00
Lusa Lighting	12" Quadro	92269/05		Indoor Kitchen, Utility Room, Hallway, Bathroom	10/25/00
Lusa Lighting	13" Madera	92271/05		Indoor	10/29/99
Lusa Lighting	13" Slimline	92268/05		Indoor-Kitchen, Utility Room, Hallway, Bathroom	10/25/00
Lusa Lighting	14" Hampton Bay/14" Redondo	93370/05		Indoor-Kitchen, Utility Room, Hallway, Bathroom	10/25/00
Lusa Lighting	14" Redondo	93270/05		Indoor-Kitchen, Utility Room, Hallway, Bathroom	10/25/00
Lusa Lighting	14.5" Quadro	93269/05		Indoor-Kitchen, Utility Room, Hallway, Bathroom	10/25/00
Lusa Lighting	14.5" Quadro/14.5" Hampton Bay	93369/05		Indoor-Kitchen, Utility Room, Hallway, Bathroom	10/25/00
Lusa Lighting	15.5" Madera	93271/05		Indoor	10/29/99
Lusa Lighting	15.5" Madera	93371/05		Indoor	10/29/99
Lusa Lighting	17" Slimline	93268/05		Indoor-Kitchen, Utility Room, Hallway, Bathroom	10/25/00
Lusa Lighting	19" Redondo	94270/05		Indoor-Kitchen, Utility Room, Hallway, Bathroom	01/08/01
Lusa Lighting	19.5" Quadro/19.5" Hampton Bay	94269/05		Indoor-Kitchen, Utility Room, Hallway, Bathroom	10/25/00
Lusa Lighting	20.5" Madera	94271/05		Indoor	10/29/99
Lusa Lighting	21" Slimline	94268/05		Indoor-Kitchen, Utility Room, Hallway, Bathroom	10/25/00

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### CEILING-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input	Suggested Use	Date
			Watts		Added
MaxLite SK America, Inc.	MaxLite	SKF18SMC	19	Living room	03/29/01
MaxLite SK America, Inc.	MaxLite	SKF30SMC		Living room, dining room.	01/29/00
MaxLite SK America, Inc.	MaxLite	SKF36SMC	37	Living room	03/29/01
MaxLite SK America, Inc.	MaxLite	SKF40SMC		Living room, dining room.	01/29/00
Michigan Avenue Industrial Corporation	Michigan Avenue Fluorescent	30811		Any room or hallway	12/23/99
Michigan Avenue Industrial Corporation	Michigan Avenue Fluorescent	30831		Any room or hallway	12/23/99
Michigan Avenue Industrial Corporation	Michigan Avenue Fluorescent	30911		Any room or hallway	12/23/99
Michigan Avenue Industrial Corporation	Michigan Avenue Fluorescent	36114		Any room or hallway	12/23/99
Michigan Avenue Industrial Corporation	Michigan Avenue Fluorescent	36115		Any room or hallway	12/23/99
Michigan Avenue Industrial Corporation	Michigan Avenue Fluorescent	36231		Any room or hallway	12/23/99
Nutech Lighting Corporation	Nutech	4006		Bathroom	10/25/00
Progress Lighting	Eclipse	3562-10EB		Assisted Living, Hospitality	04/29/99
Progress Lighting	Eclipse	3562-13EB		Assisted Living, Hospitality	04/07/00
Progress Lighting	Eclipse	3564-10EB		Assisted Living, Hospitality	11/12/98
Progress Lighting	Eclipse	3566-10EB		Assisted Living, Hospitality	11/12/98
Progress Lighting	Eclipse	3584-10WB		Assisted Living, Hospitality	11/12/98
Progress Lighting	Eclipse	3584-13WB		Assisted Living, Hospitality	11/12/98
Progress Lighting	Modular Fluorescent	7213-30EB		Kitchen	11/12/98
Progress Lighting	Modular Fluorescent	7214-30EB		Kitchen	11/12/98
Progress Lighting	Modular Fluorescent	7215-30EB		Kitchen	11/12/98
Progress Lighting	Modular Fluorescent	7264-30EB		Kitchen	11/12/98
Progress Lighting	Modular Fluorescent Soft Cloud	7285-60EB		Kitchen	11/12/98
Progress Lighting	Progress Lighting	3564-13EB		Assisted Living, Hospitality	04/07/00
Progress Lighting	Progress Lighting	3566-13EB		Assisted Living, Hospitality	04/07/00
Progress Lighting	Progress Lighting	P632EB		Multi-Purpose	01/27/99
Regal King Manufacturing Ltd.	Home Depot/Hampton Bay	712-191		Room	07/11/01
Regal King Manufacturing Ltd.	Home Depot/Hampton Bay	847-204		Room	07/11/01
Regal King Manufacturing Ltd.	Home Depot/Hampton Bay	847-774		Room	07/11/01
Regal King Manufacturing Ltd.	Home Depot/Hampton Bay	847-798		Room	07/11/01
Regal King Manufacturing Ltd.	Home Depot/Hampton Bay	847-799		Room	07/11/01
Regal King Manufacturing Ltd.	Home Depot/Hampton Bay	847-804		Room	07/11/01
Regal King Manufacturing Ltd.	Home Depot/Hampton Bay	847-832		Room	07/11/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

# ENERGY STAR® Qualified Residential Light Fixtures

## List of Qualified Products

### CEILING-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
Ron Rezek Lighting	Ron Rezek	275/76/77		Oval Ceiling	11/12/98
Ron Rezek Lighting	Ron Rezek	360		Facet Disc	11/12/98
Ron Rezek Lighting	Ron Rezek	370		Facet Ceiling	11/12/98
Roselight	Roselight Inc.	109-2PL13		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	109-2PL9		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	109-2PQ18		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	109-3PL13		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	109-3PL9		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	109-4PL13		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	109-4PL9		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	109-PL13		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	109-PL9		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	118-2PL13		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	118-2PL9		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	118-3PL13		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	118-3PL9		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	118-4PL13		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	118-PL13		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	118-PL9		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	119-2PL13		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	119-2PL9		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	119-3PL13		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	119-3PL9		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	119-4PL13		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	119-PL13		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	119-PL9		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	127-2PL13		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	128-022		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	128-2PL13		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	128-2PL9		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	128-PL9		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	201-022		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	201-032		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	201-054		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	209-022		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	209-032		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	209-040		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	209-054		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	209-072		Residential/Commercial	09/27/99

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

### CEILING-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
Roselight	Roselight Inc.	210-022		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	210-040		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	210-054		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	210-072		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	214-132		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	214-140		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	214-232		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	214-240		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	216-120		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	216-130		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	216-132		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	216-140		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	216-217		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	216-220		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	216-232		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	216-240		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	217-117		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	217-120		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	217-125		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	217-130		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	217-132		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	217-140		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	221-132		Residential/Commercial	09/29/99
Roselight	Roselight Inc.	221-140		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	230-132		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	230-140		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	230-232		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	230-240		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	235-132		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	235-140		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	235-217		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	235-220		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	235-232		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	235-240		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	235-417		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	235-420		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	235-432		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	235-440		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	236-232		Residential/Commercial	09/27/99

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

### CEILING-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
Roselight	Roselight Inc.	236-240		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	236-332		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	236-432		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	236-440		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	237-220		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	237-2U31		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	237-417		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	237-420		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	238-132		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	238-232		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	238-332		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	240-120		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	240-125		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	240-130		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	240-140		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	240-217		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	240-220		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	240-225		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	240-230		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	240-232		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	240-240		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	241-120		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	241-125		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	241-130		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	241-140		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	241-220		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	241-225		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	241-230		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	241-232		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	241-240		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	242-220		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	242-225		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	242-230		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	242-232		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	242-240		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	244-132		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	244-140		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	245-140		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	245-232		Residential/Commercial	09/27/99

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.





ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### CEILING-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
Roselight	Roselight Inc.	245-432		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	246-232		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	246-332		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	246-432		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	247-2U31		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	248-132		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	248-232		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	248-332		Residential/Commercial	09/27/99
Sea Gull Lighting Products Incorporated	SGLP	5901-15E		Hall/Rooms	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	5902-15E		Hall/Rooms	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	5905-15E		Hall/Rooms	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	5909-15E		Hall/Rooms	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	5928-15E		Hall/Rooms	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	5931-15E		Hall/Rooms	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	5932-15E		Hall/Rooms	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	5932-15E		Hall/Rooms	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	5933-15E		Hall/Rooms	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	5946-02E		Hall/Rooms	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	5951-02E		Hall/Rooms	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	5976-15E		Hall/Rooms	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	5996-02E		Hall/Rooms	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	5997-02E		Hall/Rooms	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	5998-15E		Hall/Rooms	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	7925-15E		Comidor	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	7926-15E		Comidor	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	7956-02E		Any room or hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	7957-02E		Any room or hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	7979-02E		Any room or hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	7986-02E		Any room or hall	02/25/99

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### CEILING-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
Sea Gull Lighting Products Incorporated	SGLP	7997-02E		Any room or hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	7997-62E		Any room or hall	02/25/99
Simkar Corporation	SIMKAR	144W-124-B4	72.5	Living room, kitchen, utility room, bath, hallway, bedroom	07/30/01
Simkar Corporation	SIMKAR	313-240-ESB	90	Living room, kitchen, utility room, bath, hallway, bedroom	07/30/01
Simkar Corporation	SIMKAR	313-440-ESB	180	Living room, kitchen, utility room, bath, hallway, bedroom	07/30/01
Simkar Corporation	SIMKAR	344-240-ESB	90.4	Living room, kitchen, utility room, bath, hallway, bedroom	07/30/01
Simkar Corporation	SIMKAR	401-240-ESB	90.4	Living room, kitchen, utility room, bath, hallway, bedroom	07/30/01
Simkar Corporation	SIMKAR	401-440-ESB	180		01/17/02
Simkar Corporation	SIMKAR	404-240-A-ESB	90.4	Living room, kitchen, utility room, bath, hallway, bedroom	07/30/01
Simkar Corporation	SIMKAR	404-440-A-ESB	180.8	Living room, kitchen, utility room, bath, hallway, bedroom	07/30/01
Simkar Corporation	SIMKAR	444W-184-ESB	180.8	Living room, kitchen, utility room, bath, hallway, bedroom	07/30/01
Simkar Corporation	SIMKAR	515-440-ESB	180.8	Living room, kitchen, utility room, bath, hallway, bedroom	07/30/01
Simkar Corporation	SIMKAR	766W124ESB	90		07/31/01
Simkar Corporation	SIMKAR	766W184ESB	180		07/31/01
Simkar Corporation	SIMKAR	888240ESB	90		07/31/01
Simkar Corporation	SIMKAR	888440ESB	180		07/31/01
Simkar Corporation	SIMKAR	919-240-ESB	90.4	Living room, kitchen, utility room, bath, hallway, bedroom	07/30/01
Simkar Corporation	SIMKAR	919-440-ESB	180.8	Living room, kitchen, utility room, bath, hallway, bedroom	01/17/02
Simkar Corporation	SIMKAR	CH132B11			07/31/01
Simkar Corporation	SIMKAR	CH140E1	90		07/31/01
Simkar Corporation	SIMKAR	CH2232B114L			07/31/01
Simkar Corporation	SIMKAR	CH232B11			07/31/01
Simkar Corporation	SIMKAR	CH240E1	90		07/31/01
Simkar Corporation	SIMKAR	CHX296E1	90		07/31/01
Simkar Corporation	SIMKAR	CWT14-2-ESB	90.4	Kitchen, utility room, hallway	07/30/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### CEILING-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input	Suggested Use	Date
			Watts		Added
Simkar Corporation	SIMKAR	CWT24-4-ESB	180.8	Kitchen, utility room, hallway	07/30/01
Simkar Corporation	SIMKAR	GL240ESB	90		07/31/01
Simkar Corporation	SIMKAR	JS232B11		Living room, kitchen, utility room, bath, hallway, bedroom	07/30/01
Simkar Corporation	SIMKAR	OV450240E1	90		07/31/01
Simkar Corporation	SIMKAR	SAC5240E1	80		07/31/01
Simkar Corporation	SIMKAR	SLPM232B11		Living room, kitchen, utility room, bath, hallway, bedroom	07/30/01
Simkar Corporation	SIMKAR	SMC232-B4	72.5	Kitchen, utility room, bath, hallway	07/30/01
Simkar Corporation	SIMKAR	SMC240-ESB	90.4	Kitchen, utility room, bath, hallway	07/30/01
Simkar Corporation	SIMKAR	SMC432-B114L		Kitchen, utility room, bath, hallway	07/30/01
Simkar Corporation	SIMKAR	SMC440-ESB	180.8	Kitchen, utility room, bath, hallway	07/30/01
Simkar Corporation	SIMKAR	SMCLP232B11			07/31/01
Simkar Corporation	SIMKAR	SMCLP332B113L			07/31/01
Simkar Corporation	SIMKAR	SMCLP432B114L			07/31/01
Simkar Corporation	SIMKAR	SMCS232-B4 Narrow	72.5	Kitchen, utility room, bath, hallway	07/30/01
Simkar Corporation	SIMKAR	SMCS240-E1 on 4L Wth	100	Kitchen, utility room, bath, hallway	07/30/01
Simkar Corporation	SIMKAR	SY242-24OU-E1-NS	88.6	Kitchen, utility room, hallway	07/30/01
Simkar Corporation	SIMKAR	SY244440E1	180		07/31/01
Simkar Corporation	SIMKAR	SY920232B11			07/31/01
Simkar Corporation	SIMKAR	SY920240E1	90		07/31/01
Simkar Corporation	SIMKAR	SY920240NYC	90	kitchen, utility room, bath, hallway	07/30/01
Simkar Corporation	SIMKAR	SY920332B11		kitchen, utility room, bath, hallway	07/30/01
Simkar Corporation	SIMKAR	SY920440E1	180		07/31/01
Simkar Corporation	SIMKAR	WCFO24-4-(440)-ESB	180.8	Living room, kitchen, utility room, hallway, bath, bedroom	07/30/01
Simkar Corporation	SIMKAR	WFCO-14-2-(240)-ESB	90.4	Living room, kitchen, utility room, bath, hallway, bedroom	07/30/01
Simkar Corporation	SIMKAR	WGCO14-2-(240)-ESB	90.4	Living room, kitchen, utility room, bath, hallway, bedroom	07/30/01
Simkar Corporation	SIMKAR	WGCO142ESB	90.4		07/31/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

### CEILING-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input	Suggested Use	Date
			Watts		Added
Simkar Corporation	SIMKAR	WGCO24-4-(440)-ESB	180.8	Living room, kitchen, hallway, utility room, bath, bedroom	07/30/01
Simkar Corporation	SIMKAR	WRAW240-A	90.4	Living room, kitchen, utility room, bath, hallway, bedroom	07/30/01
Simkar Corporation	SIMKAR	WRCO240-ESB	90.4	Living room, utility room, kitchen, bath, hallway, bedroom	07/30/01
Simkar Corporation	SIMKAR	WRCO240ESB	90.4	Living room, kitchen, utility room, bath, hallway, bedroom	07/30/01
Simkar Corporation	SIMKAR	WRCO440-N-ESB	180.8	Living room, kitchen, utility room, bath, hallway, bedroom	07/30/01
Simkar Corporation	SIMKAR	WRW240AES	90.4	Living room, kitchen, utility room, bath, hallway, bedroom	07/30/01
Simkar Corporation	Simkar Corporation/Power Products	131W-184-ESB		Decorative Fluorescent - 1 1/2x4 Un	01/28/99
Simkar Corporation	Simkar Corporation/Power Products	131W-242U-ESB		Decorative Fluorescent 2X2 Unfini	01/28/99
Simkar Corporation	Simkar Corporation/Power Products	134W-124-ESB		Decorative Fluorescent - 1X4 Bleach	01/28/99
Simkar Corporation	Simkar Corporation/Power Products	134W-184-ESB		Decorative Fluorescent - 1 1/2X4 bleach	01/28/99
Simkar Corporation	Simkar Corporation/Power Products	134W-242U-ESB		Decorative Fluorescent 2X2 Bleach	01/28/99
Simkar Corporation	Simkar Corporation/Power Products	135W-124-ESB		Decorative Fluorescent - 1X4 Oak Cr	01/28/99
Simkar Corporation	Simkar Corporation/Power Products	135W-184-ESB		Decorative Fluorescent - 1 1/2X4 Oa	04/29/99
Simkar Corporation	Simkar Corporation/Power Products	135W-242U-ESB		Decorative Fluorescent 2X2 Oak Cr	01/28/99
Simkar Corporation	Simkar Corporation/Power Products	144W-124-ESB		Decorative Fluorescent - 1X4 White	01/28/99
Simkar Corporation	Simkar Corporation/Power Products	144W-184-ESB		Decorative Fluorescent 1 1/2 x4 W	01/28/99
Simkar Corporation	Simkar Corporation/Power Products	144W-242U-ESB		Decorative Fluorescent - 2x2 White	01/28/99
Simkar Corporation	Simkar Corporation/Power Products	393W-184-ESB		Decorative Fluorescent Oak/Acrylic	01/28/99

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### CEILING-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
Simkar Corporation	Simkar Corporation/Power Products	393W-242U-ESB		Decorative Fluorescent - Oak Acrylic	01/28/99
Simkar Corporation	Simkar Corporation/Power Products	766W-124-ESB		Decorative Fluorescent 1X4 Oak Gr	01/28/99
Simkar Corporation	Simkar Corporation/Power Products	766W-184-ESB		Decorative Fluorescent 1 1/2 x4 Oa	01/28/99
Simkar Corporation	Simkar Corporation/Power Products	766W-242U-ESB		Decorative Fluorescent 2x2 Oak Gr	01/28/99
Simkar Corporation	Simkar Corporation/Power Products	CWT-242-UEI		Decorative Fluorescent - 2X2 White	01/28/99
Simkar Corporation	Simkar Corporation/Power Products	SMC S440-EI		Decorative Fluorescent Step Cloud	04/29/99
Technical Consumer Products	Technical Consumer Products	11622/20WH		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	11622HP (WH)		Indoor/Porch	01/29/00
Technical Consumer Products	Technical Consumer Products	11630HP (WH)		Indoor/Porch	01/29/00
Technical Consumer Products	Technical Consumer Products	11636/30WH		Any room	10/25/00
Technical Consumer Products	Technical Consumer Products	11640WH		Any room	10/25/00
Technical Consumer Products	Technical Consumer Products	11722HP (WH)		Indoor/Porch	01/29/00
Technical Consumer Products	Technical Consumer Products	11730HP (WH)		Indoor/Porch	01/29/00
Technical Consumer Products	Technical Consumer Products	11736/30WH		Any room.	04/19/00
Technical Consumer Products	Technical Consumer Products	11822HP WH+PB		Indoor/Porch	01/29/00
Technical Consumer Products	Technical Consumer Products	11830HP WH+PB		Indoor/Porch	01/29/00
Technical Consumer Products	Technical Consumer Products	11836/30PB		Any room.	04/19/00
Technical Consumer Products	Technical Consumer Products	11836/30WH		Any room.	04/19/00
Technical Consumer Products	Technical Consumer Products	11840AB	41.5	Any Room	05/14/01
Technical Consumer Products	Technical Consumer Products	11840PB		Any room	10/27/00
Technical Consumer Products	Technical Consumer Products	11840WH		Any room	10/27/00
Technical Consumer Products	Technical Consumer Products	11922HP WH+PB		Indoor/Porch	01/29/00
Technical Consumer Products	Technical Consumer Products	11930HP WH+PB		Indoor/Porch	01/29/00
Technical Consumer Products	Technical Consumer Products	11936/30PB		Any room.	04/19/00

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### CEILING-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u>		<u>Date Added</u>
			<u>Watts</u>	<u>Suggested Use</u>	
Technical Consumer Products	Technical Consumer Products	11936/30WH		Any room.	04/19/00
Technical Consumer Products	Technical Consumer Products	12227TW	28	Any Room	04/26/01
Technical Consumer Products	Technical Consumer Products	12232TW	33	Any Room	04/26/01
Technical Consumer Products	Technical Consumer Products	12258TW	59	Any Room	04/26/01
Technical Consumer Products	Technical Consumer Products	12327TW	28	Any Room	04/26/01
Technical Consumer Products	Technical Consumer Products	12332TW	33	Any Room	04/26/01
Technical Consumer Products	Technical Consumer Products	12358TW	59	Any Room	04/26/01
Technical Consumer Products	Technical Consumer Products	13920WH		Any room	10/29/00
Technical Consumer Products	Technical Consumer Products	13930WH		Any room	10/25/00
Technical Consumer Products	Technical Consumer Products	59123BK	24	Any room	07/20/01
Technical Consumer Products	Technical Consumer Products	59123WH	24	Any room	07/25/01
Technical Consumer Products	Technical Consumer Products	59223BK	24	Any room	07/20/01
Technical Consumer Products	Technical Consumer Products	59223WH	24	Any room	07/20/01
Technical Consumer Products	Technical Consumer Products	59323BK	24	Any room	07/25/01
Technical Consumer Products	Technical Consumer Products	59323WH	24	Any room	07/20/01
Technical Consumer Products	Technical Consumer Products	59423BK	24	Any room	07/20/01
Technical Consumer Products	Technical Consumer Products	59423WH	24	Any room	07/20/01
Technical Consumer Products	Technical Consumer Products	X120501F1-26	27	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X120501F1-32	33	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X120501F1-58	59	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X120501F2-26	27	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X120501F2-32	33	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X120501F2-58	59	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X120501F3-26	59	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X120501F3-32	59	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X120501F3-58	118.5	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X120501F4-26	59	Any room	12/21/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### CEILING-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u>		<u>Date Added</u>
			<u>Watts</u>	<u>Suggested Use</u>	
Technical Consumer Products	Technical Consumer Products	X120501F4-32	59	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X120501F4-58	59	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X120501F5-26	59	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X120501F5-32	59	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X120501F5-58	59	Any room	12/21/01
U.S. Energy Technologies Inc.	LF 17226	LF17226		Indoor room.	04/07/00
USPAR Ent. Inc.	USPAR	CL-26BAE		Indoor.	11/30/99
USPAR Ent. Inc.	USPAR	CL-26CDE		Indoor	11/30/99
USPAR Ent. Inc.	USPAR	CL-26DME		Indoor.	11/30/99
Westerfield Co.	Westerfield Company	4400-3PL13		Hallway, Bedroom.	04/07/00
Westerfield Co.	Westerfield Company	4500-2PL13		Entranceway.	04/07/00
Westerfield Co.	Westerfield Company	6700-PL13QS		Soffit.	04/07/00
Westerfield Co.	Westerfield Company	7100-2PL13		Hallway, bedroom, family room.	04/07/00
Westerfield Co.	Westerfield Company	D4700-2PL13		Hallway, bedroom, family room.	04/07/00
Westerfield Co.	Westerfield Company	D4900-3PL13		Hallway, bedroom, family room.	04/07/00
Westerfield Co.	Westerfield Company	D7000-2PL13		Hallway, Dining Room.	04/07/00

#### FURNITURE/CABINET INTEGRATED

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u>		<u>Date Added</u>
			<u>Watts</u>	<u>Suggested Use</u>	
Adjustable Fixture Company	Nightingale	535-26W		Indoor living and study areas	11/29/99
Adjustable Fixture Company	Nightingale	535-32W		Indoor living and study areas	11/30/99
Adjustable Fixture Company	Nightingale	535-42W		Indoor living and study areas	11/30/99
American Fluorescent Corporation	American Fluorescent	TUQ-120E8	22	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	TUQ-130E8	26	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	TUQ-140E8	32	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	TUQ-220E8	17	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	TUQ-230E8	28	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	TUQ-240E8	38	Kitchen	03/12/01
American Tack and Hardware	Westek	FB101		Kitchen	10/25/00
American Tack and Hardware	Westek	FB201		Kitchen	10/25/00
Eastern Fixture Company Inc.	Eastern	ET13	14	Kitchen	07/26/01
Eastern Fixture Company Inc.	Eastern	ET213	29	Kitchens	07/26/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### FURNITURE/CABINET INTEGRATED

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
Eastern Fixture Company Inc.	Eastern	ET8	8	Kitchens	07/26/01
Eastern Fixture Company Inc.	Eastern	ET813	106	Kitchen	07/26/01
GE Home Electric Products, Inc.	GE Home Electric Products, Inc.	45723	8.8	Under Cabinet	04/23/01
GE Home Electric Products, Inc.	GE Home Electric Products, Inc.	45726		Under cabinet.	06/02/00
GE Home Electric Products, Inc.	GE Home Electric Products, Inc.	45727	17.6	Under Cabinet	04/23/01
GE Home Electric Products, Inc.	GE Home Electric Products, Inc.	45728		Under cabinet.	06/02/00
INCON Industries	Incon	23711-2/13	28.13	Livingroom kitchen bedroom bath hallway outdoor utilityroom	12/20/01
Legion Lighting Company Incorporated		312-117-ACP-EBO/ES		Kitchen, study.	12/23/99
Legion Lighting Company Incorporated		312-125-ACP-EBO-ES		Kitchen, study.	12/23/99
Legion Lighting Company Incorporated		312-132-ACP-EBO-ES		Kitchen, study.	12/23/99
Legion Lighting Company Incorporated		316-117-ACP-EBO/ES		Kitchen, study.	12/23/99
Legion Lighting Company Incorporated		316-125-ACP-EBO-ES		Kitchen, study.	12/23/99
Legion Lighting Company Incorporated		316-132-ACP-EBO-ES		Kitchen, study.	12/23/99
Lithonia Lighting	Lithonia Lighting	UC 12E 120M6		Under-/over-cabinet.	06/27/00
Lithonia Lighting	Lithonia Lighting	UC 21E 120M6		Under-/over-cabinet.	06/27/00
Lithonia Lighting	Lithonia Lighting	UC 24E 120M6		Under-/over-cabinet.	06/27/00
Lithonia Lighting	Lithonia Lighting	UC 42E 120M6		Under-/over-cabinet.	06/27/00
Lithonia Lighting	Lithonia Lighting	UC33E 120M6		Under-/over-cabinet.	06/27/00
MaxLite SK America, Inc.	MaxLite	SKF1308	8.8	Undercabinet	07/10/01
MaxLite SK America, Inc.	MaxLite	SKF2213UC	14.3	undercabinet	06/22/01
Progress Lighting	Progress Lighting	7007-30EB		Counter Tops	04/07/00
Progress Lighting	Progress Lighting	7008-30EB		Counter Tops	04/21/00
Roselight	Roselight Inc.	146-2PL13		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	146-PL13		Residential/Commercial	09/27/99
USPAR Ent. Inc.	USPAR	SL-1301/TP		Kitchen, study, cabinets, showcase.	11/30/99
USPAR Ent. Inc.	USPAR	SL-210EXSBCTP		Kitchen, study, bedroom, cabinets.	11/30/99
USPAR Ent. Inc.	USPAR	SL-420EXSBCTP		Kitchen, study, bedroom, cabinets.	11/30/99

#### OUTDOOR LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
----------------	--------------	--------------	------------------------------------	----------------------	-----------------------------

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.





ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### OUTDOOR LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
Brownlee Lighting	Brownlee Lighting	1020-13-ES		Porch, garage, exterior entry. Wall-mounted.	12/23/99
Brownlee Lighting	Brownlee Lighting	1040-13-ES		Porch, garage, exterior entry. Ceiling- and wall-mounted.	12/23/99
Brownlee Lighting	Brownlee Lighting	1040-2X13-ES		Porch, garage, exterior entry. Ceiling- and wall-mounted.	12/23/99
Brownlee Lighting	Brownlee Lighting	1050-13-ES		Porch, garage, exterior entry. Ceiling- and wall-mounted.	12/23/99
Brownlee Lighting	Brownlee Lighting	1050-2X13-ES		Porch, garage, exterior entry. Ceiling- and wall-mounted.	12/23/99
Brownlee Lighting	Brownlee Lighting	1140-13-ES		Porch, garage, exterior entry. Wall-mounted.	12/23/99
Brownlee Lighting	Brownlee Lighting	1140-22Q-ES		Porch, garage, exterior entry. Wall-mounted.	12/23/99
Brownlee Lighting	Brownlee Lighting	7050-13-ES		Post mounted.	12/23/99
Brownlee Lighting	Brownlee Lighting	7050-28Q-ES		Post mounted.	12/23/99
Brownlee Lighting	Brownlee Lighting	7050-42-ES		Post mounted.	12/23/99
CLI Fixtures, Inc.	CLI FIXTURES	DW-13		Halls, Walkways, Entries	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	DW-18		Halls, Walkways, Entries	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	DW-26		Halls, Walkways, Entries	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	DW-9		Halls, Walkways, Entries	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	ECM-13		Entries, Corridors	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	ECM-18		Entries, Corridors	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	ECM-26		Entries, Corridors	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	ECM-Q22		Entries, Corridors	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	EF-13B		Landscape	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	EF-26B		Landscape	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	EF-Q22B		Landscape	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	FFL-104		Illuminates Signs	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	FFL-13		Landscape	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	FFL-26		Landscape	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	FFL-39		Illuminates Signs	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	FFL-5		Landscape	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	FFL-52		Illuminates Signs	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	FFL-7		Landscape	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	FFL-78		Illuminates Signs	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	FL-13		Landscape	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	FL-26		Landscape	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	FLM 13		Vandalproof Applications- Hallways, Walkways, Entries, Corridors	04/26/99

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### OUTDOOR LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
CLI Fixtures, Inc.	CLI FIXTURES	FLM-18		Vandalproof Applications- Hallways, Walkways, Entries, Coridors	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	FLM-26		Vandalproof Applications- Hallways, Walkways, Entries, Coridors	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	LL-13		Balconies, Patios, Halls	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	LL-9		Balconies, Patios, Halls	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	LL-Q22		Balconies, Patios, Halls	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	ML-9		Landscape	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	ML-Q13		Landscape	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	MV-14		Vandalproof Applications	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	MV-7		Vandalproof Applications	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	MV-Q13		Vandalproof Applications	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	OEL-13		Bath, Showers	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	OEL-9		Baths, Showers	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	OEL-Q22		Bath, Showers	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	PAG-5		Landscape	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	PAG-7		Landscape	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	PAG-9		Landscape	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	PAG-Q13		Landscape	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	PBL-13		Economical Exterior Use	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	PBL-9		Economical Exterior Use	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	PBL-Q13		Economical Exterior Use	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	PBL-Q22		Economical Exterior Use	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	PG-13		Parking Lots, Walkways, Pools	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	PG-26		Parking Lots, Walkways, Pools	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	PT-13		Patios	04/29/99
CLI Fixtures, Inc.	CLI FIXTURES	PT-Q13		Patios	04/29/99
CLI Fixtures, Inc.	CLI FIXTURES	SPL-26		Carports, Driveways, Parking Areas	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	SPL-Q22		Carports, Driveways, Parking Areas	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	SW-26		Theft Proof Exterior Fixture	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	TL-13		Halls & Lobbies	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	TL-18		Halls & Lobbies	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	TL-26		Halls & Lobbies	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	TTP-7		Landscape	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	TTP-9		Landscape	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	TTP-Q13		Landscape	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	VF-13		Vandalproof Applications	04/26/99

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### OUTDOOR LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
CLI Fixtures, Inc.	CLI FIXTURES	VF-18		Vandalproof Applications	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	VF-26		Vandalproof Applications	04/26/99
Catalina Lighting	Westinghouse	09-04-43414		Outdoor Lantern	01/27/99
Cooper Lighting	Lumark	LDL65FPC	70.26	65w Fluorescent Area Light w/ Photo Control (Bronze)	07/27/01
Cooper Lighting	Lumark	LDL65FPCW	70.26	65w Fluorescent Area Light w/ Photo Control (White)	07/27/01
Cooper Lighting	Lumark	LE70H	86.1	Medium Grade 70w HPS Security Light	07/27/01
Cooper Lighting	Lumark	LFE13PC	16.36	13w Fluorescent Entry Light w/ Photo Control (Bronze)	07/27/01
Cooper Lighting	Lumark	LFNF26PC	30.69	26w Fluorescent Flood Light w/ Photo Control (Bronze)	07/27/01
Cooper Lighting	Lumark	LFNF26PCW	30.69	26w Fluorescent Flood Light w/ Photo Control (White)	07/27/01
Cooper Lighting	Lumark	LFW26PC	30.69	26w Fluorescent Wall Light w/ Photo Control (Bronze)	07/27/01
Cooper Lighting	Lumark	LGT75	195.2	Industrial Grade Mercury Vapor Safety & Security Light w/ Photo Control	07/27/01
Cooper Lighting	Lumark	LMS185		180 deg. Die Cast Metal Floodlight, Bronze	07/27/01
Cooper Lighting	Lumark	LMS185R		180 deg. Die-Cast Metal Floodlight w/ Shields, Bronze	07/27/01
Cooper Lighting	Lumark	LMS185RW		180 deg. Die-Cast Metal Floodlight w/ Shields, White	07/27/01
Cooper Lighting	Lumark	LMS185W		180 deg. Metal Floodlight, White	07/27/01
Cooper Lighting	Lumark	LMS37		110 deg. Twin Floodlight, White	07/27/01
Cooper Lighting	Lumark	LW35HPC		35w HPS Wall Light w/ Photo Control (Bronze)	07/27/01
Cooper Lighting	Lumark	LW35HPCW		35w HPS Wall Light w/ Photo Control (White)	07/27/01
Cooper Lighting	Regent	DL42FPC	47.3		05/07/01
Cooper Lighting	Regent	DL42FPCW	47.3		05/07/01
Cooper Lighting	Regent	DL65FPC	70.26		07/27/01
Cooper Lighting	Regent	DL65FPCW	70.26		07/27/01
Cooper Lighting	Regent	E70H	86.1		07/27/01
Cooper Lighting	Regent	FE13PC	16.36		07/27/01
Cooper Lighting	Regent	FNF18PC	22.31		05/07/01
Cooper Lighting	Regent	FNF18PCW	22.31		05/07/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### OUTDOOR LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u>	<u>Suggested Use</u>	<u>Date</u>
			<u>Watts</u>		<u>Added</u>
Cooper Lighting	Regent	FNF26PC	30.69		05/07/01
Cooper Lighting	Regent	FNF26PCW	30.69		05/07/01
Cooper Lighting	Regent	FW26PC	30.69		05/07/01
Cooper Lighting	Regent	FW26PCW	30.69		05/07/01
Cooper Lighting	Regent	GT100H	116.5		05/07/01
Cooper Lighting	Regent	GT150H	173.9		05/07/01
Cooper Lighting	Regent	GT75	195.2		05/07/01
Cooper Lighting	Regent	MD70HB	86.1		05/07/01
Cooper Lighting	Regent	MD70HW	86.1		05/07/01
Cooper Lighting	Regent	W70HPCW	86.1		05/07/01
Cooper Lighting	Regent Lighting	DL52FPC		Garage	04/27/01
Cooper Lighting	Regent Lighting	DL52FPCW		Garage	01/31/00
Cooper Lighting	Regent Lighting	EL-13-F/PC		Porch.	11/30/99
Cooper Lighting	Regent Lighting	EL13FPCW		Porch.	11/30/99
Cooper Lighting	Regent Lighting	FF18PC		Ground	12/23/99
Cooper Lighting	Regent Lighting	FF26PC		Ground	12/23/99
Cooper Lighting	Regent Lighting	MS185		Comer (eave), porch.	04/19/00
Cooper Lighting	Regent Lighting	MS185R		Comer (eave), porch.	04/19/00
Cooper Lighting	Regent Lighting	MS185RW		Comer (eave), porch.	04/19/00
Cooper Lighting	Regent Lighting	MS185W		Comer (eave), porch.	04/19/00
Cooper Lighting	Regent Lighting	MS20		Comer (eave), porch.	06/02/00
Cooper Lighting	Regent Lighting	MS20W		Comer (eave), porch.	06/02/00
Cooper Lighting	Regent Lighting	MS237C		Porch	04/19/00
Cooper Lighting	Regent Lighting	MS26R		Comer (eave), porch.	05/31/00
Cooper Lighting	Regent Lighting	MS28RW		Comer (eave), porch.	05/31/00
Cooper Lighting	Regent Lighting	MS30		Comer (eave), porch.	04/19/00
Cooper Lighting	Regent Lighting	MS32W		Comer (eave), porch.	04/19/00
Cooper Lighting	Regent Lighting	MS35		Porch	01/29/00
Cooper Lighting	Regent Lighting	MS37		Porch	01/29/00
Cooper Lighting	Regent Lighting	MS550		Porch.	04/19/00
Cooper Lighting	Regent Lighting	MS550W		Porch.	04/19/00
Cooper Lighting	Regent Lighting	MS600		Comer (eave), porch.	05/31/00
Cooper Lighting	Regent Lighting	MS600W		Comer (eave), porch.	06/02/00
Cooper Lighting	Regent Lighting	MS80		Porch	01/29/00
Cooper Lighting	Regent Lighting	MS80W		Porch	01/29/00
Cooper Lighting	Regent Lighting	MX1PIR		Comer (eave), porch.	05/31/00
Cooper Lighting	Regent Lighting	MX1PIRW		Comer (eave), porch.	05/31/00
Cooper Lighting	Regent Lighting	W-22-F/PC		Porch.	11/30/99
Cooper Lighting	Regent Lighting	W-35-H/PC		Porch.	11/30/99

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### OUTDOOR LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
Cooper Lighting	Regent Lighting	W-35HPCW		Porch.	11/30/99
Cooper Lighting	Regent Lighting	W26FPC		Wall	12/23/99
Cooper Lighting	Regent Lighting	W26FPCW		Wall	12/23/99
Cooper Lighting	Regent Lighting	W52FPC		Wall	12/23/99
Cooper Lighting	Regent Lighting	W52FPCW		Wall	12/23/99
Enertron Technologies, Inc	Enertron	1500QL-PC		Pool area, pathway, garage, deck area. Wall- or ceiling-mounted.	11/30/99
Enertron Technologies, Inc	Enertron	1600QL-PC		Pool area, pathway, garage, deck area. Wall- or ceiling-mounted.	11/30/99
Enertron Technologies, Inc	Enertron	400100L		Outdoor building. Wall- mounted.	11/30/99
Enertron Technologies, Inc	Enertron	40050L		Outdoor building. Wall- mounted.	11/30/99
Enertron Technologies, Inc	Enertron	40070L		Outdoor building. Wall- mounted.	11/30/99
Enertron Technologies, Inc	Enertron	500100L		Outdoor building. Wall- mounted.	11/30/99
Enertron Technologies, Inc	Enertron	50050L		Outdoor building. Wall- mounted.	11/30/99
Enertron Technologies, Inc	Enertron	50070L		Outdoor building. Wall- mounted.	11/30/99
Enertron Technologies, Inc	Enertron	7026 QL/PC		Pool area, pathway, garage, deck area. Wall- or ceiling-mounted.	11/30/99
Enertron Technologies, Inc	Enertron	7800 L/PC		Pool area, pathway, garage, deck area. Wall- or ceiling-mounted.	11/30/99
Enertron Technologies, Inc	Enertron	7800 QL/PC		Pool area, pathway, garage, deck area. Wall- or ceiling-mounted.	11/30/99
Enertron Technologies, Inc	Enertron	7900 L/PC		Pool area, pathway, garage, deck area. Wall- or ceiling-mounted.	11/30/99
Enertron Technologies, Inc	Enertron	8026 L/PC		Pool area, pathway, garage, deck area. Wall- or ceiling-mounted.	11/30/99
Enertron Technologies, Inc	Enertron	8800 L/PC		Pool area, pathway, garage, deck area. Wall- or ceiling-mounted.	11/30/99
Enertron Technologies, Inc	Enertron	8800QL/PC		Garden, driveway, security. Wall- or ceiling- mounted.	11/30/99
Enertron Technologies, Inc	Enertron	8900 L/PC		Pool area, pathway, garage, deck area. Wall- or ceiling-mounted.	11/30/99
Evergreen Lighting Inc.	Evergreen Lighting Inc.	19513		Outdoor.	11/30/99
Evergreen Lighting Inc.	Evergreen Lighting Inc.	19526		Outdoor.	12/23/99

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### OUTDOOR LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
Heath Zenith	Hampton Bay	248-490		Outdoor wall mount suitable for wet locations.	05/31/00
Heath Zenith	Hampton Bay	248-493		Outdoor wall mount suitable for wet locations.	05/31/00
Heath Zenith	Hampton Bay	248-494		Outdoor wall mount suitable for wet locations.	05/31/00
Heath Zenith	Hampton Bay	248-518		Outdoor wall mount suitable for wet locations.	05/31/00
Heath Zenith	Hampton Bay	248-519		Outdoor wall mount suitable for wet locations.	05/31/00
Heath Zenith	Hampton Bay	248-522		Outdoor wall mount suitable for wet locations.	05/31/00
Heath Zenith	Hampton Bay	248-523		Outdoor wall mount suitable for wet locations.	05/31/00
Heath Zenith	Hampton Bay	248-526		Outdoor wall mount suitable for wet locations.	05/31/00
Heath Zenith	Hampton Bay	248-527		Outdoor wall mount suitable for wet locations.	05/31/00
Heath Zenith	Hampton Bay	248-551		Outdoor wall mount suitable for wet locations.	05/31/00
Heath Zenith	Hampton Bay	248-552		Outdoor wall mount suitable for wet locations.	05/31/00
Heath Zenith	Hampton Bay	248-553		Outdoor wall mount suitable for wet locations.	05/31/00
Heath Zenith	Hampton Bay	248-559		Outdoor wall mount suitable for wet locations.	05/31/00
Heath Zenith	Hampton Bay	248-560		Outdoor wall mount suitable for wet locations.	05/31/00
Heath Zenith	Hampton Bay	248-650		Outdoor wall mount suitable for wet locations.	05/31/00
Heath Zenith	Heath Zenith	SL-4150-XX		Outdoor, wall mount suitable for wet locations.	05/31/00
Heath Zenith	Heath Zenith	SL-4160-XX		Outdoor, wall mount suitable for wet locations.	05/31/00
Heath Zenith	Heath Zenith	SL-4162-XX		Outdoor, wall mount suitable for wet locations.	05/31/00
Heath Zenith	Heath Zenith	SL-4164-XX		Outdoor, wall mount suitable for wet locations.	05/31/00
Heath Zenith	Heath Zenith	SL-4170-XX		Outdoor, wall mount suitable for wet locations.	05/31/00
Heath Zenith	Heath Zenith	SL-4174-XX		Outdoor, wall mount suitable for wet locations.	05/31/00
Heath Zenith	Heath Zenith	SL-5408-XX		Outdoor- wall or eave mount suitable for wet locations.	05/31/00
Heath Zenith	Heath Zenith	SL-5411-XX		Outdoor- wall or eave mount suitable for wet locations.	05/31/00
Heath Zenith	Heath Zenith	SL-5412-XX		Outdoor- wall or eave mount suitable for wet locations.	06/22/01
Heath Zenith	Heath Zenith	SL-5511-XX		Outdoor- wall or eave mount suitable for wet locations.	05/31/00

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### OUTDOOR LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
Heath Zenith	Heath Zenith	SL-5525-XX		Outdoor- wall or eave mount suitable for wet locations.	05/31/00
Heath Zenith	Heath Zenith	SL-5610-XX		Outdoor- wall mount suitable for wet locations.	05/31/00
Heath Zenith	Heath Zenith	SL-5615-XX		outdoor, wall mount suitable for wet locations	08/25/00
Heath Zenith	Heath Zenith	SL-5660		outdoor, wall mount suitable for wet locations	08/25/00
Heath Zenith	Heath Zenith	SL-5670		outdoor, wall mount suitable for wet locations	08/25/00
Heath Zenith	Heath Zenith	SL-7001		Outdoor- wall or eave mount suitable for wet locations.	05/31/00
Heath Zenith	Heath Zenith	SL-9525-XX		OD/WM/CM/PC - Outdoor, wall mount suitable for wet locations	06/22/01
Light Process Company	Light Process Co.	LP126FD13QS HP photo		Landscape.	04/07/00
Lights of America	Lights of America	9000		Wall-mount welcome light.	01/31/00
Lights of America	Lights of America	9001		Wall-mount welcome light.	01/31/00
Lights of America	Lights of America	9002		Wall-mount welcome light.	01/31/00
Lights of America	Lights of America	9003		Wall-mount welcome light.	01/31/00
Lights of America	Lights of America	9006		Wall-mount welcome light.	01/31/00
Lights of America	Lights of America	9007		Wall-mount welcome light.	01/31/00
Lights of America	Lights of America	9011		Wall-mount wall light, area light	01/31/00
Lights of America	Lights of America	9012		Wall-mount wall light, area light	01/31/00
Lights of America	Lights of America	9027		Wall-mount or ground flood light	01/31/00
Lights of America	Lights of America	9042		Wall-mount wall light, area light	01/31/00
Lights of America	Lights of America	9043		Wall-mount wall light, area light	01/31/00
Lights of America	Lights of America	9050		Wall-mount wall light, area light	01/31/00
Lights of America	Lights of America	9051		Wall-mount wall light, area light	06/30/99
Lights of America	Lights of America	9165	61.85	Outdoor	01/17/02
Lights of America	Lights of America	9166	61.34	Outdoor	01/17/02
Lights of America	Lights of America	9266		Wall-mount or pole-mount area light	01/31/00
Lights of America	Lights of America	9604		Wall-mount welcome light	06/30/99
Lights of America	Lights of America	9606		Wall-mount welcome light	06/30/99
Lights of America	Lights of America	9624		Wall-mount welcome light	06/30/99
Lights of America	Lights of America	9626		Wall-mount welcome light	06/30/99
Magnaray International	Magnaray	E13PL	14	Porch, Eve, Garage, Corridor.	04/03/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### OUTDOOR LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u>		<u>Date</u>
			<u>Watts</u>	<u>Suggested Use</u>	<u>Added</u>
Magnaray International	Magnaray	E18PL	19.5	Porch, eve, conidor, garage	04/03/01
Magnaray International	Magnaray	E1PL13	14	Wall wash, landscape, security.	04/03/01
Magnaray International	Magnaray	E1PL18	19.5	Wall wash, landscape, security	04/03/01
Magnaray International	Magnaray	E1PL36	37	Wall wash, landscape, security	04/03/01
MaxLite SK America, Inc.	MaxLite	SKF18CL		Porch, garage.	01/29/00
MaxLite SK America, Inc.	MaxLite	SKF18EL	19	Porch, garden	03/29/01
MaxLite SK America, Inc.	MaxLite	SKF18OL		Porch, garage.	01/29/00
MaxLite SK America, Inc.	MaxLite	SKF18PAL	19	Porch, garden	03/29/01
MaxLite SK America, Inc.	MaxLite	SKF18PL	19	Porch, Garden	03/29/01
MaxLite SK America, Inc.	MaxLite	SKF18SH	19	porch, garden	03/29/01
Sea Gull Lighting Products Incorporated	SGLP	8909-12E			02/25/99
Sea Gull Lighting Products Incorporated	SGLP	8910-10E			02/25/99
Sea Gull Lighting Products Incorporated	SGLP	8914-01E			02/25/99
Sea Gull Lighting Products Incorporated	SGLP	8919-12E			02/25/99
Sea Gull Lighting Products Incorporated	SGLP	8919-15E			02/25/99
Sea Gull Lighting Products Incorporated	SGLP	8923-12E			02/25/99
Sea Gull Lighting Products Incorporated	SGLP	8923-15E			02/25/99
Sea Gull Lighting Products Incorporated	SGLP	8924-12E			02/25/99
Sea Gull Lighting Products Incorporated	SGLP	8924-15E			02/25/99
Sea Gull Lighting Products Incorporated	SGLP	8925-12E			02/25/99
Sea Gull Lighting Products Incorporated	SGLP	8925-15E			02/25/99
Sea Gull Lighting Products Incorporated	SGLP	8927-12E			02/25/99
Sea Gull Lighting Products Incorporated	SGLP	8927-15E			02/25/99
Sea Gull Lighting Products Incorporated	SGLP	8954-12E			02/25/99
Sea Gull Lighting Products Incorporated	SGLP	8955-12E			02/25/99
Sea Gull Lighting Products Incorporated	SGLP	8964-12E			02/25/99
Sea Gull Lighting Products Incorporated	SGLP	8965-12E			02/25/99
Technical Consumer Products	Technical Consumer Products	55815BK		Any room.	04/19/00
Technical Consumer Products	Technical Consumer Products	56532		Any room.	04/19/00

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.





ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### OUTDOOR LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
Technical Consumer Products	Technical Consumer Products	57032WWPC		Any room.	04/19/00
Technical Consumer Products	Technical Consumer Products	6700-13	14	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	6700-14	15	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	6700-18	19	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	6700-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	AL1042-13	14	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	AL1042-14	15	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	AL1042-18	19	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	AL1042-26	27	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	AR0826BLK-13	13141.3	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	AR0826BLK-14	15	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	AR0826BLK-18	19	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	AR0826BLK-26	27	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	AR0826HRC7-13	14	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	AR0826HRC7-18	19	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	AR0826HRC7-26	27	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	AR0826MNK-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	AR0826MNK-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	AR0826MNK-18	19	porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	AR0826MNK-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	AR0826PB-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	AR0826PB-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	AR0826PB-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	AR0826PB-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	Ar0826HRC7-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X082901-1-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X082901-1-18	19	Porch and garage	12/21/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### OUTDOOR LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
Technical Consumer Products	Technical Consumer Products	X082901-1-18	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X082901-1-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X09011-2-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X093001-1-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X093001-1-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X093001-1-18	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X093001-1-26	27	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X093007-1A7-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X093007-1A7-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X093007-1A7-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X093007-1A7-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X093007-1NBZ-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X093007-1NBZ-14	15	Porch and garages	12/21/01
Technical Consumer Products	Technical Consumer Products	X093007-1NBZ-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X093011-2-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X093011-2-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X093011-2-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X093011-2-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X093104-2-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X093104-2-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X093104-2-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X093104-2-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X093107-1-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X093107-1-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X093107-1-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X093107-1-26	27	Porch and garage	01/17/02
Technical Consumer Products	Technical Consumer Products	X093207-13	14	Porch and garage	12/21/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### OUTDOOR LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
Technical Consumer Products	Technical Consumer Products	X093207-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X093207-18	19	porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X093207-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X093208-1-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X093208-1-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X093208-1-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X093208-1-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X113401-4A7-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X113401-4A7-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X113401-4A7-18	19	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X113401-4A7-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X113401-4HRC2-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X113401-4HRC2-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X113401-4HRC2-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X113401-4HRC2-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X113801-3-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X113801-3-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X113801-3-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X113801-3-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120401-1HRC2-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120401-1HRC2-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120401-1HRC2-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120401-1HRC2-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120401-1MBK-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120401-1MBK-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120401-1MBK-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120401-1MBK-26	27	Porch and garage	12/21/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### OUTDOOR LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
Technical Consumer Products	Technical Consumer Products	X120403-1HRC2-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120403-1HRC2-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120403-1HRC2-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120403-1HRC2-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120403-1MBK-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120403-1MBK-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120403-1MBK-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120403-1MBK-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120404-1HRC2-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120404-1HRC2-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120404-1HRC2-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120404-1HRC2-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120404-1HRC2-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120404-1MBK-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120404-1MBK-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120404-1MBK-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120404-1MBK-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120405-1HRC2-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120405-1HRC2-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120405-1HRC2-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120405-1HRC2-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120405-1MBK-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120405-1MBK-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120405-1MBK-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120405-1MBK-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120501-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120501-14	15	Porch and garage	12/21/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### OUTDOOR LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
Technical Consumer Products	Technical Consumer Products	X120501-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120501-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120502-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120502-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120502-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120502-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120503-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120503-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120503-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120503-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120504-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120504-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120504-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120504-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120801-1-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120801-1-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120801-1-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120801-1-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120802-1-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120802-1-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120802-1-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120802-1-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120803NU-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120803NU-14	2.6	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120803NU-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120803NU-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120804-14	15	Porch and garage	12/21/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

# ENERGY STAR® Qualified Residential Light Fixtures

## List of Qualified Products

### OUTDOOR LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
Technical Consumer Products	Technical Consumer Products	X120804NU-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120804NU-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120804NU-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120805NU-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120805NU-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120805NU-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120805NU-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120806NU-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120806NU-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120806NU-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120806NU-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120901-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120901-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120901-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120901-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120902-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120902-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120902-14		Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120902-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120902-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120903-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120903-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120903-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X120903-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X121501-13		Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X121501-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X121501-18	19	Porch and garage	12/21/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

# ENERGY STAR® Qualified Residential Light Fixtures

## List of Qualified Products

### OUTDOOR LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u>		<u>Date Added</u>
			<u>Watts</u>	<u>Suggested Use</u>	
Technical Consumer Products	Technical Consumer Products	X121501-26	1561	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X121501-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X121502-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X121502-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X121502-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X121502-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X121503-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X121503-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X121503-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X121503-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X122001-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X122001-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X122001-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X122001-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X122002-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X122002-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X122002-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X122002-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X122003-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X122003-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X122003-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X122003-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X122004-13	14	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X122004-14	15	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X122004-18	19	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X122004-26	27	Porch and garage	12/21/01
Technical Consumer Products	Technical Consumer Products	X122021-14	15	Porch and garage	12/21/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### OUTDOOR LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u>		<u>Date Added</u>
			<u>Watts</u>	<u>Suggested Use</u>	
The Designers Edge	Designers Edge	L-1708	59.8	Porch Garge	06/06/01
The Designers Edge	Designers Edge	L-1709	59.8	Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-1730	82.1	Porch Garge	06/06/01
The Designers Edge	Designers Edge	L-1741-HPS	176	Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-1770-35	44.2	Porch Garge	06/06/01
The Designers Edge	Designers Edge	L-1770-70	82.1	Porch Garge	06/06/01
The Designers Edge	Designers Edge	L-1795	17.5	Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-1820-HPS	176	Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-1843 70HPS	82.1	Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-1843-70MH	85	Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-2551		Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-2552		Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-2553		Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-2554		Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-2560		Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-2561		Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-2570		Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-2571		Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-2572		Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-2573		Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-2574		Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-2999		Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-80	17.5	Porch, Garage	05/18/01
The Designers Edge	Designers Edge	L-84	17.5	Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-86	17.5	Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-87	17.5	Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-975		Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-990		Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-999		Porch Garage	06/06/01
The Designers Edge	The Designers Edge	L-992		Porch Garage	06/06/01
The Designers Edge	The Designers Edge	L-995		Porch Garage	06/06/01
U.S. Energy Technologies Inc.	U.S. Energy Technologies	LF19113		Outdoor porch.	04/07/00
U.S. Energy Technologies Inc.	U.S. Energy Technologies	LF19226		Outdoor porch.	04/07/00
U.S. Energy Technologies Inc.	U.S. Energy Technologies	LF19513		Outdoor porch.	04/07/00
U.S. Energy Technologies Inc.	U.S. Energy Technologies	LF19526		Outdoor porch.	04/07/00
USPAR Ent. Inc.	USPAR	WL-13PAC11P		Patios/Passages. Wall-mounted.	01/29/00

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.





ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### OUTDOOR LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
USPAR Ent. Inc.	USPAR	WL-13PAK13P		Patios/Passages. Wall-mounted.	01/29/00
USPAR Ent. Inc.	USPAR	WL-13PLAP		Patios/Passages. Wall-mounted.	01/29/00
Westerfield Co.	Westerfield Company	1700-PL22Q		Porch, garage, patio. Wall-mounted.	04/07/00
Westerfield Co.	Westerfield Company	3000W-PL13		Entrance. Wall-mounted.	04/07/00
Westerfield Co.	Westerfield Company	7500W-PL13		Entrance, porch. Wall-mounted.	04/07/00
Westerfield Co.	Westerfield Company	D8000-PL13		Entrance. Wall-mounted.	04/07/00
Westerfield Co.	Westerfield Company	D8100-PL13		Entrance. Wall-mounted.	04/07/00
Westerfield Co.	Westerfield Company	D8200-PL13		Entrance. Wall-mounted.	04/07/00
Westerfield Co.	Westerfield Company	D8300-PL13		Entrance. Wall-mounted.	04/07/00

#### PORTABLE LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
Adesso Lighting	Adesso Lighting	5212-21		Desk Lamp	02/04/01
Adesso Lighting	Adesso Lighting	5212-22		Desk Lamp	12/02/98
Adesso Lighting	Adesso Lighting	5215-21		Desk Lamp	11/12/98
Adesso Lighting	Adesso Lighting	5664		Living room	10/25/00
Adesso Lighting	Adesso Lighting	5665		Living room	10/25/00
Adesso Lighting	Adesso Lighting	5666		Living room	10/25/00
Adjustable Fixture Company	Nightingale	336-26W		Indoor living and study areas	11/29/99
Adjustable Fixture Company	Nightingale	336-32W		Indoor living and study areas	11/29/99
Adjustable Fixture Company	Nightingale	336-42W		Indoor living and study areas	11/30/99
Adjustable Fixture Company	Nightingale	343-26W		Indoor living and study areas	11/30/99
Adjustable Fixture Company	Nightingale	343-32W		Indoor living and study areas	11/29/99
Adjustable Fixture Company	Nightingale	343-42W		Indoor living and study areas	11/30/99
Adjustable Fixture Company	Nightingale	345-26W		Indoor living and study areas	11/29/99
Adjustable Fixture Company	Nightingale	345-32W		Indoor living and study areas	11/29/99
Adjustable Fixture Company	Nightingale	345-42W		Indoor living and study areas	11/30/99
Adjustable Fixture Company	Nightingale	347-26W		Indoor living and study areas	11/29/99
Adjustable Fixture Company	Nightingale	347-32W		Indoor living and study areas	11/30/99
Adjustable Fixture Company	Nightingale	347-42W		Indoor living and study areas	11/30/99
Adjustable Fixture Company	Nightingale	350-26W		Indoor living and study areas	11/29/99

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### PORTABLE LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
Adjustable Fixture Company	Nightingale	350-32W		Indoor living and study areas	11/30/99
Adjustable Fixture Company	Nightingale	350-42W		Indoor living and study areas	11/30/99
Adjustable Fixture Company	Nightingale	743-26W		Indoor living and study areas	11/29/99
Adjustable Fixture Company	Nightingale	743-32W		Indoor living and study areas	11/30/99
Adjustable Fixture Company	Nightingale	743-42W		Indoor living and study areas	11/30/99
Adjustable Fixture Company	Nightingale	745-26W		Indoor living and study areas	11/29/99
Adjustable Fixture Company	Nightingale	745-32W		Indoor living and study areas	11/30/99
Adjustable Fixture Company	Nightingale	745-42W		Indoor living and study areas	11/30/99
American Lighting	American Lighting Smart-Light, CFT	8131CF	52	Living room, kitchen, hallway, bath, bedroom	12/12/01
American Lighting	American Lighting Smart-Light, CFT	8132CF	52	Living room, kitchen, hallway, bath, bedroom	12/12/01
American Lighting	American Lighting Smart-Light, CFT	8133CF	52	Living room, kitchen, hallway, bath, bedroom	12/12/01
American Lighting	American Lighting Smart-Light, CFT	8134CF	52	Living room, kitchen, hallway, bath, bedroom	12/12/01
American Lighting	American Lighting Smart-Light, CFT	8135CF	52	Living room, kitchen, hallway, bath, bedroom	12/12/01
American Lighting	American Lighting Smart-Light, CFT	8150CF	52	Living room, kitchen, hallway, bath, bedroom	12/12/01
American Lighting	American Lighting Smart-Light, CFT	8160CF	52	Living room, kitchen, hallway, bath, bedroom	12/12/01
American Lighting	American Lighting Smart-Light, CFT	8175CF	52	Living room, kitchen, bath, hallway, bedroom	12/12/01
American Lighting	American Lighting Smart-Light, CFT	8176CF	52	Living room, kitchen, bath, hallway, bedroom	12/12/01
American Lighting	American Lighting Smart-Light, CFT	8186CF	52	Living room, kitchen, bath, hallway, bedroom	12/12/01
American Lighting	American Lighting Smart-Light, CFT	9281CF	52	Living room, kitchen, bath, hallway, bedroom	12/12/01
American Lighting	American Lighting Smart-Light, CFT	9288CF	52	Living room, kitchen, hallway, bath, bedroom	12/12/01
American Lighting	American Lighting Smart-Light, CFT	9402CF	52	Living room, kitchen, hallway, bath, bedroom	12/12/01
American Lighting	American Lighting Smart-Light, CFT	9404CF	52	Living room, kitchen, hallway, bath, bedroom	12/12/01
American Lighting	American Lighting Smart-Light, CFT	9411CF	52	Living room, kitchen, bath, hallway, bedroom	12/12/01
American Lighting	American Lighting Smart-Light, CFT	9483CF	52	Living room, kitchen, hallway, bath, bedroom	12/12/01
American Lighting	American Lighting Smart-Light, CFT	9485CF	52	Living room, kitchen, bath, hallway, bedroom	12/12/01
American Lighting	American Lighting Smart-Light, CFT	9489CF	52	Living room, kitchen, bath, hallway, bedroom	12/12/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### PORTABLE LIGHTING FIXTURES

Company	Brand	Model	Total Input	Suggested Use	Date
			Watts		Added
American Lighting	American Lighting	9788CFW	52	Living room, kitchen, bath, hallway, bedroom	12/12/01
American Lighting	American Lighting	9830CF	3323	Living room, kitchen, bath, hallway, bedroom	01/17/02
American Power Products	Power Wise	73152		Various	08/24/99
American Power Products	Power Wise	73172		Various	08/24/99
American Power Products	Power Wise	73178		Various	08/24/99
American Tack and Hardware	Westek	FA101		Any room	10/25/00
American Tack and Hardware	Westek	FA201		Any room	10/25/00
Catalina Lighting	Conserve	43-062102		Floor Lamp	11/12/98
Cordelia Lighting	Cordelia Lighting	7-0101D 01	55.4	Living room, kitchen, bedroom, hallway	12/12/01
Cordelia Lighting	Cordelia Lighting	7-0101D 05	55.4	Living room, bedroom, kitchen, hallway	12/12/01
Cordelia Lighting	Cordelia Lighting	7-0101D 06	55.4	Living room, kitchen, bedroom, hallway	12/12/01
Cordelia Lighting	Cordelia Lighting	7-0101D 35	55.4	Living room, bedroom, kitchen, hallway	12/12/01
Cordelia Lighting	Cordelia Lighting	7-0102D 01	55.4	Living room, bedroom, kitchen, hallway	12/12/01
Cordelia Lighting	Cordelia Lighting	7-0102D 05	55.4	Living room, bedroom, kitchen, hallway	12/12/01
Cordelia Lighting	Cordelia Lighting	7-0102D 06	55.4	Living room, bedroom, kitchen, hallway	12/12/01
Cordelia Lighting	Cordelia Lighting	7-0102D 35	55.4	Living room, bedroom, kitchen, hallway	12/12/01
Designers Fountain, Inc.	Designers Fountain	7-0101D BK	55.4	Living room, bedroom, kitchen, hallway	12/12/01
Designers Fountain, Inc.	Designers Fountain	7-0101D BN	55.4	Living room, bedroom, kitchen, hallway	12/12/01
Designers Fountain, Inc.	Designers Fountain	7-0101D PB	55.4	Living room, bedroom, kitchen, hallway	12/12/01
Designers Fountain, Inc.	Designers Fountain	7-0101D WH	55.4	Living room, bedroom, kitchen, hallway	12/12/01
Designers Fountain, Inc.	Designers Fountain	7-0102D BK	55.4	Living room, kitchen, bedroom, hallway	12/12/01
Designers Fountain, Inc.	Designers Fountain	7-0102D BN	55.4	Living room, kitchen, bedroom, hallway	12/12/01
Designers Fountain, Inc.	Designers Fountain	7-0102D PB	55.4	Living room, kitchen, bedroom, hallway	12/12/01
Designers Fountain, Inc.	Designers Fountain	7-0102D WH	55.4	Living room, kitchen, bedroom, hallway	12/12/01
Emess Lighting	Emess	DI273BL		Indoor.	12/23/99
Emess Lighting	Emess	DI273WH		Indoor.	12/23/99
Energy Federation Incorporated	EFI	CFT1x32w		Interior	08/24/99
Energy Federation Incorporated	EFI	CFT1x40w		Interior	08/25/99

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### PORTABLE LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
Energy Federation Incorporated	EFI	CFT2x26w		Interior. Available in Black Atlas, Black Continental, White Continental, & Filigree.	08/24/99
Energy Federation Incorporated	EFI	CFT3x26w		Interior. Available in Black Atlas, White Atlas.	08/24/99
GE Home Electric Products, Inc.	GE	40428		Living room, bedroom, family room, office, den, dormitory, etc.	11/30/99
GE Home Electric Products, Inc.	GE	40431		Living room, bedroom, family room, office, den, dormitory, etc.	11/30/99
GE Home Electric Products, Inc.	GE	40432		Living room, bedroom, family room, office, den, dormitory, etc.	11/30/99
GE Home Electric Products, Inc.	GE	40433		Living room, bedroom, family room, office, den, dormitory, etc.	11/30/99
GE Home Electric Products, Inc.	GE	40434		Living room, bedroom, family room, office, den, dormitory, etc.	11/30/99
GE Home Electric Products, Inc.	GE	40671		Living room, bedroom, family room, office, den, dormitory, etc.	11/30/99
GE Home Electric Products, Inc.	GE	41333		Living room, bedroom, family room, office, den, dormitory, etc.	11/30/99
GE Home Electric Products, Inc.	GE	41334		Living room, bedroom, family room, office, den, dormitory, etc.	11/30/99
GE Home Electric Products, Inc.	GE	41335		Living room, bedroom, family room, office, den, dormitory, etc.	11/30/99
GE Home Electric Products, Inc.	GE	41332		Living room, bedroom, family room, office, den, dormitory, etc.	11/30/99
GE Home Electric Products, Inc.	GE CoolStar	27396		Garage, den, workshop, dormitory, attic, basement, etc.	11/30/99
GE Home Electric Products, Inc.	GE Home Electric Products, Inc.	41851		Desk or table.	06/02/00
GE Home Electric Products, Inc.	GE Home Electric Products, Inc.	41852		Desk or table.	06/02/00
GE Home Electric Products, Inc.	GE Home Electric Products, Inc.	41853		Desk or table.	06/02/00
GE Home Electric Products, Inc.	GE Home Electric Products, Inc.	41854		Desk or table.	06/02/00
Good Earth Lighting, Inc.	Empire Collection	G 5585	33	Home or Office Desk/Table Lamp.	06/29/01
Good Earth Lighting, Inc.	Empire Collection	G 6585	57	Home or Office Floor Lamp.	06/29/01
Good Earth Lighting, Inc.	Good Earth	G6330		Den, Study, Bedroom	06/30/99

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### PORTABLE LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
Good Earth Lighting, Inc.	Good Earth Lighting	G4130	25.9	Living room, utility room, bedroom, kitchen, bath, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	G4131	25.9	Living room, utility room, bedroom, kitchen, bath, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	G4615	25.9	Living room, utility room, bedroom, kitchen, bath, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	G4830	25.9	Living room, utility room, bedroom, kitchen, bath, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	G4902	25.9	Living room, utility room, bedroom, kitchen, bath, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	G4922	25.9	Living room, utility room, bedroom, kitchen, bath, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	G4932	25.9	Living room, utility room, bedroom, kitchen, bath, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	G4942	25.9	Living room, utility room, bedroom, kitchen, bath, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	G4952	25.9	Living room, utility room, bedroom, kitchen, bath, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	G5311	25.9	Living room, utility room, bedroom, kitchen, bath, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	G5312	25.9	Living room, utility room, bedroom, kitchen, bath, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	G5313	25.9	Living room, utility room, bedroom, kitchen, bath, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	G5555	25.9	Living room, utility room, bedroom, kitchen, bath, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	G5585	25.9	Living room, utility room, bedroom, kitchen, bath, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	G6180	55.4	Living room, bedroom, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	G6526	55.4	Living room, bedroom, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	G6543	55.4	Living room, bedroom, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	G6555	55.4	Living room, bedroom, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	G6565	55.4	Living room, bedroom, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	G6576	55.4	Living room, bedroom, hallway	12/18/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### PORTABLE LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
Good Earth Lighting, Inc.	Good Earth Lighting	G6577	55.4	Living room, bedroom, hallway	12/19/01
Good Earth Lighting, Inc.	Good Earth Lighting	G6578	55.4	Living room, bedroom, hallway	12/19/01
Good Earth Lighting, Inc.	Good Earth Lighting	G6581	55.4	Living room, bedroom, hallway	12/19/01
Good Earth Lighting, Inc.	Good Earth Lighting	G6585	55.4	Living room, bedroom, hallway	12/19/01
Good Earth Lighting, Inc.	Good Earth Lighting	G6840	55.4	Living room, bedroom, hallway	12/19/01
Good Earth Lighting, Inc.	Good Earth Lighting	G6841	55.4	Living room, bedroom, hallway	12/19/01
Good Earth Lighting, Inc.	Good Earth Lighting	G6850	55.4	Living room, bedroom, hallway	12/19/01
Good Earth Lighting, Inc.	Good Earth Lighting	G7301	55.4	Living room, bedroom, hallway	12/19/01
Good Earth Lighting, Inc.	Good Earth Lighting	G7302	55.4	Living room, bedroom, hallway	12/19/01
Good Earth Lighting, Inc.	Good Earth Lighting	G7303	55.4	Living room, bedroom, hallway	12/19/01
Good Earth Lighting, Inc.	Good Earth Lighting	G7585	55.4	Living room, bedroom, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	GL4830	25.9	Living room, utility room, bedroom, kitchen, bath, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	GL5555	25.9	Living room, utility room, bedroom, kitchen, bath, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	GL6543	55.4	Living room, bedroom, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	GL6556	55.4	Living room, bedroom, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth/Glencoe	G5555		Desk Lamp. Foyer, Bath, Bedroom, Den.	06/30/99
Good Earth Lighting, Inc.	Good Earth/Glencoe	G6555-AB-I		Brushed Brass - Home or Office Floor Lamp	01/26/99
Good Earth Lighting, Inc.	Good Earth/Glencoe	G6555-NK-I		Brushed Nickel - Home or Office Floor Lamp	01/26/99
Good Earth Lighting, Inc.	Good Earth/Lake	G6565-GR-I		Antique Green - Home or Office Floor Lamp	01/27/99
Good Earth Lighting, Inc.	Good Earth/Lincoln	G6543-BK-I		Black Torchere - Home or Office Floor Lamp	01/26/99
Good Earth Lighting, Inc.	Good Earth/Lincoln	G6543-WH-I		White Torchere - Home or Office Floor Lamp	01/26/99
Good Earth Lighting, Inc.	Good Earth/Tuscany	G6526		Home or office floor lamp	04/07/00
Harmony Lighting Incorporated	Amherst B172w	H72310		Interior.	04/07/00
Harmony Lighting Incorporated	Amherst Wh72w	H72320		Interior.	04/07/00
Harmony Lighting Incorporated	Berkeley Bl	H58110		Interior.	04/07/00
Harmony Lighting Incorporated	Berkeley Gy	H58150		Interior.	04/07/00
Harmony Lighting Incorporated	Berkeley Wh	H58120		Interior.	04/07/00
Harmony Lighting Incorporated	Cambridge Br	H72340		Interior.	04/07/00

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### PORTABLE LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
Harmony Lighting Incorporated	Cambridge Nic	H72330		Interior.	04/07/00
Lights of America	Commercial Electric	8055		Hanging shoplight	11/27/00
Lights of America	Lights of America	1050		All rooms.	01/31/00
Lights of America	Lights of America	1051		All rooms.	01/31/00
Lights of America	Lights of America	1052		All rooms.	01/31/00
Lights of America	Lights of America	1053		All rooms.	01/31/00
Lights of America	Lights of America	1054		All rooms	10/25/00
Lights of America	Lights of America	1055		All rooms	10/25/00
Lights of America	Lights of America	1056	56.2		03/29/01
Lights of America	Lights of America	6065		Portable worklight	10/25/00
Lumatech LLC	Lumatech	21320-J-Q		Indoor.	06/27/00
Lumatech LLC	Lumatech	31320-Q		Indoor.	06/27/00
Lumatech LLC	Lumatech	TL11/H		Indoor.	06/27/00
Lumatech LLC	Lumatech	TL15/H		Indoor.	06/27/00
Lumatech LLC	Lumatech	TL20/H		Indoor.	06/27/00
Lumatech LLC	Lumatech	TL24/H		Indoor.	06/27/00
Lumatech LLC	Lumatech	TL32/H		Indoor.	06/27/00
Lumatech LLC	Lumatech	TLM/20/H/R30		Indoor.	06/27/00
Lumatech LLC	Lumatech Microlamp	21320-G3-Q		Incandescent replacement/ Table	04/21/99
Lumatech LLC	Lumatech Microlamp	21320-G4-Q		Incandescent replacement/ Table	04/21/99
Lumatech LLC	Lumatech Microlamp	21320-Q		Incandescent replacement/ Table	04/21/99
MaxLite SK America, Inc.	MaxLite	SKF55TL	57	Living room	03/29/01
MaxLite SK America, Inc.	MaxLite	SKF58TL3		Living room, bedroom.	01/29/00
MaxLite SK America, Inc.	MaxLite	SKF58TLD		Living room, bedroom.	01/29/00
MaxLite SK America, Inc.	MaxLite	SKF65TL	71.5	Bed room, living room	06/22/01
MaxLite SK America, Inc.	MaxLite	SKF70TL	72	Living room	03/29/01
Michigan Avenue Industrial Corporation	Michigan Avenue Fluorescent	81063		Any room	12/23/99
Michigan Avenue Industrial Corporation	Michigan Avenue Fluorescent	81064		Any room	12/23/99
Michigan Avenue Industrial Corporation	Michigan Avenue Fluorescent	81065		Any room	12/23/99
Nutech Lighting Corporation	Nutech	700		Bedroom, Living room	10/25/00
Schumaker Lighting Inc.	COMPANION	C1000-B		Bedside, Table	03/27/99
Schumaker Lighting Inc.	COMPANION	T5000-B		Bedside, Table	03/27/99
Schumaker Lighting Inc.	COMPANION	T9000-B		Bedroom, Floor	03/27/99
Sunion Products Ltd.	EnergySavingTM	SUN55TBK	57.5	Rooms	04/03/01
Sunion Products Ltd.	EnergySavingTM	SUN55TWH	57.5	Rooms	04/03/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### PORTABLE LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
Sunion Products Ltd.	EnergySavingTM	SUN70TBK	75.5	Rooms	04/03/01
Sunion Products Ltd.	EnergySavingTM	SUN70TBRG	75.5	Rooms	04/03/01
Sunion Products Ltd.	EnergySavingTM	SUN70TBSG	75.5	Rooms	04/03/01
Sunion Products Ltd.	EnergySavingTM	SUN70TWH	75.5	Rooms	04/03/01
Sunpark Electronics Corporation	Hampton Bay	604-883	55.4	Living room, kitchen, hallway, bedroom.	12/12/01
Sunpark Electronics Corporation	Hampton Bay	606-820	55.4	Living room, kitchen, hallway, bedroom	12/12/01
Sunpark Electronics Corporation	Sunpark	7-0101 Black	55.4	Living room, utility room, kitchen, hallway, bedroom	10/24/01
Sunpark Electronics Corporation	Sunpark	7-0101 Brass	55.4	Living room, kitchen, utility room, hallway, bedroom	09/18/01
Sunpark Electronics Corporation	Sunpark	7-0101 White	55.4	Living room, kitchen, utility room, hallway, bedroom	09/18/01
Sunpark Electronics Corporation	Sunpark	7-0102 Black	55.4	Living room, kitchen, utility room, hallway, bedroom	12/12/01
Sunpark Electronics Corporation	Sunpark	7-0102 Brass	55.4	Living room, kitchen, utility room, hallway, bedroom	09/18/01
Sunpark Electronics Corporation	Sunpark	7-0102 White	55.4	Living room, kitchen, utility room, hallway, bedroom	09/18/01
Technical Consumer Products	Technical Consumer Products	51030BK		Any room.	04/19/00
Technical Consumer Products	Technical Consumer Products	51030WH		Any room.	04/19/00
Technical Consumer Products	Technical Consumer Products	51430PB		Any room.	04/19/00
Technical Consumer Products	Technical Consumer Products	51530SB		Any room.	04/19/00
Technical Consumer Products	Technical Consumer Products	51630BB		Any room.	04/19/00
Technical Consumer Products	Technical Consumer Products	51630CC		Any room.	04/19/00
Technical Consumer Products	Technical Consumer Products	51630GG		Any room.	04/19/00
Technical Consumer Products	Technical Consumer Products	53065BK/WH	66.5	Any room.	04/26/01
Technical Consumer Products	Technical Consumer Products	53065BS	66.5	Any room	04/17/01
Technical Consumer Products	Technical Consumer Products	53432PB	33.5	Any room.	04/17/01
Technical Consumer Products	Technical Consumer Products	53632BB	33.5	Any room.	04/17/01
Technical Consumer Products	Technical Consumer Products	53632CC	33.5	Any room.	04/17/01
Technical Consumer Products	Technical Consumer Products	53632GG	33.5	Any room.	04/17/01
Technical Consumer Products	Technical Consumer Products	53732BS	33.5	Any room	04/17/01
Technical Consumer Products	Technical Consumer Products	53832BS	33.5	Any Room	04/17/01
Technical Consumer Products	Technical Consumer Products	53855BS		Any room	10/25/00

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.





ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### PORTABLE LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u>		<u>Date Added</u>
			<u>Watts</u>	<u>Suggested Use</u>	
Technical Consumer Products	Technical Consumer Products	X059404-32	33	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X059404-58	59	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X059405-32	33	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X059405-58	59	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X093901-32	33	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X093901-58	59	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X093902-32	33	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X093902-58	59	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X2001NU-32	33	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X2001NU-58	59	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X2002NU-32	33	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X2002NU-58	59	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X2003NU-32	33	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X2003NU-58	59	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X2004NU-32	33	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X2004NU-58	59	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X2005NU-32	33	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X2005NU-58	59	Any room	12/21/01
The Designers Edge	The Designers Edge	L-1796	17.5	Portable worklight	10/24/01
The Designers Edge	The Designers Edge	L-2000	17.5	Portable worklight	10/24/01
The Designers Edge	The Designers Edge	L-2001	17.5	Portable worklight	10/24/01
U.S. Energy Technologies Inc.	U.S. Energy Technologies	7052		Indoor.	04/07/00
U.S. Energy Technologies Inc.	U.S. Energy Technologies	7054		Indoor.	04/07/00
U.S. Energy Technologies Inc.	U.S. Energy Technologies	7058		Indoor.	04/07/00
U.S. Energy Technologies Inc.	U.S. Energy Technologies	7078		Indoor.	04/07/00
USPAR Ent. Inc.	Liberty Lt.	TL100155	56.5	Living Room	02/26/01
USPAR Ent. Inc.	Liberty Lt.	TL102870	71.5	Living Room	02/26/01

#### RECESSED LIGHTING FIXTURES

Total Input

Date

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### RECESSED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
American Fluorescent Corporation	American Fluorescent	ET-142E8	38	Basement	03/09/01
American Fluorescent Corporation	American Fluorescent	ET-144E8	48	Basement	03/09/01
American Fluorescent Corporation	American Fluorescent	ET-224E8	23	Basement	03/09/01
American Fluorescent Corporation	American Fluorescent	ET-242E8	38	Basement	03/09/01
American Fluorescent Corporation	American Fluorescent	ET-243E8	40	Basement	03/09/01
American Fluorescent Corporation	American Fluorescent	ET-244E8	48	Basement	03/09/01
American Fluorescent Corporation	American Fluorescent	ET-2U4E8	38	Basement	03/09/01
American Fluorescent Corporation	American Fluorescent	ZL-122E8	17	Basement	03/16/01
American Fluorescent Corporation	American Fluorescent	ZL-123E8	21	Basement	03/16/01
American Fluorescent Corporation	American Fluorescent	ZL-141E8	32	Basement	03/16/01
American Fluorescent Corporation	American Fluorescent	ZL-142E8	38	Basement	03/16/01
American Fluorescent Corporation	American Fluorescent	ZL-144E8	48	Basement	03/16/01
American Fluorescent Corporation	American Fluorescent	ZL-224E8	23	Basement	03/16/01
American Fluorescent Corporation	American Fluorescent	ZL-242E8	38	Basement	03/16/01
American Fluorescent Corporation	American Fluorescent	ZL-243E8	40	Basement	03/16/01
American Fluorescent Corporation	American Fluorescent	ZL-244E8	48	Basement	03/16/01
American Fluorescent Corporation	American Fluorescent	ZL-2U4E8	38	Basement	03/16/01
American Fluorescent Corporation	American Fluorescent	ZR-142E8	38	Basement	03/16/01
American Fluorescent Corporation	American Fluorescent	ZR-144E8	48	Basement	03/16/01
American Fluorescent Corporation	American Fluorescent	ZR-224E8	23	Basement	03/16/01
American Fluorescent Corporation	American Fluorescent	ZR-242E8	38	Basement	03/16/01
American Fluorescent Corporation	American Fluorescent	ZR-243E8	40	Basement	03/16/01
American Fluorescent Corporation	American Fluorescent	ZR-244E8	48	Basement	03/16/01
American Fluorescent Corporation	American Fluorescent	ZR-2U4E8	38	Basement	03/16/01
American Fluorescent Corporation	American Fluorescent	ZS-142E8	38	Basement	03/16/01
American Fluorescent Corporation	American Fluorescent	ZS-144E8	48	Basement	03/16/01
American Fluorescent Corporation	American Fluorescent	ZS-224E8	23	Basement	03/16/01
American Fluorescent Corporation	American Fluorescent	ZS-242E8	38	Basement	03/16/01
American Fluorescent Corporation	American Fluorescent	ZS-243E8	40	Basement	03/16/01
American Fluorescent Corporation	American Fluorescent	ZS-244E8	48	Basement	03/16/01
American Fluorescent Corporation	American Fluorescent	ZS-2U4E8	38	Basement	03/16/01
Catalina Lighting	Commercial Electric	CAT99PLATE S	14.8	Living room, utility room, bedroom, kitchen, bath, hallway	09/07/01
Delray Lighting	Delray Lighting	RH		All residential uses	06/30/99
Delray Lighting	Delray Lighting	RV		All residential uses	06/30/99
Eastern Fixture Company Inc.	Eastern	F66-2-120EBO	23	Basement	08/27/01
Eastern Fixture Company Inc.	Eastern	F66-3-130EBO	31	Kitchen, office	08/27/01
Eastern Fixture Company Inc.	Eastern	F66-4-240EBO	70	Office, kitchen	08/28/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### RECESSED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Suggested Use	Date
			Watts			Added
Eastern Fixture Company Inc.	Eastern	G66-2-120EBO	23		Basement	08/27/01
Eastern Fixture Company Inc.	Eastern	G66-3-130EBO	31		Kitchen, office	08/27/01
Eastern Fixture Company Inc.	Eastern	G66-4-240EBO	70		Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	G8323AEBO	70		Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	MBF22-420-EBO	74		kitchen, office, basement	08/27/01
Eastern Fixture Company Inc.	Eastern	MBF22320EBO	57		Basement, kitchen	08/27/01
Eastern Fixture Company Inc.	Eastern	MBF24240EBO	70		Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	MBF24340EBO	102		Office, kitchen	01/17/02
Eastern Fixture Company Inc.	Eastern	MBF24440EBO	140		Hallways, office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	MBG22320EBO	57		basement, kitchen	08/27/01
Eastern Fixture Company Inc.	Eastern	MBG24240EBO	70		Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	MBG24440EBO	140		Hallways, office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	RF220AEBO	35		Basement	08/27/01
Eastern Fixture Company Inc.	Eastern	RF240AEBO	70		Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	RF240TEBO	140		Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	RF340EBO	102		Dayroom, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	RF340EBO	102		Dayroom, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	RG220AEBO	40		Basement	08/27/01
Eastern Fixture Company Inc.	Eastern	RG240AEBO	70		Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	RG2400ALEBO	70		Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	RG340EBO	102		Dayroom, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	RWF220AEBO	57		Basement	08/27/01
Eastern Fixture Company Inc.	Eastern	RWF220AEBO	40		Basement	08/27/01
Eastern Fixture Company Inc.	Eastern	RWF220AEBO	40		Basement	08/27/01
Eastern Fixture Company Inc.	Eastern	RWF240AEBO	70		Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	RWF340EBO	102		Dayroom, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	RWF440AEBO	140		basement, office	08/28/01
Eastern Fixture Company Inc.	Eastern	RWG220HRAEBO	40		Basement	08/29/01
Eastern Fixture Company Inc.	Eastern	RWG240AEB O	70		Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	RWG240HREBO	70		Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	RWG240UAEB O	70		Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	RWG320AEB O	57		Basement	08/27/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### RECESSED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
Eastern Fixture Company Inc.	Eastem	RWG320AEB O	57	Basement	08/27/01
Eastern Fixture Company Inc.	Eastem	RWG340EBO	102	Dayroom, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastem	RWG340HRE BO	102	Dayroom, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastem	RWG420HRA	74	Kitchen, office, basement	08/27/01
Eastern Fixture Company Inc.	Eastem	RWG440AEB O	140	Hallways, office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastem	RWG440HRE BO	140	Hallways, office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastem	S340EBO	102	Dayroom, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastem	SCG-22-420EBO	74	Kitchen, office, basement	08/27/01
Eastern Fixture Company Inc.	Eastem	SCG22240UE BO	70		08/28/01
Eastern Fixture Company Inc.	Eastem	SCG22320AE BO	57	Basement, kitchen	08/27/01
Eastern Fixture Company Inc.	Eastem	SCG24440EB O	140	Hallways, office, kitchen	08/28/01
Janmar Lighting	Recessed downlight retrofit	213E-18		General interior use.	11/30/99
Janmar Lighting	Recessed downlight retrofit	213E-26		General interior use.	11/30/99
Janmar Lighting	Recessed downlight retrofit	213E-32		General interior use.	11/30/99
Janmar Lighting		213-13-QS		General indoor.	12/23/99
Janmar Lighting		214-13-QS		General indoor.	12/23/99
Janmar Lighting		215-13-QS		General indoor.	12/23/99
Janmar Lighting		800-13-QS		General indoor.	12/23/99
Janmar Lighting		800E-24		General indoor.	12/23/99
Lithonia Lighting	Advantage	L7 FRAME		Living room, dining room, hall, kitchen, entry foyer, hall, family room, home office.	06/27/00
Lithonia Lighting	Advantage	L7F AT CSA		Living room, dining room, hall, kitchen, entry foyer, hall, family room, home office.	06/27/00
Lithonia Lighting	Advantage	L7F AT M6		Living room, dining room, hall, kitchen, entry foyer, hall, family room, home office.	06/27/00
Lithonia Lighting	Advantage	L7F AT U		Living room, dining room, hall, kitchen, entry foyer, hall, family room, home office.	06/27/00
Lithonia Lighting	Advantage	L7F CSA M6		Living room, dining room, hall, kitchen, entry foyer, hall, family room, home office.	06/27/00

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### RECESSED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
Lithonia Lighting	Advantage	L7F CSA U		Living room, dining room, hall, kitchen, entry foyer, hall, family room, home office.	06/27/00
Lithonia Lighting	Advantage	L7F M6		Living room, dining room, hall, kitchen, entry foyer, hall, family room, home office.	06/27/00
Lithonia Lighting	Advantage	L7F NOM		Living room, dining room, hall, kitchen, entry foyer, hall, family room, home office.	06/27/00
Lithonia Lighting	Advantage	L7F PHC CSA		Living room, dining room, hall, kitchen, entry foyer, hall, family room, home office.	06/27/00
Lithonia Lighting	Advantage	L7F PHC M6		Living room, dining room, hall, kitchen, entry foyer, hall, family room, home office.	06/27/00
Lithonia Lighting	Advantage	L7F PHC U		Living room, dining room, hall, kitchen, entry foyer, hall, family room, home office.	06/27/00
Lithonia Lighting	Advantage	L7PF AT CSA		Living room, dining room, hall, kitchen, entry foyer, hall, family room, home office.	06/27/00
Lithonia Lighting	Advantage	L7PF AT U		Living room, dining room, hall, kitchen, entry foyer, hall, family room, home office.	06/27/00
Lithonia Lighting	Advantage	L7PF CSA U		Living room, dining room, hall, kitchen, entry foyer, hall, family room, home office.	06/27/00
Lithonia Lighting	Advantage	L7PF M6		Living room, dining room, hall, kitchen, entry foyer, hall, family room, home office.	06/27/00
Lithonia Lighting	Advantage	L7PF PHC CS		Living room, dining room, hall, kitchen, entry foyer, hall, family room, home office.	06/27/00
Lithonia Lighting	Advantage	L7PF PHC U		Living room, dining room, hall, kitchen, entry foyer, hall, family room, home office.	06/27/00
Lithonia Lighting	Advantage	L7PF U		Living room, dining room, hall, kitchen, entry foyer, hall, family room, home office.	06/27/00

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### RECESSED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
Lithonia Lighting	Advantage	LU6F 13DDT		Living room, dining room, hall, kitchen, bath, entry foyer, hall, family room.	06/27/00
Lithonia Lighting	Advantage	LU6F 13DDT 120 HPF		Living room, dining room, kitchen, entry foyer, hall, bath.	06/27/00
Lithonia Lighting	Advantage	LU6F 13DDT 120 HPFAT		Living room, dining room, kitchen, entry foyer, hall, bath.	06/27/00
Lithonia Lighting	Advantage	LU6F 13DDT 120HPFGMF		Living room, dining room, kitchen, entry foyer, hall, bath.	06/27/00
Lithonia Lighting	Advantage	LU6F 13DDT120 HPFCSA		Living room, dining room, kitchen, entry foyer, hall, bath.	06/27/00
Lithonia Lighting	Advantage	LU6F 18 TRT 120		Living room, dining room, kitchen, foyer, hall, bath, family room, home office.	06/27/00
Lithonia Lighting	Advantage	LU6F 18 TRT 120 AT		Living room, dining room, kitchen, foyer, hall, bath, family room, home office.	06/27/00
Lithonia Lighting	Advantage	LU6F 18 TRT 120 CSA		Living room, dining room, kitchen, foyer, hall, bath, family room, home office.	06/27/00
Lithonia Lighting	Advantage	LU6F 18 TRT 120 GMF		Living room, dining room, kitchen, foyer, hall, bath, family room, home office.	06/27/00
Lithonia Lighting	Advantage	LU6F 18 TRT 120 PHC		Living room, dining room, kitchen, foyer, hall, bath, family room, home office.	06/27/00
Lithonia Lighting	Advantage	LU6F 18DDT 120 HPF		Living room, dining room, kitchen, foyer, hall, bath, family room, home office.	06/27/00
Lithonia Lighting	Advantage	LU6F 18DDT 120 HPFAT		Living room, dining room, kitchen, foyer, hall, bath, family room, home office.	06/27/00
Lithonia Lighting	Advantage	LU6F 18DDT 120GEB10		Living room, dining room, kitchen, foyer, bath, family room, home office.	06/27/00
Lithonia Lighting	Advantage	LU6F13DDT 120 GEB10		Living room, dining room, hall, kitchen, entry foyer, hall, family room, home office.	06/27/00
Lithonia Lighting	Advantage	LU6F13DDT12 0 GEB10AT		Living room, dining room, hall, kitchen, entry foyer, hall, family room, home office. Also, LU6F 13DDT 120 GEB10 AT GMF.	06/27/00
Lithonia Lighting	Advantage	LU6F13DDT12 0GEB10CSA		Living room, dining room, hall, kitchen, entry foyer, hall, family room, home office.	06/27/00

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### RECESSED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
Lithonia Lighting	Advantage	LU6F13DDTT12 0GEB10GMF		Living room, dining room, hall, kitchen, entry foyer, hall, family room, home office.	06/27/00
Lithonia Lighting	Advantage	LU6F13DDTT12 0GEB10NOM		Living room, dining room, hall, kitchen, entry foyer, hall, family room, home office.	06/27/00
Lithonia Lighting	Advantage	LU6F18DDTT 120 HPFGMF		Living room, dining room, kitchen, foyer, hall, bath, family room, home office.	06/27/00
Lithonia Lighting	Advantage	LU6F18DDTT12 0 GEB10GM		Living room, dining room, kitchen, foyer, family room, home office, bath.	06/27/00
Lithonia Lighting	Advantage	LU6F18TRT12 0 GMF CSA		Living room, dining room, kitchen, foyer, hall, bath, family room, home office.	06/27/00
Lithonia Lighting	Advantage	LU6F18TRT12 0PHCCSA		Living room, dining room, kitchen, foyer, hall, bath, family room, home office.	06/27/00
Lithonia Lighting	Home Vue	3333		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue	3335		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Home Vue	3341ES		Kitchen, family, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue	3343ES		Kitchen, family, breakfast room, office.	06/02/00
Lithonia Lighting	Home Vue	3345ES		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Home Vue	3353ES		Kitchen, family room, breakfast room, office.	06/27/00
Lithonia Lighting	Light Concepts	10222		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Light Concepts	10242		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	10244		Kitchen, family room, breakfast room, office.	06/02/00
Lithonia Lighting	Light Concepts	10414		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	10422		Basement, garage, family room, kitchen, utility.	06/02/00
Lithonia Lighting	Light Concepts	10442		Basement, garage, family room, kitchen, laundry room, closet, hallway.	06/02/00
Lithonia Lighting	Light Concepts	10444		Kitchen, family room, breakfast room, office.	06/02/00
Lumatech LLC	Lumatech Reflect-A- Star	11323-Q		Recessed or Track Downlighting	04/21/99
Lumatech LLC	Lumatech Reflect-A- Star	11324-Q		Recessed or Track Downlighting	04/21/99

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### RECESSED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
Lumatech LLC	Lumatech Reflect-A-Star	11325-Q		Recessed or Track Downlighting	04/21/99
Lumatech LLC	Lumatech Reflect-A-Star	11326-Q		Recessed or Track Downlighting	04/21/99
Lumatech LLC	Lumatech Reflect-A-Star	11835		Recessed or Track Downlighting	04/21/99
Lumatech LLC	Lumatech Reflect-A-Star	11836		Recessed or Track Downlighting	04/21/99
Nutech Lighting Corporation	Nutech	RZ1		Kitchen	10/25/00
PowerLux Corporation	PowerRim 120N32	PR120N32		Indoor & under canopy	06/30/99
PowerLux Corporation	PowerRim 18W CFL	PR120N18		Indoor & under canopy	06/30/99
PowerLux Corporation	PowerRim 26W CFL	PR120N26		Indoor & under canopy	06/30/99
PowerLux Corporation	PowerRim 26W CFL High Power Factor version	PR120H26		Indoor & under canopy	06/30/99
PowerLux Corporation	PowerRim 32W CFL High Power Factor version	PR120H32		Indoor & under canopy	06/30/99
PowerLux Corporation	PowerRim 42W CFL High Power Factor version	PR120H42		Indoor & under canopy	06/30/99
Progress Lighting	Progress Lighting	8213-277EB			04/07/00
Progress Lighting	Progress Lighting	8213-277EBEM			04/07/00
Progress Lighting	Progress Lighting	8213EB			04/19/00
Progress Lighting	Progress Lighting	8213EBEM			04/21/00
Progress Lighting	Progress Lighting	8218DVEB			04/19/00
Progress Lighting	Progress Lighting	8218DVEBEM			04/19/00
Progress Lighting	Progress Lighting	8226DM			04/19/00
Progress Lighting	Progress Lighting	8226DVEB			04/19/00
Progress Lighting	Progress Lighting	8226DVEBEM			04/19/00
Progress Lighting	Progress Lighting	P13-277EB			04/07/00
Progress Lighting	Progress Lighting	P13EB		Light commercial	01/27/99
Progress Lighting	Progress Lighting	P213EB			04/19/00
Progress Lighting	Progress Lighting	P226EB			04/19/00
Progress Lighting	Progress Lighting	P26-277EB			04/07/00
Progress Lighting	Progress Lighting	P26EB			04/19/00
Progress Lighting	Progress Lighting	P63-277EB			04/07/00
Progress Lighting	Progress Lighting	P632277-EB			04/19/00
Progress Lighting	Progress Lighting	P63277EB-EM			04/19/00
Progress Lighting	Progress Lighting	P63EB			04/19/00
Progress Lighting	Progress Lighting	P63EB-EM			04/19/00
Progress Lighting	Progress Lighting	P66-277EB			04/19/00

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.





ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### RECESSED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
Progress Lighting	Progress Lighting	P66277EB-EM			04/19/00
Progress Lighting	Progress Lighting	P66DM			04/19/00
Progress Lighting	Progress Lighting	P66EB			04/19/00
Progress Lighting	Progress Lighting	P66EB-EM			04/19/00
Progress Lighting	Progress Lighting	P68-277EB			04/19/00
Progress Lighting	Progress Lighting	P68277EB-EM			04/19/00
Progress Lighting	Progress Lighting	P68EB			04/19/00
Progress Lighting	Progress Lighting	P83AT		Residential	04/07/00
Simkar Corporation	SIMKAR	FY124240E	80		07/31/01
Simkar Corporation	SIMKAR	FY242-24OU-E1	88.6	Utility room	07/30/01
Simkar Corporation	SIMKAR	TA242-24OU-S-E1-LG	88.6	Utility room	08/16/01
Simkar Corporation	SIMKAR	TEP242-24OU-9C-E1FBC	88.6	Utility room	07/30/01
Simkar Corporation	SIMKAR	TEP242232B11			07/31/01
Simkar Corporation	SIMKAR	TEP244332B11			07/31/01
Simkar Corporation	SIMKAR	TY242-232U-B11	88.6	Utility room	07/30/01
Simkar Corporation	SIMKAR	TY242-232U-B11-6		Utility room	07/30/01
Simkar Corporation	SIMKAR	TY242-240U-E1	88.6	Kitchen, utility room, hallway	07/30/01
Simkar Corporation	SIMKAR	TY242-240U-20G-E1-NS	100	Utility room	07/30/01
Simkar Corporation	SIMKAR	TY242-240U-E1-277V		Utility room	07/30/01
Simkar Corporation	SIMKAR	TY244332B11			07/31/01
Simkar Corporation	SIMKAR	TY244440E1	180		07/31/01
Simkar Corporation	SIMKAR	TY244440L1	100		07/31/01
Simkar Corporation	SIMKAR	TY244NY	100		07/31/01
Simkar Corporation	SIMKAR	TY244NYFL	100		07/31/01
Technical Consumer Products	Technical Consumer Products	13118		Indoor	04/07/00
Technical Consumer Products	Technical Consumer Products	13123		Indoor	04/07/00
Technical Consumer Products	Technical Consumer Products	13318		Indoor	04/07/00
Technical Consumer Products	Technical Consumer Products	13323		Indoor	04/07/00
Technical Consumer Products	Technical Consumer Products	13418		Any room.	04/19/00
Technical Consumer Products	Technical Consumer Products	13423		Any room.	04/19/00
Technical Consumer Products	Technical Consumer Products	13426		Any room.	04/19/00

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### RECESSED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
Technical Consumer Products	Technical Consumer Products	13432		Any room	04/07/00
Technical Consumer Products	Technical Consumer Products	13718		Any room.	04/19/00
Technical Consumer Products	Technical Consumer Products	13723		Any room.	04/19/00
Technical Consumer Products	Technical Consumer Products	13726		Any room.	04/19/00
Technical Consumer Products	Technical Consumer Products	13732		Any room	04/07/00

#### SUSPENDED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
American Fluorescent Corporation	American Fluorescent	234SLE	57.7	Utility room, hallway, laundry room, closet, garage, basement, work shop	11/12/01
American Fluorescent Corporation	American Fluorescent	234SLE-SW	57.7	Utility room, hallway, laundry room, closet, garage, basement, work shop	11/12/01
Catalina Lighting	Westinghouse	09-08-06803		Dining, Kitchen	11/12/98
Eastern Fixture Company Inc.	Eastern	12MS240EBO	70	Kitchen, playroom, office	08/28/01
Eastern Fixture Company Inc.	Eastern	12MS340AEB O	102	Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	24MS240EBO	70	Kitchen, playroom, office	08/28/01
Eastern Fixture Company Inc.	Eastern	24MS240UEB O	70	Kitchen, playroom, office	08/28/01
Eastern Fixture Company Inc.	Eastern	24MS340EBO	102	Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	24MS440EBO	140	Hallways, office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	AP240EBO	70	Work-room	08/28/01
Eastern Fixture Company Inc.	Eastern	BP140EBO	38	bathroom, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	BP240EBO	70	Kitchen, playroom, office	08/28/01
Eastern Fixture Company Inc.	Eastern	C6-14-240EBO	70	Kitchen, playroom, office	08/28/01
Eastern Fixture Company Inc.	Eastern	C6-24-240EBO	70	Kitchen, playroom, office	08/28/01
Eastern Fixture Company Inc.	Eastern	C6-24-240UEBO	70	Kitchen, playroom, office	08/28/01
Eastern Fixture Company Inc.	Eastern	C6-24-440EBO	140	Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	C7-14-240EBO	70	Kitchen, playroom, office	08/28/01
Eastern Fixture Company Inc.	Eastern	C7-24-240EBO	70	Kitchen, playroom, office	08/28/01
Eastern Fixture Company Inc.	Eastern	C7-24-240UEBO	70	Kitchen, playroom, office	08/28/01
Eastern Fixture Company Inc.	Eastern	C7-24-440EBO	140	Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	COR140TEBO	70	Kitchen, playroom, office	08/28/01
Eastern Fixture Company Inc.	Eastern	DC140EBO	38	Bathroom, kitchens	08/28/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### SUSPENDED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
Eastern Fixture Company Inc.	Eastem	DC240EBO	70	Kitchen, playroom, office	08/28/01
Eastern Fixture Company Inc.	Eastem	EW240AEBO	70	Kitchen, playroom, office	08/28/01
Eastern Fixture Company Inc.	Eastem	F66-4-240EBO	102	Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastem	G66-4-340EBO	102	Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastem	G8333A-EBO	102	Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastem	MBF24340EBO	102	Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastem	MBG24340EBO	102	Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastem	MBS24-340EBO	102	Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastem	MBS24-440EBO	140	Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastem	MBS24240EBO	70	Kitchen, playroom, office	08/28/01
Eastern Fixture Company Inc.	Eastem	PLM24-340ALEBO	102	Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastem	PLM24240EBO	70	Kitchen, playroom, office	08/28/01
Eastern Fixture Company Inc.	Eastem	PR240TEBO	140	Garage, workroom	08/28/01
Eastern Fixture Company Inc.	Eastem	RG-240EBO	70	Kitchen, playroom, office	08/28/01
Eastern Fixture Company Inc.	Eastem	RG340ALEBO	102	Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastem	RT-65-140EBO	38	Bathroom, kitchens	08/28/01
Eastern Fixture Company Inc.	Eastem	RT65240EBO	70	Kitchen, playroom, office	08/28/01
Eastern Fixture Company Inc.	Eastem	S440EBO	134	Basement, kitchen, closets	08/28/01
Eastern Fixture Company Inc.	Eastem	S66-3-130EBO	31	Office, hallway	08/27/01
Eastern Fixture Company Inc.	Eastem	S66-3-230EBO	56	Office, hallways	08/27/01
Eastern Fixture Company Inc.	Eastem	S66-4-140EBO	38	Office, hallways	08/28/01
Eastern Fixture Company Inc.	Eastem	S66-4-240EBO	70	Hallway, office	08/28/01
Eastern Fixture Company Inc.	Eastem	S66-8-240TEBO	140	Hllway, office	08/28/01
Eastern Fixture Company Inc.	Eastem	SAL140EBO	38	Bathroom, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastem	SAL42240EBO	70	Kitchen, playroom, office	08/28/01
Eastern Fixture Company Inc.	Eastem	SCG24240EBO	70	Kitchen, playroom, office	08/28/01
Eastern Fixture Company Inc.	Eastem	SCG24340EBO	102	Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastem	SG240A-11-EBO	70	Kitchen, playroom, office	08/28/01
Eastern Fixture Company Inc.	Eastem	SG240AEBO	70	Kitchen, playroom, office	08/28/01
Eastern Fixture Company Inc.	Eastem	SG240TA-11EBO	140	Hallways, office, kitchen	01/17/02
Eastern Fixture Company Inc.	Eastem	SG240TAEBO	140	Hallways, office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastem	SG340AEBO	102	Office, kitchen	08/28/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### SUSPENDED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
Eastern Fixture Company Inc.	Eastern	SI66-2-120-EBO	23	Office, hallway	08/28/01
Eastern Fixture Company Inc.	Eastern	SI66-3-130EBO	31	Office, hallway	08/27/01
Eastern Fixture Company Inc.	Eastern	SI66-3-230EBO	56	Office, hallways	08/27/01
Eastern Fixture Company Inc.	Eastern	SI66-4-140EBO	38	Office, hallways	08/28/01
Eastern Fixture Company Inc.	Eastern	SI66-4-240EBO	70	Hallway, office	08/28/01
Eastern Fixture Company Inc.	Eastern	SI66-6-230TEBO	106	Office, hallways	08/28/01
Eastern Fixture Company Inc.	Eastern	SI66-8-140TEBO	70	Hallway, office	08/28/01
Eastern Fixture Company Inc.	Eastern	SI66-8-240TEBO	140	Hallways, office	08/28/01
Eastern Fixture Company Inc.	Eastern	SID66-2-120EBO	23	Office, hallway	08/27/01
Eastern Fixture Company Inc.	Eastern	SID66-3-130EBO	31	Office, hallway	08/27/01
Eastern Fixture Company Inc.	Eastern	SID66-3-230EBO	56	Office, hallways	08/27/01
Eastern Fixture Company Inc.	Eastern	SID66-4-140EBO	38	Office, hallways	08/28/01
Eastern Fixture Company Inc.	Eastern	SID66-4-240EBO	70	Hallway, office	08/28/01
Eastern Fixture Company Inc.	Eastern	SID66-6-230TEBO	106	Office, hallways	08/28/01
Eastern Fixture Company Inc.	Eastern	SID66-8-240TEBO	140	Hallways, office	08/28/01
Eastern Fixture Company Inc.	Eastern	SM140TEBO	70	Kitchen, playroom	08/28/01
Eastern Fixture Company Inc.	Eastern	SM240EBO	70	Kitchen, playroom	08/28/01
Eastern Fixture Company Inc.	Eastern	VL140EBO	38	Bathroom, kitchens	08/28/01
Eastern Fixture Company Inc.	Eastern	VL240EBO	70	Kitchen, playroom, office	08/28/01
Eastern Fixture Company Inc.	Eastern	VT240TEBO	140	Bathroom	08/28/01
Eastern Fixture Company Inc.	Eastern	VW140EBO	38	Bathroom, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	VW240EBO	70	Kitchen, playroom, office	08/28/01
Eastern Fixture Company Inc.	Eastern	W66-4-140EBO	38	Office, hallways	08/28/01
Eastern Fixture Company Inc.	Eastern	W66-8-240TEBO	140	Hallways, office	08/28/01
Eastern Fixture Company Inc.	Eastern	WEC240EBO	70	Kitchen, playroom, office	08/28/01
Eastern Fixture Company Inc.	Eastern	WEC240TEBO	140	Hallways, office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	WEC340EBO	102	Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	WI66-4-140EBO	38	Office, hallways	08/28/01
Eastern Fixture Company Inc.	Eastern	WI66-8-240TEBO	140	Hallways, office	08/28/01
Eastern Fixture Company Inc.	Eastern	WID66-4-140EBO	38	Office, hallways	08/28/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### SUSPENDED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
Eastern Fixture Company Inc.	Eastern	WID66-8-240TEBO	134	hallways, office	08/28/01
Good Earth Lighting, Inc.	Empire Collection	G 4885	33	Close to Ceiling Home or Office, Ceiling Fixture.	06/29/01
Good Earth Lighting, Inc.	Empire Collection	G 4985	57	Pendent Ceiling Home or Office.	06/29/01
Good Earth Lighting, Inc.	Good Earth/Glencoe	G4840		Pendant ceiling fixture for home or office	04/07/00
Good Earth Lighting, Inc.	Good Earth/Tuscany	G4126		Home or office pendant ceiling fixture	04/24/00
Legion Lighting Company Incorporated		2600-232-EBO-ES		Garage	12/23/99
Lights of America	Commercial Electric	8055PC		Hanging shoplight	11/27/00
Lights of America	Commercial Electric	8055XL		Hanging shoplight	11/27/00
Progress Lighting	Eclipse	3568-10EB		Assisted Living, Hospitality	11/12/98
Progress Lighting	Eclipse	3570-10EB		Assisted Living, Hospitality	11/12/98
Progress Lighting	Eclipse	3572-10EB		Assisted Living, Hospitality	11/12/98
Progress Lighting	Eclipse	3574-10EB		Assisted Living, Hospitality	11/12/98
Progress Lighting	Eclipse	3576-10EB		Assisted Living, Hospitality	11/12/98
Progress Lighting	Eclipse	3585-10WB		Assisted Living, Hospitality	11/12/98
Progress Lighting	Eclipse	3585-13WB		Assisted Living, Hospitality	11/12/98
Progress Lighting	Eclipse	3586-10WB		Assisted Living, Hospitality	11/12/98
Progress Lighting	Eclipse	3586-13WB		Assisted Living, Hospitality	11/12/98
Progress Lighting	Progress Lighting	3568-13EB		Assisted Living, Hospitality	04/07/00
Progress Lighting	Progress Lighting	3570-13EB		Assisted Living, Hospitality	04/07/00
Progress Lighting	Progress Lighting	3572-13EB		Assisted Living, Hospitality	04/07/00
Progress Lighting	Progress Lighting	3574-13EB		Assisted Living, Hospitality	04/07/00
Progress Lighting	Progress Lighting	3576-13EB		Assisted Living, Hospitality	04/07/00
Ron Rezek Lighting	Ron Rezek	270/71/72		Oval Pendant	11/12/98
Ron Rezek Lighting	Ron Rezek	320/21		Aura Suspension	11/12/98
Sea Gull Lighting Products Incorporated	SGLP	6926-02E		Dining Room/Foyer	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	6933-02E		Dining Room/Foyer	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	6933-98E		Dining Room/Foyer	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	6983-02E		Dining Room/Foyer	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	6983-98E		Dining Room/Foyer	02/25/99
Simkar Corporation	SIMKAR	IE240E1	90		07/31/01
Simkar Corporation	SIMKAR	IE296E1	90		07/31/01
Simkar Corporation	SIMKAR	WLD4ESB	90.4		07/31/01

#### WALL-MOUNTED LIGHTING FIXTURES

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

# ENERGY STAR® Qualified Residential Light Fixtures

## List of Qualified Products

### WALL-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
Adjustable Fixture Company	Nightingale	637-26W		Indoor living and study areas	11/29/99
Adjustable Fixture Company	Nightingale	637-32W		Indoor living and study areas	11/30/99
Adjustable Fixture Company	Nightingale	637-42W		Indoor living and study areas	11/30/99
American Fluorescent Corporation	American Fluorescent	AAC-120E8	22	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AAC-130E8	26	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AAC-140E8	32	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AAC-220E8	17	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AAC-230E8	28	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AAC-240E8	38	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AAW-120E8	22	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AAW-130E8	26	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AAW-140E8	32	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AAW-220E8	17	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AAW-230E8	28	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AAW-240E8	38	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AAWC-120E8	22	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AAWC-130E8	26	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AAWC-140E8	32	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AAWC-220E8	17	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AAWC-230E8	28	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AAWC-240E8	38	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AD-120E8	22	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AD-130E8	26	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AD-140E8	32	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AD-220E8	17	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AD-230E8	28	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AD-240E8	38	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	ADWC-120E8	22	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	ADWC-130E8	26	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	ADWC-140E8	32	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	ADWC-220E8	17	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	ADWC-230E8	28	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	ADWC-240E8	38	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	COR-120E8	22	Coridor	03/02/01
American Fluorescent Corporation	American Fluorescent	COR-130E8	26	Coridor	05/03/01
American Fluorescent Corporation	American Fluorescent	COR-140-8E8	38	Coridor	05/03/01
American Fluorescent Corporation	American Fluorescent	COR-140E8	32	Coridor	03/02/01
American Fluorescent Corporation	American Fluorescent	CU-220E8	17	Laundry	03/09/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
American Fluorescent Corporation	American Fluorescent	CU-230E8	28	Laundry	03/09/01
American Fluorescent Corporation	American Fluorescent	CU-240E8	38	Laundry	03/09/01
American Fluorescent Corporation	American Fluorescent	DV-120E8	22	Bath	03/09/01
American Fluorescent Corporation	American Fluorescent	DV-130E8	26	Bath	03/09/01
American Fluorescent Corporation	American Fluorescent	DV-140E8	32	Bath	03/09/01
American Fluorescent Corporation	American Fluorescent	DV-220E8	17	Bath	03/09/01
American Fluorescent Corporation	American Fluorescent	DV-230E8	28	Bath	03/09/01
American Fluorescent Corporation	American Fluorescent	DV-240E8	38	Bath	03/09/01
American Fluorescent Corporation	American Fluorescent	HDL-120E8	22	Bath	03/09/01
American Fluorescent Corporation	American Fluorescent	HDL-130E8	26	Bath	03/09/01
American Fluorescent Corporation	American Fluorescent	HDL-140E8	32	Bath	03/09/01
American Fluorescent Corporation	American Fluorescent	HDL-220E8	17	Bath	03/09/01
American Fluorescent Corporation	American Fluorescent	HDL-230E8	28	Bath	03/09/01
American Fluorescent Corporation	American Fluorescent	HDL-240E8	38	Bath	03/09/01
American Fluorescent Corporation	American Fluorescent	UT-120E8	22	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	UT-130E8	26	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	UT-140E8	32	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	UT-220E8	17	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	UT-230E8	28	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	UT-240E8	38	Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	V8AAB-20E8	38	Bath	03/12/01
American Fluorescent Corporation	American Fluorescent	V8AAB-220E8	17	Bath	03/12/01
American Fluorescent Corporation	American Fluorescent	V8AAB-230E8	28	Bath	03/12/01
American Fluorescent Corporation	American Fluorescent	V8AAC-220E8	17	Bath	03/12/01
American Fluorescent Corporation	American Fluorescent	V8AAC-230E8	28	Bath	03/12/01
American Fluorescent Corporation	American Fluorescent	V8AAC-240E8	38	Bath	03/12/01
American Fluorescent Corporation	American Fluorescent	V8AFBC-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AFBC-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AFBC-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AG-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AG-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AG-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AGD-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AGD-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AGD-240E8	38	Bath	03/13/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.





ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
American Fluorescent Corporation	American Fluorescent	V8AGL-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AGL-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AGL-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AGS-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AGS-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AGS-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AR-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AR-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AR-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8ASCB-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8ASCB-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8ASCB-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AW-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AW-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AW-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8BB-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8BB-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8BB-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8BC-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8BC-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8BC-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8BM-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8BM-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8BM-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8BMG-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8BMG-230E8		Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8BMG-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8BMP-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8BMP-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8BMP-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8CG-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8CG-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8CG-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8CR-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8CR-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8CR-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8CW-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8CW-230E8	28	Bath	03/13/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.





ENERGY STAR®

# ENERGY STAR® Qualified Residential Light Fixtures

## List of Qualified Products

### WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
American Fluorescent Corporation	American Fluorescent	V8CW-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8DBC-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8DBC-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8DBC-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8FP-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8FP-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8FP-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8FRT-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8FRT-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8FRT-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8FTR-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8FTR-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8FTR-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8FV-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8FV-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8FV-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8HP-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8HP-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8HP-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8HRT-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8HRT-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8HRT-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8HTR-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8HTR-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8HTR-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8HV-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8HV-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8HV-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8MM-220E8	17	Bath	03/14/01
American Fluorescent Corporation	American Fluorescent	V8MM-230E8	28	Bath	03/14/01
American Fluorescent Corporation	American Fluorescent	V8MM-240E8	38	Bath	03/14/01
American Fluorescent Corporation	American Fluorescent	V8PN-220E8	17	Bath	03/14/01
American Fluorescent Corporation	American Fluorescent	V8PN-230E8	28	Bath	03/14/01
American Fluorescent Corporation	American Fluorescent	V8PN-240E8	38	Bath	03/14/01
American Fluorescent Corporation	American Fluorescent	V8PS-220E8	17	Bath	03/14/01
American Fluorescent Corporation	American Fluorescent	V8PS-230E8	28	Bath	03/14/01
American Fluorescent Corporation	American Fluorescent	V8PS-240E8	38	Bath	03/14/01
American Fluorescent Corporation	American Fluorescent	V8RFP-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8RKP-220E8	17	Bath	03/15/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
American Fluorescent Corporation	American Fluorescent	V8RKP-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8RKP-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8RRP-220E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8RRP-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8RRP-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8RRRT-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8RRRT-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8RRRT-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8RRTR-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8RRTR-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8RRTR-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8RRV-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8RRV-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8RRV-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8SG-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8SG-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8SG-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8SR-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8SR-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8SR-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8SW-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8SW-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8SW-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8TR-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8TR-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8TR-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8WC-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8WC-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8WC-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8WM-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8WM-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8WM-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8WO-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8WO-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8WO-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VBA-220E8	17	Bath	03/15/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
American Fluorescent Corporation	American Fluorescent	VBA-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VBA-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VBAG-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VBAG-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VBAG-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VBAR-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VBAR-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VBAR-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VCK-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VCK-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VCK-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VCW-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VCW-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VCW-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VMW-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VMW-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VMW-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VPN-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VPN-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VPN-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VRB-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VRB-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VRB-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VRC-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VRC-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VRC-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VRW-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VRW-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VRW-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VSF-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VSF-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VSF-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VSC-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VSC-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VSC-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VSK-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VSK-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VSK-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VSW-220E8	17	Bath	03/15/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

# ENERGY STAR® Qualified Residential Light Fixtures

## List of Qualified Products

### WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
American Fluorescent Corporation	American Fluorescent	VSW-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VSW-240E8	38	Bath	05/03/01
American Fluorescent Corporation	American Fluorescent	VWB-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VWB-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VWB-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VWC-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VWC-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VWC-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VWK-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VWK-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VWK-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-H-220E8	17	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-H-230E8	28	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-H-240E8	38	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-H-330E8	30	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-H-340E8	40	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-HK-220E8	17	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-HK-230E8	28	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-HK-240E8	38	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-HK-330E8	30	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-HK-340E8	40	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-HW-220E8	17	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-HW-230E8	28	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-HW-240E8	38	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-HW-330E8	30	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-HW-340E8	40	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-L-220E8	17	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-L-230E8	28	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-L-240E8	38	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-L-330E8	30	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-L-340E8	40	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-LK-220E8	17	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-LK-230E8	28	Bedroom	03/15/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
American Fluorescent Corporation	American Fluorescent	WAD-LK-240E8	38	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-LK-330E8	30	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-LK-340E8	40	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-LW-220E8	17	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-LW-230E8	28	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-LW-240E8	38	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-LW-330E8	30	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-LW-340E8	40	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-W-220E8	17	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-W-230E8	28	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-W-240E8	38	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-W-330E8	30	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-W-340E8	40	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WSP-120E8	22	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WSP-130E8	26	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WSP-140E8	32	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WSP-220E8	17	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WSP-230E8	28	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WSP-240E8	38	Bedroom	03/15/01
BAVCO Manufacturing/LiteSmart	LiteSmart	LSSC1302EM		Room/Indoor	11/30/99
CLI Fixtures, Inc.	CLI FIXTURES	BL-226		Bathrooms, Bedrooms, Halls	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	BL-339		Bathrooms, Bedrooms, Halls	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	COR-13		Decorative Vanity	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	COR-26		Decorative Vanity	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	COR-39		Decorative Vanity	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	COR-Q44		Decorative Vanity	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	CSL-13		Hallways, Coridors, Entrances	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	CSL-18		Hallways, Coridors, Entrances	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	CSL-26		Hallways, Coridors, Entrances	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	CSL-Q22		Hallways, Coridors, Entrances	04/21/99

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### WALL-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
CLI Fixtures, Inc.	CLI FIXTURES	CTL-226		Bathrooms	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	CTL-339		Bathrooms	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	LAP-226		Bathrooms, Bedrooms, Halls	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	LAP-339		Bathrooms, Bedrooms, Halls	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	LGL-13		Hallways, Coridors, Entrances	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	LGL-18		Hallways, Coridors, Entrances	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	LGL-26		Hallways, Coridors, Entrances	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	LGL-Q22		Hallways, Coridors, Entrances	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	MNL-13		Hallways, Coridors, Entrances	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	MNL-26		Hallways, Coridors, Entrances	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	MSL-13		Hallways, Coridors, Entrances	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	MSL-18		Hallways, Coridors, Entrances	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	MSL-26		Hallways, Coridors, Entrances	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	MSL-Q22		Hallways, Coridors, Entrances	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	MTC-13		Hallway, Coridors, Entrances	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	MTC-9		Hallway, Coridors, Entrances	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	MWS-13		Hallways	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	MWS-18		Hallways	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	MWS-26		Hallways	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	RNL-13		Hallway, Coridors, Entrances	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	RNL-18		Hallway, Coridors, Entrances	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	RNL-26		Hallway, Coridors, Entrances	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	THL-13		Hallway, Coridors, Entrances	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	THL-9		Hallway, Coridors, Entrances	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	TTW-13		Lobbies, Apartments, Hotels, Hallways	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	TTW-18		Lobbies, Apartments, Hotels, Hallways	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	TTW-26		Lobbies, Apartments, Hotels, Hallways	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	VL-226		Bathrooms, Bedrooms, Halls	04/26/99

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
CLI Fixtures, Inc.	CLI FIXTURES	VL-339		Bathrooms, Bedrooms, Halls	04/26/99
Cooper Lighting	Fail-Safe	TRE-15CF142CTDT WHLEM	43.32		07/16/01
Cooper Lighting	Lumark	LFE13PCW	16.36	13w Fluorescent Entry Light w/ Photo Control (White)	07/27/01
Cooper Lighting	Regent	FE13PCW	16.36		05/07/01
Cooper Lighting	Regent	W70HPC	86.1		05/07/01
Eastern Fixture Company Inc.	Eastern	1102/2PL13	32	Living room, hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	13213	16	Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	210/PL13EBO	14	Hallway, kitchen, living room	07/19/01
Eastern Fixture Company Inc.	Eastern	2102/2PL13	32	Living room, hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	2102/2PL13E BO	27	Hallway, kitchen, family room	07/18/01
Eastern Fixture Company Inc.	Eastern	2102/PL13	16	Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	2102/PL13EB O	14	Hallway, kitchen, living room	07/19/01
Eastern Fixture Company Inc.	Eastern	2103	23	Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	2103/2PL13	32	Living room, hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	2103/2PL13E BO	27	Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	2103/3PL13E BO	40	Hallway, family room, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	2103/PL13	16	Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	2104/2PL26E BO	72	Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	2104/2PL26E BO	52	Hallway, kitchen, family room	07/18/01
Eastern Fixture Company Inc.	Eastern	2104/3PL26E BO	80	Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	2104/3PL26E BO	80	Hallway, kitchen, family room	07/18/01
Eastern Fixture Company Inc.	Eastern	3201/2PL13E BO	28	Living room, hallway, family room	07/18/01
Eastern Fixture Company Inc.	Eastern	3201/PL13EB O	14	Living room, hallway, family room	07/18/01
Eastern Fixture Company Inc.	Eastern	6102/2PL13	32	Living room, hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	6102/2PL13E BO	27	Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	6102/PL13	16	Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	6102/PL13EB O	14	Hallway, kitchen, living room	07/19/01
Eastern Fixture Company Inc.	Eastern	6103	33	Hallway, kitchen, family room	07/19/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.





ENERGY STAR®

# ENERGY STAR® Qualified Residential Light Fixtures

## List of Qualified Products

### WALL-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
Eastern Fixture Company Inc.	Eastern	6103/2PL13	32	Living room, hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	6103/2PL13E BO	27	Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	6103/3PL13E BO	40	Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	6103/PL13EB O	14	Hallway, kitchen, living room	07/19/01
Eastern Fixture Company Inc.	Eastern	6104/2PL26E BO	52	Hallway, family room, kitchen	07/19/01
Eastern Fixture Company Inc.	Eastern	6104/3PL26E BO	80	Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	7102/2PL13E BO	27	Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	7102/2PL13E BO	27	Hallway, kitchen, family room	07/18/01
Eastern Fixture Company Inc.	Eastern	7102/PL13	16	Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	7102/PL13EB O	14	Hallway, kitchen, living room	07/19/01
Eastern Fixture Company Inc.	Eastern	7102/PL13EB O	14	Hallway, kitchen, living room	07/19/01
Eastern Fixture Company Inc.	Eastern	7103/23L13E BO	40	Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	7103/2PL13	32	Living room, hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	7103/2PL13E BO	27	Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	7103/2PL13E BO	27	Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	7103/PL13EB O	14	Hallway, kitchen, living room	07/19/01
Eastern Fixture Company Inc.	Eastern	7103/PL13EB O	14	Hallway, kitchen, living room	07/19/01
Eastern Fixture Company Inc.	Eastern	7104/2PL/26E BO	56	Hallway, family room, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	7104/3PL26E BO	80	Hallway, kitchen, family room	07/18/01
Eastern Fixture Company Inc.	Eastern	8102/2PL13E BO	27	Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	8102/PL13	16	Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	8102/PL13EB O	14	Hallway, kitchen, living room	07/19/01
Eastern Fixture Company Inc.	Eastern	8103	33	Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	8103/2PL13	32	Living room, hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	8103/2PL13E BO	27	Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	8103/3PL13E BO	40	Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	8103/PL13	16	Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	8103/PL13EB O	14	Hallway, kitchen, living room	07/19/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.





ENERGY STAR®

# ENERGY STAR® Qualified Residential Light Fixtures

## List of Qualified Products

### WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Suggested Use	Date
			Watts			Added
Eastern Fixture Company Inc.	Eastern	8104/2PL26E BO	52		Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	8104/3PL26E BO	80		Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	9102/2PL13	32		Living room, hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	9102/2PL13E BO	27		Hallway, kitchen, family room	07/18/01
Eastern Fixture Company Inc.	Eastern	9102/PL13	16		Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	9102/PL13EB O	901		Hallway, kitchen, living room	07/19/01
Eastern Fixture Company Inc.	Eastern	9103/2PL13	32		Living room, hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	9103/2PL13E BO	27		Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	9103/3PL13E BO	40		Hallway, family room, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	9103/PL13	16		Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	9103/PL13EB O	14		Hallway, kitchen, living room	07/19/01
Eastern Fixture Company Inc.	Eastern	9104/2PL26	56		Hallway, kitchen, family room	07/18/01
Eastern Fixture Company Inc.	Eastern	9104/3PL26E BO	80		Hallway, kitchen, family room	07/18/01
Eastern Fixture Company Inc.	Eastern	ACB120EBO	23		Bathroom	08/29/01
Eastern Fixture Company Inc.	Eastern	ACB220EBO	35		Bathroom	08/27/01
Eastern Fixture Company Inc.	Eastern	ACB230EBO	56		Bathroom	08/27/01
Eastern Fixture Company Inc.	Eastern	ACB240EBO	70		Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	BC1613	16		Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	BDBA1113	16		Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	BP130EBO	31		Kitchen, office	08/27/01
Eastern Fixture Company Inc.	Eastern	BP220EBO	40		Kitchen, hallways	08/29/01
Eastern Fixture Company Inc.	Eastern	BP230EBO	56		Kitchen, bedroom, garage	08/28/01
Eastern Fixture Company Inc.	Eastern	BP230EBO	56		Kitchen, hallways	08/27/01
Eastern Fixture Company Inc.	Eastern	CB120EBO	23		Bathroom	08/29/01
Eastern Fixture Company Inc.	Eastern	CB2413	16		Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	CR50113	16		Living room, hallway, kitchen	07/25/01
Eastern Fixture Company Inc.	Eastern	CR5013	16		Living room, hallway, kitchen	07/25/01
Eastern Fixture Company Inc.	Eastern	CR5113-2	32		Living room, hallway	07/18/01
Eastern Fixture Company Inc.	Eastern	CR5213-2	16		Living room, hallway, kitchen	07/25/01
Eastern Fixture Company Inc.	Eastern	CRG5213/2PL 13EBO	26		Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	CRG5213/2PL 13EBO	26		Hallway, family room, kitchen	07/18/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Suggested Use	Date
			Watts			Added
Eastern Fixture Company Inc.	Eastern	CRG5213/3PL 13EBO	39		Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	CRG5213/3PL 13EBO	39		Hallway, family room, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	CRG5213/PL1 3EBO	14		Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	CRG5213/PL1 3EBO	14		Hallway, family room, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	DBA2013	32		Living room, hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	DC120EBO	23		Bath	08/27/01
Eastern Fixture Company Inc.	Eastern	DC130EBO	31		Kitchen, office	08/27/01
Eastern Fixture Company Inc.	Eastern	DC220EBO	40		Kitchen, hallways	08/29/01
Eastern Fixture Company Inc.	Eastern	DC230EBO	56		Kitchen, bedroom, garage	08/28/01
Eastern Fixture Company Inc.	Eastern	DC230EBO	56		Kitchen, hallways	08/27/01
Eastern Fixture Company Inc.	Eastern	DV120EBO	23		Outside hallway	08/27/01
Eastern Fixture Company Inc.	Eastern	DV130EBO	31			08/27/01
Eastern Fixture Company Inc.	Eastern	DV220EBO	35		Basement	08/27/01
Eastern Fixture Company Inc.	Eastern	DV230EBO	56		Hallway, kitchen	08/27/01
Eastern Fixture Company Inc.	Eastern	DV240EBO	70		Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	E10013	16		Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	E2113	32		Living room, hallway	07/18/01
Eastern Fixture Company Inc.	Eastern	HOS230EBO	56		Bathroom, bedroom	08/27/01
Eastern Fixture Company Inc.	Eastern	HOS240EBO	70		Bedroom	08/28/01
Eastern Fixture Company Inc.	Eastern	HOS320EBO	57			08/27/01
Eastern Fixture Company Inc.	Eastern	HOS330EBO	81		Hallways, kitchen	08/27/01
Eastern Fixture Company Inc.	Eastern	MED-65- 130EBO	31		Office, bedroom	08/27/01
Eastern Fixture Company Inc.	Eastern	MED-65- 230EBO	56		Bathroom, bedroom	08/27/01
Eastern Fixture Company Inc.	Eastern	MED230EBO	56		Bathroom, bedroom	08/28/01
Eastern Fixture Company Inc.	Eastern	MED65- 240EBO	70		Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	MED65220EB O	40		Bathroom	08/27/01
Eastern Fixture Company Inc.	Eastern	OG130EBO	58		Hallway	08/27/01
Eastern Fixture Company Inc.	Eastern	OG140TEBO	70		Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	PL13PA	16		Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	PL13WA	16		Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	PL213PA	32		Living room, hallway	07/18/01
Eastern Fixture Company Inc.	Eastern	PL213WA	32		Living room, hallway	07/18/01
Eastern Fixture Company Inc.	Eastern	PR230TEBO	106		Garage	08/28/01
Eastern Fixture Company Inc.	Eastern	PR240EBO	70		Office, kitchen	08/28/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
Eastern Fixture Company Inc.	Eastem	RT-65-230EBO	56	Kitchen, bathroom	08/28/01
Eastern Fixture Company Inc.	Eastem	RT130EBO	31	Office	08/27/01
Eastern Fixture Company Inc.	Eastem	RT65120EBO	23	Office, kitchen	08/27/01
Eastern Fixture Company Inc.	Eastem	RT65220EBO	40	Kitchen	08/29/01
Eastern Fixture Company Inc.	Eastem	S120EBO	23	Hallways, kitchen, bedroom	08/29/01
Eastern Fixture Company Inc.	Eastem	S120PVTEBO	23	Hallways, kitchen, bedroom	08/29/01
Eastern Fixture Company Inc.	Eastem	S130EBO	31	Garage, kitchen	08/27/01
Eastern Fixture Company Inc.	Eastem	S130TEBO	56	Bedroom, hallway, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastem	S220PVTEBO	40	Kitchen	01/17/02
Eastern Fixture Company Inc.	Eastem	S230EBO	56	Bedroom, hallway, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastem	S230EBOPVT	56	Kitchen, bedroom, garage	08/28/01
Eastern Fixture Company Inc.	Eastem	S240EBO	70	Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastem	S240PVTEBO	70	Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastem	S240TEBO	134	Basement, kitchen, closets	08/28/01
Eastern Fixture Company Inc.	Eastem	S240TPVTEBO	134	Basement, kitchen, closets	08/28/01
Eastern Fixture Company Inc.	Eastem	S330EBO	81	Hallways, kitchen	08/27/01
Eastern Fixture Company Inc.	Eastem	S440PVTEBO	134	Basement, kitchen, closets	08/28/01
Eastern Fixture Company Inc.	Eastem	SAL-4217EBO	23	Office, kitchen	08/27/01
Eastern Fixture Company Inc.	Eastem	SAL142230EBO	56	Kitchen, bathroom	08/28/01
Eastern Fixture Company Inc.	Eastem	SAL42-130EBO	31	Bathroom, office, hallway	08/27/01
Eastern Fixture Company Inc.	Eastem	SAL4220	40	bathroom	08/29/01
Eastern Fixture Company Inc.	Eastem	SBA1113	16	Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastem	SBA2113	32	Living room, hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastem	SI66-2-220EBO	40	Office, hallways	08/29/01
Eastern Fixture Company Inc.	Eastem	SID66-2-220EBO	40	Office, hallways	08/29/01
Eastern Fixture Company Inc.	Eastem	SM120EBO	23	Hallways, kitchen, bedroom	08/29/01
Eastern Fixture Company Inc.	Eastem	SM120STGEB O	23	Hallways, kitchen, bedroom	08/29/01
Eastern Fixture Company Inc.	Eastem	SM130EBO	31	Kitchen, closets	08/27/01
Eastern Fixture Company Inc.	Eastem	SM130STGEB O	31	Garage, playroom, kitchen	08/27/01
Eastern Fixture Company Inc.	Eastem	SM130TSTGEB O	56	Bedroom, hallway, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastem	SM140TEBO	70	Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastem	SM220EBO	40		08/27/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
Eastern Fixture Company Inc.	Eastem	SM220EBO	40	kitchen	08/27/01
Eastern Fixture Company Inc.	Eastem	SM220RA	40		08/27/01
Eastern Fixture Company Inc.	Eastem	SM220STGEB O	40	Kitchen	08/27/01
Eastern Fixture Company Inc.	Eastem	SM230EBO	56	Kitchen, bedroom, garage	08/28/01
Eastern Fixture Company Inc.	Eastem	SM230EBO	56	Living room, basement	08/27/01
Eastern Fixture Company Inc.	Eastem	SM230RAEBO	56	Bedroom, hallway, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastem	SM230RAEBO	56	Kitchen, bedroom, garage	08/28/01
Eastern Fixture Company Inc.	Eastem	SM230STGEB O	56	Bedroom, hallway, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastem	SM230STGEB O	56	Kitchen, bedroom, garage	08/28/01
Eastern Fixture Company Inc.	Eastem	SM240TEBO	134	Basement, kitchen, closets	08/28/01
Eastern Fixture Company Inc.	Eastem	SM240TSTGE BO	134	Basement, kitchen, closets	08/28/01
Eastern Fixture Company Inc.	Eastem	SM320RAEBO	57	Hallway	08/27/01
Eastern Fixture Company Inc.	Eastem	SM340RAEBO	102		08/28/01
Eastern Fixture Company Inc.	Eastem	UN120EBO	23	Kitchen	08/27/01
Eastern Fixture Company Inc.	Eastem	UNW120EBO	23	Kitchen	08/27/01
Eastern Fixture Company Inc.	Eastem	UNW220EBO	40	Kitchen	08/27/01
Eastern Fixture Company Inc.	Eastem	UNW230EBO	56	Kitchen, office	08/27/01
Eastern Fixture Company Inc.	Eastem	UNW240EBO	70	Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastem	V121113	16	Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastem	V122113	16	Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastem	V81113	16	Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastem	V81213	16	Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastem	VL120EBO	23	Hallway	08/27/01
Eastern Fixture Company Inc.	Eastem	VL130EBO	31	Office	08/27/01
Eastern Fixture Company Inc.	Eastem	VL220EBO	40	Hallway	08/27/01
Eastern Fixture Company Inc.	Eastem	VL230EBO	56	Hallways	08/28/01
Eastern Fixture Company Inc.	Eastem	VL230EBO	56		08/27/01
Eastern Fixture Company Inc.	Eastem	VP220EBO	40	Basement	08/27/01
Eastern Fixture Company Inc.	Eastem	VP240EBO	70	Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastem	VT220EBO	40		08/27/01
Eastern Fixture Company Inc.	Eastem	VT240EBO	70	Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastem	VW120EBO	23	Hallway	08/27/01
Eastern Fixture Company Inc.	Eastem	VW130EBO	31	Office	08/27/01
Eastern Fixture Company Inc.	Eastem	VW220EBO	40	Hallway	08/27/01
Eastern Fixture Company Inc.	Eastem	VW230EBO	56	Hallways	08/28/01
Eastern Fixture Company Inc.	Eastem	VW230EBO	56	Bedroom, hallways	08/27/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
Eastern Fixture Company Inc.	Eastern	W66-2-120EBO	23	Office, hallway	08/28/01
Eastern Fixture Company Inc.	Eastern	W66-2-220EBO	40	Office, hallways	08/29/01
Eastern Fixture Company Inc.	Eastern	W66-3-130EBO	31	Office, hallway	08/27/01
Eastern Fixture Company Inc.	Eastern	W66-3-230EBO	56	Office, hallways	08/27/01
Eastern Fixture Company Inc.	Eastern	W66-4-240EBO	70	Hallway, office	08/28/01
Eastern Fixture Company Inc.	Eastern	W66-4-420EBO	74	Hallway, office	08/27/01
Eastern Fixture Company Inc.	Eastern	W66-6-230TEBO	106	Office, hallways	08/28/01
Eastern Fixture Company Inc.	Eastern	W66-8-140TEBO	70	Hallway, office	08/28/01
Eastern Fixture Company Inc.	Eastern	W66-8-140TEBO	70	Hallway, office	08/28/01
Eastern Fixture Company Inc.	Eastern	WA1113	16	Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	WA20	32	Living room, hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	WA2113	32	Living room, hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	WI66-2-120-EBO	23	Office, hallway	08/28/01
Eastern Fixture Company Inc.	Eastern	WI66-2-220EBO	40	Office, hallways	08/29/01
Eastern Fixture Company Inc.	Eastern	WI66-3-130EBO	31	Office, hallway	08/27/01
Eastern Fixture Company Inc.	Eastern	WI66-3-230EBO	56	Office, hallways	08/27/01
Eastern Fixture Company Inc.	Eastern	WI66-4-420EBO	74	Hallway, office	08/27/01
Eastern Fixture Company Inc.	Eastern	WI66-6-230TEBO	106	Office, hallways	08/28/01
Eastern Fixture Company Inc.	Eastern	WI66-8-140TEBO	70	Hallway, office	08/28/01
Eastern Fixture Company Inc.	Eastern	WID-66-2-120EBO	23		08/27/01
Eastern Fixture Company Inc.	Eastern	WID66-2-220EBO	40	Office, hallways	08/29/01
Eastern Fixture Company Inc.	Eastern	WID66-3-130EBO	31	Office, hallway	08/27/01
Eastern Fixture Company Inc.	Eastern	WID66-3-230EBO	56	Office, hallways	08/27/01
Eastern Fixture Company Inc.	Eastern	WID66-4-240EBO	70	Hallway, office	08/28/01
Eastern Fixture Company Inc.	Eastern	WID66-6-230TEBO	106	Office, hallways	08/28/01
Good Earth Lighting, Inc.	Empire Collection	G3885	28.5	Wall Scouce for Home.	06/29/01
Good Earth Lighting, Inc.	Good Earth	ES3011		Kitchen, Bath	06/30/99
Good Earth Lighting, Inc.	Good Earth	ES3021		Kitchen, Bath	06/30/99

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### WALL-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
Good Earth Lighting, Inc.	Good Earth Lighting	G3130	22.5	Living room, bedroom, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	G3155	22.5	Living room, bedroom, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	G3885	22.5	Living room, bedroom, hallway	01/07/02
Good Earth Lighting, Inc.	Good Earth Lighting	G3902	60.2	Living room, bedroom, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	G4126	45	Living room, bedroom, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	G4150	45	Living room, bedroom, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	G4619	45	Living room, bedroom, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	G4840	45	Living room, bedroom, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	G4885	45	Living room, bedroom, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	GL3155	22.5	Living room, bedroom, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	GL4840	45	Living room, bedroom, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting/ DuBois Wall Sconce	G3922-WH-I		Wall Sconce for Residential and Commercial Use	04/21/99
Good Earth Lighting, Inc.	Good Earth Lighting/ Europa Wall Sconce	G3952-PB-I		Wall Sconce for Residential and Commercial Use	04/21/99
Good Earth Lighting, Inc.	Good Earth Lighting/ La Scala Wall Sconce	G3932-NK-I		Wall Sconce for Residential and Commercial Use	04/21/99
Good Earth Lighting, Inc.	Good Earth Lighting/ Terrazo Wall Sconce	G3942-WH-I		Wall Sconce for Residential and Commercial Use	04/21/99
Good Earth Lighting, Inc.	Good Earth Lighting/ Sparta Wall Sconce	G3902-PB-I		Wall Sconce for Residential and Commercial Use	04/21/99
Good Earth Lighting, Inc.	Good Earth Lighting/ Tivoli Wall Sconce	G3912-PB-I		Wall Sconce for Residential and Commercial Use	04/21/99
Good Earth Lighting, Inc.	Good Earth/Glencoe	G3155		Wall sconce for home or commercial use	04/07/00
Good Earth Lighting, Inc.	Good Earth/Tuscany	G3130		Wall sconce for home or commercial use	04/07/00
INCON Industries	Incon	10111-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	10141-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	10141-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Suggested Use	Date
			Watts			Added
INCON Industries	Incon	10191-1/26	30.6		Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	10191-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	11501-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/27/01
INCON Industries	Incon	11501-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	11503-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	11503-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	11504-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	11504-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	13011-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	13019-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	13051-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	13059-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	14001-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	14001-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	14500-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	14500-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	14501-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	14501-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.





ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Suggested Use	Date Added
			Watts			
INCON Industries	Incon	14502-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	14502-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	14503-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	14503-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	14504-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	14504-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	14507-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	15407-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	16005-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	16111-1/26	30.6		Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	16141-1/26	30.6		Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	16141-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	16191-1/26	30.6		Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	16191-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	16801-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	16801-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	16803-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	16803-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.





ENERGY STAR®


## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### WALL-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
INCON Industries	Incon	16805-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	16805-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17154-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17160-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	17160-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17161-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17161-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17162-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17162-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17163-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17163-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17164-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17167-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17167-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17370-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17370-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17371-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17371-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Suggested Use	Date
			Watts			Added
INCON Industries	Incon	17372-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17372-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	17373-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17373-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	17374-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17374-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	17377-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17377-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	17400-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17400-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	17401-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17401-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	17402-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17402-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	17403-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17403-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	17404-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17404-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Suggested Use	Date Added
			Watts			
INCON Industries	Incon	17407-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17407-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	18111-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	18119-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	19101-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	19105-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	21501-1/26	30.6		Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	21503-1/26	30.6		Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	21504-1/26	30.6		Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	21561-1/26	30.6		Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	21563-1/26	30.6		Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	21564-1/26	30.6		Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	21600-1/26	30.6		Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	21651-1/26	30.6		Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	21651-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	21653-1/26	30.6		Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	21653-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	21671-1/26	30.6		Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### WALL-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
INCON Industries	Incon	21671-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	21675-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	21675-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	21681-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	21681-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	21685-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	21685-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	21691-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	21691-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	21695-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	21695-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	22221-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	22221-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	22225-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	22225-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	25000-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	25000-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	25002-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### WALL-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
INCON Industries	Incon	25002-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	25004-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	25004-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	25126-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	25126-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	25347-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	25347-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	25667-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	26801-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	26803-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	26805-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	26861-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	26863-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	26865-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	27050-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	27140-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	27171-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	28000-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### WALL-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
INCON Industries	Incon	28001-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	28801-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	28802-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	01/07/02
INCON Industries	Incon	28806-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	29903-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	29904-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	29906-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	31811-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	31819-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	31851-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	31859-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	32001-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	32111-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	32511-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	01/17/02
INCON Industries	Incon	32519-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/27/01
INCON Industries	Incon	32551-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	32559-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	32711-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### WALL-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
INCON Industries	Incon	32719-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	32751-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	32759-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	32801-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	32809-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	32811-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	32819-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	32911-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	32919-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	32951-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	32959-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	39051-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	39059-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	44500-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	44500-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	47160-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	47160-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	47400-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### WALL-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
INCON Industries	Incon	47400-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	51080-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	51081-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	72305-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	76073-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	81105-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	81125-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	82225-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	84445-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
Janmar Lighting	Decorative vanity fixture	1621-4X7		Bathroom	11/30/99
Janmar Lighting	Decorative vanity fixture	1621-4X9		Bathroom	11/30/99
Legion Lighting Company Incorporated		1265-117-ACP-EBO/ES		Powder room	12/23/99
Legion Lighting Company Incorporated		1265-125-ACP-EBO-ES		Powder room	12/23/99
Legion Lighting Company Incorporated		1265-132-ACP-EBO-ES		Powder room	12/23/99
Legion Lighting Company Incorporated		1265-217-ACP-EBO/ES		Powder room	12/23/99
Legion Lighting Company Incorporated		1265-225-ACP-EBO-ES		Powder room	12/23/99
Legion Lighting Company Incorporated		1265-232-ACP-EBO-ES		Powder room	12/23/99
Legion Lighting Company Incorporated		1285-117-ACP-EBO/ES		Powder room	12/23/99
Legion Lighting Company Incorporated		1285-125-ACP-EBO-ES		Powder room	12/23/99
Legion Lighting Company Incorporated		1285-132-ACP-EBO-ES		Powder room	12/23/99
Legion Lighting Company Incorporated		1285-217-ACP-EBO/ES		Powder room	12/23/99
Legion Lighting Company Incorporated		1285-225-ACP-EBO-ES		Powder room	12/23/99

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.





ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### WALL-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
Legion Lighting Company Incorporated		1285-232-ACP-EBO-ES		Powder room	12/23/99
Legion Lighting Company Incorporated		1294-117-ACP-EBO/ES		Powder room	12/23/99
Legion Lighting Company Incorporated		1294-125-ACP-EBO-ES		Powder room	12/23/99
Legion Lighting Company Incorporated		1294-132-ACP-EBO-ES		Powder room	12/23/99
Legion Lighting Company Incorporated		1294-217-ACP-EBO/ES		Powder room	12/23/99
Legion Lighting Company Incorporated		1294-225-ACP-EBO-ES		Powder room	12/23/99
Legion Lighting Company Incorporated		1294-232-ACP-EBO-ES		Powder room	12/23/99
Light Process Company	Light Process Co.	LP-DSC 13QS HP		Living room, hall.	04/07/00
Light Process Company	Light Process Co.	LP-PUFF DF17T8		Bathroom.	11/30/99
Light Process Company	Light Process Co.	LP-PUFF DF25T8		Bathroom.	11/30/99
Light Process Company	Light Process Co.	LP-PUFF DF32T8		Bathroom.	11/30/99
Light Process Company	Light Process Co.	LP-WSC13QSHP w/photo		Porch.	04/07/00
MaxLite SK America, Inc.	MaxLite	SKF18SI	20	Living room	03/29/01
Michigan Avenue Industrial Corporation	Michigan Avenue Fluorescent	10114		Any room or hallway	12/23/99
Michigan Avenue Industrial Corporation	Michigan Avenue Fluorescent	10131		Any room or hallway	12/23/99
Nutech Lighting Corporation	Nutech	2002		Hallway	10/25/00
OceanSide Coastal Lighting	Oceanside	S32-WX26E-XX		OUTDOOR-Decorative	10/25/00
OceanSide Coastal Lighting	Oceanside	S32WX-13E-XX		OUTDOOR-Decorative	10/25/00
OceanSide Coastal Lighting	Oceanside	S32WX-7E-XX		OUTDOOR-Decorative	10/25/00
OceanSide Coastal Lighting	Oceanside	S32WX-9E-XX		OUTDOOR-Decorative	10/25/00
OceanSide Coastal Lighting	Oceanside	S32WX-18E-XX		OUTDOOR-Decorative	10/25/00
Progress Lighting	Progress Lighting	710810-EB			04/19/00
Progress Lighting	Progress Lighting	710843-EB			04/21/00
Progress Lighting	Progress Lighting	716810-EB			04/19/00
Progress Lighting	Progress Lighting	716813-EB			04/19/00
Progress Lighting	Progress Lighting	716956-EB			04/19/00
Progress Lighting	Progress Lighting	716957-EB			04/19/00
Progress Lighting	Progress Lighting	717633-EB			04/19/00
Progress Lighting	Progress Lighting	717910-EB			04/19/00

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### WALL-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
Progress Lighting	Progress Lighting	P5TG/26W/1 20V			04/19/00
Progress Lighting	Progress Lighting	P5TG/26W/2 77V			04/19/00
Progress Lighting	Progress Lighting	P5TG/32W/1 20V			04/19/00
Progress Lighting	Progress Lighting	P5TG/32W/2 77V			04/19/00
Progress Lighting	Progress Lighting	P5TG/42W/1 20V			04/19/00
Progress Lighting	Progress Lighting	P5TG/42W/2 77V			04/19/00
Ron Rezek Lighting	Ron Rezek	401/02/03		Strip Lights, Express	01/28/99
Ron Rezek Lighting	Ron Rezek	460		Wall Sconce, Cirrus 36"	11/12/98
Ron Rezek Lighting	Ron Rezek	461		Wall Sconce, Cirrus 24"	11/12/98
Ron Rezek Lighting	Ron Rezek	480		Wall Sconce, Dulcet	11/12/98
Ron Rezek Lighting	Ron Rezek	481		Wall Sconce, Half Dulcet	11/12/98
Ron Rezek Lighting	Ron Rezek	491/92/93		Strip lights, Flute	01/28/99
Ron Rezek Lighting	Ron Rezek	510		Wall Sconce, Facet Wall	11/12/98
Ron Rezek Lighting	Ron Rezek	560/61		Strip lights, Basic Strip	01/28/99
Ron Rezek Lighting	Ron Rezek	570		Wall Sconce, Pleats Wall	11/12/98
Ron Rezek Lighting	Ron Rezek	581/82		Wall Sconce, Wedges	11/12/98
Roselight	Roselight Inc.	102-2PL13		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	102-2PL9		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	102-PL13		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	102-PL9		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	117-PL7		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	127-2PL9		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	127-PL13		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	127-PL9		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	140-2PL13		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	211-120		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	211-125		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	211-130		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	211-132		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	211-140		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	211-217		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	211-220		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	211-225		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	211-230		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	211-232		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	243-120		Residential/Commercial	09/27/99

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### WALL-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
Roselight	Roselight Inc.	243-125		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	243-130		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	243-132		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	243-140		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	243-217		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	243-220		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	243-230		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	243-232		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	243-240		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	247-217		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	247-417		Residential/Commercial	09/27/99
Sea Gull Lighting Products Incorporated	SGLP	4908-68E		Bathroom	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4918-68E		Comidor	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4919-02E		Comidor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4924-02E		Comidor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4925-02E		Comidor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4929-02E		Comidor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4930-68E		Also Ceiling-Mounted. Comidor.	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4931-15E		Hall/Bathroom	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4934-33E		Comidor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4938-15E		Comidor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4939-68E		Hall/Bathroom	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4940-68E		Hall/Bathroom	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4941-68E		Comidor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4949-15E		Comidor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4950-57E		Comidor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4951-02E		Comidor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4952-02E		Comidor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4953-02E		Comidor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4953-15E		Comidor/Hall	02/25/99

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### WALL-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
Sea Gull Lighting Products Incorporated	SGLP	4958-15E		Coridor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4960-15E		Coridor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4963-02E		Coridor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4966-15E		Also Outdoor. Hall/Entrance.	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4966-72F		Also Outdoor. Hall/Entrance.	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4967-09E		Coridor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4967-26E		Coridor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4969-09E		Coridor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4969-26E		Coridor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4972-02E		Coridor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4980-02E		Hall/Bathroom	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4983-15E		Under Cabinet	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4984-15E		Under Cabinet	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4986-15E		Bathroom	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4988-32E		Coridor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4995-02E		Bathroom	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4998-02E		Bathroom	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4998-02E		Bathroom	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4999-02E		Bathroom	02/25/99
Simkar Corporation	SIMKAR	SMCW240-E1	90	Kitvhen, utility room, bath, hallway	07/30/01
Technical Consumer Products	Technical Consumer Products	X034302-18	19	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062901NU-13	14	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062901NU-14	15	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062901NU-18	19	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062901NU-26	27	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062902NU-13	15	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062902NU-13	14	Any room	12/21/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
Technical Consumer Products	Technical Consumer Products	X062902NU-18	19	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062902NU-26	27	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062903NU-13	14	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062903NU-14	15	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062903NU-18	19	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062903NU-26	27	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062904NU-13	14	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062904NU-14	15	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062904NU-18	19	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062904NU-26	27	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062905NU-13	14	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062905NU-14	15	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062905NU-18	19	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062905NU-26	27	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062906NU-13	14	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062906NU-14	15	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062906NU-18	19	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062906NU-26	27	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062907NU-13	2	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062907NU-14	15	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062907NU-18	19	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062907NU-26	27	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062908NU-13	14	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062908NU-14	15	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062908NU-18	19	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062908NU-26	27	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062909NU-13	14	Any room	12/21/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Suggested Use	Date
			Watts			Added
Technical Consumer Products	Technical Consumer Products	X062909NU-14	15		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062909NU-18	19		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062909NU-26	27		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062910NU-13	14		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062910NU-14	15		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062910NU-18	19		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062910NU-26	27		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X070101NU-13	14		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X070101NU-14	15		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X070101NU-18	19		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X070101NU-26	27		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X070201NU-13	14		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X070201NU-14	15		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X070201NU-18	19		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X070201NU-26	27		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X070301NU-13	14		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X070301NU-14	15		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X070301NU-18	19		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X070301NU-26	27		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X092607NU-26	27		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X094302-13	14		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X094302-14	15		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X094302-26	27		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X094303-13	14		Any room	01/17/02
Technical Consumer Products	Technical Consumer Products	X094303-14	15		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X094303-18	19		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X094303-26	27		Any room	12/21/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

## ENERGY STAR® Qualified Residential Light Fixtures

### List of Qualified Products

#### WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
Technical Consumer Products	Technical Consumer Products	X096101-13	14	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X096101-14	15	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X096101-18	19	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X096101-26	27	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X124201-1-13	14	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X124201-1-14	15	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X124201-1-18	19	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X124201-1-26	27	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X124301-1-13	14	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X124301-1-14	15	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X124301-1-18	19	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X124301-1-26	27	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X124401-1-13	14	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X124401-1-14	15	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X124401-1-18	19	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X124401-1-26	27	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X124601-1-13	14	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X124601-1-14	15	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X124601-1-18	19	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X124601-1-26	27	Any room	12/21/01
U.S. Energy Technologies Inc.	U.S. Energy Technologies	LF18813		Indoor room.	04/07/00
U.S. Energy Technologies Inc.	U.S. Energy Technologies	LF18913		Indoor room.	04/07/00
U.S. Energy Technologies Inc.	U.S. Energy Technologies	LFHS13		Indoor room.	04/07/00
U.S. Energy Technologies Inc.	U.S. Energy Technologies	LFPA13		Indoor room.	04/07/00

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.